



SLOVENSKI STANDARD
SIST EN 4048:2004

01-maj-2004

Aerospace series - Nuts, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), MoS2 coated - Classification: 1 550 MPa (at ambient temperature) / 425 °C - Technical specification

Aerospace series - Nuts, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), MoS2 coated - Classification: 1 550 MPa (at ambient temperature) / 425 °C - Technical specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 4048:2004](https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004)

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

Ta slovenski standard je istoveten z: EN 4048:2003

ICS:

49.030.30 Matice Nuts

SIST EN 4048:2004 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)


SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004


<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4048:2004

<https://standards.iteh.ai/catalog/standards/sist/c5b62cd8-f86c-4cb8-8328-a1599b8d69da/sist-en-4048-2004>

--	--

--	--

