

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Maritime navigation and radiocommunication equipment and systems –  
Data interfaces –  
Part 1: S-421 route plan based on S-100**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Interface de données –  
Partie 1: Plan de route S-421 basé sur la S-100**

<https://standards.iteh.ai/catalog/standards/sist/9b61764a-face-4909-8073-23ea8f3aa782/iec-63173-1-2021>





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2021 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### **IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Recherche de publications IEC -**

##### **[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### **IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Maritime navigation and radiocommunication equipment and systems –  
Data interfaces –  
Part 1: S-421 route plan based on S-100**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Interface de données –  
Partie 1: Plan de route S-421 basé sur la S-100**

<https://standards.iteh.ai/catalog/standards/sist/9b61764a-face-4909-8073-23ea8f3aa782/iec-63173-1-2021>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 47.020.70

ISBN 978-2-8322-1069-8

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references .....	13
3 Terms and definitions .....	13
4 Abbreviated terms .....	14
5 General description .....	15
5.1 General data product description .....	15
5.2 Data product specification metadata .....	15
5.3 Product specification maintenance.....	16
5.4 Specification scopes .....	16
5.5 Dataset identification .....	16
6 Data content and structure .....	16
6.1 General.....	16
6.2 Application schema.....	17
6.4 Geometry.....	19
6.5 Coordinate reference systems.....	19
7 Feature catalogue.....	19
7.1 General.....	19
7.2 Feature types.....	20
7.2.1 Geographic.....	20
7.2.2 Meta.....	20
7.2.3 Route .....	20
7.2.4 RouteActionPoints .....	20
7.2.5 RouteActionPoint.....	21
7.2.6 RouteWaypoints .....	25
7.2.7 RouteWaypoint .....	25
7.2.8 RouteWaypointLeg .....	28
7.3 Information types .....	33
7.3.1 General .....	33
7.3.2 RouteSchedules .....	33
7.3.3 RouteSchedule .....	33
7.3.4 RouteScheduleManual/RouteScheduleCalculated/ RouteScheduleRecommended .....	36
7.3.5 RouteScheduleElement .....	36
7.3.6 RouteInfo.....	36
7.4 Association roles of feature catalogue.....	45
7.5 Associations of feature catalogue .....	46
7.5.1 General .....	46
7.5.2 Feature association .....	46
7.5.3 Information association.....	46
7.6 Attributes .....	47
7.6.1 General .....	47
7.6.2 Simple attribute types .....	47
7.6.3 Complex attributes .....	48
7.6.4 Spatial attribute types .....	49

7.7	Binding .....	49
7.7.1	General .....	49
7.7.2	Feature binding .....	49
7.7.3	Information binding .....	50
8	Data type and structure of transmission format .....	51
9	Maintenance .....	51
9.1	Feature and portrayal catalogue management .....	51
9.1.1	Feature catalogue management.....	51
9.1.2	Portrayal catalogue management.....	51
9.2	Data source .....	52
9.3	Production process .....	52
10	Portrayal.....	52
10.1	General.....	52
10.2	Portrayal catalogue.....	52
11	Data product delivery.....	53
11.1	General.....	53
11.2	Single XML file.....	53
11.3	Compressed data container .....	54
11.4	S-100-compliant exchange set.....	54
11.4.1	General .....	54
11.4.2	Exchange set.....	54
11.4.3	Dataset.....	55
11.4.4	Exchange catalogue.....	55
11.4.5	Digital signature .....	55
11.4.6	Encryption .....	55
11.4.7	Metadata .....	56
12	Test methods and expected results .....	59
12.1	General.....	59
12.2	Test data .....	60
12.2.1	Test material .....	60
12.2.2	Minimum generic test data.....	60
12.2.3	Basic generic test data .....	61
12.2.4	Full generic test data .....	62
12.3	Route plan test .....	63
12.3.1	General .....	63
12.3.2	Minimum generic route plan test.....	63
12.3.3	Basic generic route plan test .....	64
12.3.4	Full generic route plan test .....	68
Annex A	(normative) Examples of use cases for route .....	75
A.1	General.....	75
A.2	Route cross check .....	75
A.2.1	Description .....	75
A.2.2	Information exchange diagram.....	76
A.2.3	State transition diagram.....	77
A.2.4	Required objects and attributes and their usage .....	78
A.2.5	Test methods and expected results .....	84
A.3	Flow management.....	86
A.3.1	Description .....	86

A.3.2	Information exchange diagram.....	87
A.3.3	State transition diagram.....	88
A.3.4	Required objects and attributes and their usage .....	90
A.3.5	Test methods and expected results .....	94
A.4	Enhanced monitoring .....	95
A.4.1	Description .....	95
A.4.2	Information exchange diagram.....	96
A.4.3	State transition diagram.....	97
A.4.4	Required objects and attributes and their usage .....	98
A.4.5	Test methods and expected results .....	102
A.5	Ice navigation .....	103
A.5.1	Description .....	103
A.5.2	Information exchange diagram.....	104
A.5.3	State transition diagram ship side.....	105
A.5.4	Shore side .....	106
A.5.5	Required objects and attributes and their usage .....	106
A.5.6	Test methods and expected results .....	109
A.6	Under keel clearance management .....	110
A.6.1	Description .....	110
A.6.2	Information exchange diagram.....	112
A.6.3	State transition diagram.....	113
A.6.4	Required objects and attributes and their usage .....	116
A.6.5	Test methods and expected results .....	120
A.7	Fleet route planning .....	123
A.7.1	Description .....	123
A.7.2	Information exchange diagram.....	123
A.7.3	State transition diagram.....	124
A.7.4	Required objects and attributes and their usage .....	126
A.7.5	Test methods and expected results .....	130
A.8	Chart management .....	131
A.8.1	Description .....	131
A.8.2	Information exchange diagram.....	132
A.8.3	State transition diagram.....	132
A.8.4	Functional requirement .....	133
A.8.5	Required objects and attributes and their usage .....	133
A.8.6	Test methods and expected results .....	135
A.9	Route optimization .....	136
A.9.1	Description .....	136
A.9.2	Information exchange diagram.....	137
A.9.3	State transition diagram.....	138
A.9.4	Required objects and attributes and their usage .....	139
A.9.5	Test methods and expected results .....	144
A.10	Port call synchronization .....	145
A.10.1	Description .....	145
A.10.2	Information exchange diagram.....	146
A.10.3	State transition diagram.....	148
A.10.4	Required objects and attributes and their usage .....	150
A.10.5	Test methods and expected results .....	153
A.11	Reference route .....	154

A.11.1	Description .....	154
A.11.2	Information exchange diagram.....	155
A.11.3	State transition diagram.....	156
A.11.4	Required objects and attributes and their usage .....	158
A.11.5	Test methods and expected results .....	163
A.12	Search and rescue.....	164
A.12.1	Description .....	164
A.12.2	Information exchange diagram.....	165
A.12.3	State transition diagram.....	166
A.12.4	Required objects and attributes and their usage .....	167
A.12.5	Test methods and expected results .....	169
A.13	Summary of objects and attributes used by service scenarios .....	170
Annex B (normative)	Data classification and encoding guide.....	178
B.1	General.....	178
B.1.1	Overview .....	178
B.1.2	Descriptive characteristics .....	178
B.1.3	Spatial characteristics .....	179
B.2	Attributes .....	179
B.2.1	General .....	179
B.2.2	Simple attribute types with acronym.....	180
B.2.3	Mandatory attributes by schema .....	181
B.2.4	Missing attribute values .....	182
B.2.5	Multiplicity .....	183
B.2.6	Spatial attribute types.....	183
B.2.7	Textual information .....	183
B.2.8	Attributes referencing external files.....	183
B.2.9	Dates.....	184
B.3	Associations .....	185
B.3.1	General .....	185
B.3.2	Association names.....	186
B.3.3	Association roles .....	186
B.3.4	Use of various associations .....	186
B.4	Datasets .....	186
B.5	Metadata .....	186
B.5.1	General .....	186
B.5.2	Dataset metadata .....	187
B.5.3	Support file metadata .....	189
B.5.4	Exchange set metadata .....	190
B.5.5	Catalogue file metadata.....	190
B.6	Description of table format for feature and information formats .....	191
B.7	Feature types.....	193
B.7.1	Feature type in general.....	193
B.7.2	Route .....	193
B.7.3	RouteActionPoints .....	195
B.7.4	RouteActionPoint.....	195
B.7.5	RouteWaypoints .....	197
B.7.6	RouteWaypoint.....	198
B.7.7	RouteWaypointLeg .....	198
B.8	Information types .....	200

B.8.1	InformationType in general .....	200
B.8.2	RouteInfo.....	201
B.8.3	RouteSchedules .....	202
B.8.4	RouteSchedule .....	203
B.8.5	RouteScheduleManual.....	204
B.8.6	RouteScheduleCalculated.....	205
B.8.7	RouteScheduleRecommend.....	205
B.8.8	RouteScheduleElement .....	206
Annex C (informative) Examples of how to fulfil the requirements of IMO voyage planning.....		208
C.1	General.....	208
C.2	Reference points.....	208
C.3	Astronomical events.....	209
C.4	Under keel clearance .....	210
C.5	Overhead clearance.....	211
C.6	Regulated areas .....	213
Annex D (normative) Route plan feature catalogue and example .....		216
D.1	Application schema.....	216
D.2	Example .....	240
Annex E (informative) Guidelines for GML ID allocation .....		245
Bibliography.....		247
Figure 1 – Route plan application schema.....		18
Figure 2 – RouteWaypointID usage examples: Delete .....		26
Figure 3 – RouteWaypointID usage examples: Insert .....		26
Figure 4 – RouteWaypointLegDistance between WP2 and WP3 .....		28
Figure 5 – RouteWaypointLeg parameters belonging to WP3 .....		28
Figure 6 – Under-keel clearance example .....		29
Figure 7 – RouteWaypointLeg limits example.....		30
Figure 8 – State diagram for route status from ship perspective .....		38
Figure 9 – State diagram of route status from shore perspective.....		38
Figure 10 – S-100 exchange set structure.....		54
Figure 11 – Realization of the exchange set classes .....		56
Figure 12 – Route exchange set catalogue .....		57
Figure 13 – Route exchange set .....		57
Figure 14 – Route exchange set – Example of class details .....		58
Figure A.1 – Route cross check example .....		76
Figure A.2 – Interaction diagram.....		77
Figure A.3 – State transition diagram for the route plan onboard.....		78
Figure A.4 – State transition diagram for the route plan onshore.....		78
Figure A.5 – Flow management example .....		87
Figure A.6 – Data interaction diagram.....		88
Figure A.7 – State transition diagram for the route plan onboard.....		89
Figure A.8 – State transition diagram for the route plan onshore.....		89
Figure A.9 – Enhanced monitoring example .....		96



Figure A.10 – Information exchange diagram .....	97
Figure A.11 – State transition diagram for the route plan onboard .....	97
Figure A.12 – State transition diagram for the route plan onshore .....	98
Figure A.13 – Ice navigation example .....	104
Figure A.14 – Interaction diagram on request .....	105
Figure A.15 – State transition diagram for a ship .....	105
Figure A.16 – State transition diagram for a shore .....	106
Figure A.17 – Example of UKCM area .....	111
Figure A.18 – Example of portrayal of S-421 part of UKCM .....	111
Figure A.19 – Example of portrayal of S-129 overlay part of UKCM .....	112
Figure A.20 – Information exchange diagram .....	113
Figure A.21 – State transition diagram of UKCM for a ship .....	114
Figure A.22 – State transition diagram of UKCM for a shore .....	115
Figure A.23 – Information sequence diagram .....	124
Figure A.24 – State transition diagram for a ship .....	125
Figure A.25 – State transition diagram for a shore .....	125
Figure A.26 – Interaction diagram .....	132
Figure A.27 – Route optimization example .....	136
Figure A.28 – Interaction diagram on request .....	137
Figure A.29 – State transition diagram for a ship .....	138
Figure A.30 – State transition diagram for a shore .....	139
Figure A.31 – Interaction diagram .....	147
Figure A.32 – State transition diagram for a ship .....	149
Figure A.33 – State transition diagram for shore .....	150
Figure A.34 – Example of reference routes .....	155
Figure A.35 – Data interaction diagram .....	156
Figure A.36 – State transition diagram for a ship requesting a reference route .....	157
Figure A.37 – State transition diagram for a shore center providing a reference route .....	158
Figure A.38 – A search and rescue example .....	165
Figure A.39 – Interaction diagram .....	165
Figure A.40 – State transition diagram for a ship .....	166
Figure A.41 – State transition diagram for shore .....	167
Figure B.1 – Association routeInfoComposition .....	185
Figure B.2 – Metadata packages .....	187
Figure C.1 – Example of reference point .....	208
Figure C.2 – Example of presentation of added textual information .....	209
Figure C.3 – Example of astronomical event .....	210
Figure C.4 – Example of presentation of added textual information .....	211
Figure C.5 – Example of presentation of added textual information .....	214
Figure C.6 – Example of graphical presentation of regulated area .....	215
Table 1 – Informal description of the data product .....	15
Table 2 – Data product specification metadata .....	15

Table 3 – Route plan product specification scope .....	16
Table 4 – Dataset identification.....	16
Table 5 – Route plan coordinate reference systems.....	19
Table 6 – Route object attributes .....	22
Table 7 – RouteActionPoints object attributes.....	22
Table 8 – RouteActionPoint object attributes.....	23
Table 9 – Definition of RouteActionPointRequiredAction .....	24
Table 10 – RouteWaypoints object attributes .....	24
Table 11 – RouteWaypoint object attributes.....	27
Table 12 – RouteWaypointLeg object attributes .....	31
Table 13 – RouteSchedules object attributes .....	34
Table 14 – RouteScheduleManual object attributes.....	34
Table 15 – RouteScheduleCalculated object attributes.....	34
Table 16 – RouteScheduleRecommended object attributes.....	34
Table 17 – RouteSchedule object attributes .....	35
Table 18 – RouteScheduleElement object attributes .....	39
Table 19 – RouteInfo object attributes .....	40
Table 20 – Definition of RouteInfoStatus.....	42
Table 21 – Type of ship .....	43
Table 22 – Roles of the route plan .....	45
Table 23 – Feature association for route plan .....	46
Table 24 – Information association for route plan.....	47
Table 25 – Simple attribute types.....	48
Table 26 – RouteExtensions attributes.....	49
Table 27 – Spatial attributes.....	49
Table 28 – Feature binding for the route plan.....	50
Table 29 – Information binding for the route plan .....	51
Table 30 – Information binding for the route plan portrayal catalogue .....	52
Table 31 – Dataset metadata .....	59
Table A.1 – Objects and attributes used by route cross check.....	79
Table A.2 – Test procedures for route cross check .....	84
Table A.3 – Objects and attributes used by flow management.....	91
Table A.4 – Test procedures for flow management .....	94
Table A.5 – Objects and attributes used by enhanced monitoring .....	99
Table A.6 – Test procedures for enhanced monitoring .....	102
Table A.7 – Objects and attributes used by ice navigation .....	107
Table A.8 – Test procedures for ice navigation .....	109
Table A.9 – Objects and attributes used by UKCM.....	117
Table A.10 – Test procedures for UKCM.....	120
Table A.11 – Objects and attributes used by fleet route planning.....	127
Table A.12 – Test procedures for fleet route planning.....	130
Table A.13 – Objects and attributes used by chart management .....	134
Table A.14 – Test procedures for chart management.....	135

Table A.15 – Objects and attributes used by route optimization .....	140
Table A.16 – Test procedures for route optimization .....	144
Table A.17 – Objects and attributes used by port call synchronization .....	151
Table A.18 – Test procedures for port call synchronization .....	153
Table A.19 – Objects and attributes used by reference route .....	159
Table A.20 – Test procedures for reference route .....	163
Table A.21 – Objects and attributes used by Search and Rescue .....	168
Table A.22 – Test procedures for Search and Rescue .....	169
Table A.23 – Objects and attributes used by service scenarios as seen from the ship .....	170
Table B.1 – Feature types .....	179
Table B.2 – Simple attribute types .....	180
Table B.3 – Mandatory attribute types .....	182
Table B.4 – Multiplicity .....	183
Table B.5 – Predefined derived types .....	184
Table B.6 – File format .....	184
Table B.7 – Truncated dates .....	185
Table B.8 – Dataset types .....	186
Table B.9 – Metadata for route plan .....	188
Table B.10 – Support files for route plan .....	190
Table B.11 – File metadata for route plan .....	191
Table B.12 – Example of table format for feature .....	192
Table B.13 – General feature types .....	193
Table B.14 – Table format for Route .....	194
Table B.15 – Table format for RouteActionPoints .....	195
Table B.16 – Table format for RouteActionPoint .....	196
Table B.17 – Table format for RouteWayPoints .....	197
Table B.18 – Table format for RouteWaypoint .....	198
Table B.19 – Table format for RouteWaypointLeg .....	199
Table B.20 – General information types .....	200
Table B.21 – Table format for RouteInfo .....	201
Table B.22 – Table format for RouteSchedules .....	202
Table B.23 – Table format for RouteSchedule .....	203
Table B.24 – Table format for RouteScheduleManual .....	204
Table B.25 – Table format for RouteScheduleCalculated .....	205
Table B.26 – Table format for RouteScheduleRecommend .....	206
Table B.27 – Table format for RouteScheduleElement .....	207
Table E.1 – Example of GML ID .....	245

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION  
EQUIPMENT AND SYSTEMS – DATA INTERFACES –**
**Part 1: S-421 route plan based on S-100**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63173-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
80/997/FDIS	80/1000/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 63173 series, published under the general title *Maritime navigation and radiocommunication equipment and systems – Data interfaces*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

IEC Standards  
(<https://standards.iteh.ai>)  
Document Preview

[IEC 63173-1:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/9b61764a-face-4909-8073-23ea8f3aa782/iec-63173-1-2021>

## INTRODUCTION

The voyage plan is a key element of a vessel's voyage and can be used to optimize safety and processes, as well as for the interaction of participants and stakeholders.

The core element of the voyage plan is the route.

The exchange of routes (whether it be between ship-to-ship, ship-to-shore or shore-to-shore) may improve

- situational awareness,
- reduction in the number of accidents and incidents (by proactively de-conflicting routes),
- resource utilization by knowing the intentions of other actors,
- secured passages by knowing the intentions of other actors,
- predictability of arrivals and departures by early information sharing,
- planning for involved actors leading to reduced idle time for resources, and
- just-in-time operations by enabling stakeholders and service providers to be efficiently organized for handling vessel movements, port resources, and hinterland connections.

This document has been registered with the IHO S-100 registry as product specification S-421. A S-100 product specification is a description of the features, attributes and relationships of an application and their mapping to a dataset. It is a complete description of all the elements required to define a particular geographic data product.

IHO S-97 describes readiness levels of product specifications to show a progression from an idea to regular use. S-421 is currently at the initial level 1 pending demonstration in a real-world environment.

S-100 uses camelCase for naming. CamelCase names are made up of words joined together without spaces and capitalised within the compound using a limited set of English letters. Feature and information types begin with uppercase A-Z and attributes and values begin with lowercase a-z.

# MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DATA INTERFACES –

## Part 1: S-421 route plan based on S-100

### 1 Scope

This part of IEC 63173 specifies an S-100 compliant product specification for route plan intended for exchange of information. It specifies the content, structure, and metadata needed for creating fully S-100 compliant route plan information and its portrayal within an S-100-based application. The IHO manages all numbers for S-100 compliant product specifications and has assigned S-421 for this route plan IEC standard.

This document specifies only a data format for the route plan exchange. This document does not specify a data format of vessel monitoring and logging information. This information can be provided by other mechanisms or be specified in other standards.

The format of the route plan exchange includes some limited vessel static information. When more static information is required, it can be obtained by other methods such as AIS.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

S-100:2018, *IHO Universal Hydrographic Data Model* (edition 4.0.0)

### 3 Terms and definitions

For the purposes of this document, the following terms, definitions and abbreviated terms apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1

##### **active route**

route which is currently monitored for the voyage which may contain the schedule information

#### 3.2

##### **actor**

human or machine that takes part in the route plan exchange process

#### 3.3

##### **feature**

abstraction of real-world phenomena

Note 1 to entry: A feature may occur as a type or an instance. A feature type or a feature instance should be used when only one is meant as described in S-100.