

SLOVENSKI STANDARD SIST EN 61158-5-14:2008

01-julij-2008

Nadomešča: SIST EN 61158-5:2004



Industrial communication networks - Fieldbus specifications - Part 5-14: Application layer service definition - Type 14 elements

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-14: Dienstfestlegungen des Application Layer (Anwendungsschicht) - Typ 14-Elemente

Réseaux de communication industriels Espécifications des bus de terrain - Partie 5-14: Définition des services des couches d'application des voir fait de type 1-4 9bd2b2cc4b61/sist-en-61158-5-14-2008

Ta slovenski standard je istoveten z: EN 61158-5-14:2008

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov
35.100.70	Uporabniški sloj
35.110	Omreževanje

Industrial process measurement and control Application layer Networking

SIST EN 61158-5-14:2008

en,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61158-5-14:2008</u> https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008

EUROPEAN STANDARD NORME FUROPÉENNE **EUROPÄISCHE NORM**

EN 61158-5-14

March 2008

ICS 35.100.70; 25.040.40

Partially supersedes EN 61158-5:2004

English version

Industrial communication networks -Fieldbus specifications -Part 5-14: Application layer service definition -Type 14 elements (IEC 61158-5-14:2007)

Réseaux de communication industriels -Spécifications des bus de terrain -Partie 5-14: Définition des services des couches d'application -Eléments de type 14 (CEI 61158-5-14:2007) eh STANDARD PTyp-14-Elemente (IEC 61158-5-14:2007)

Industrielle Kommunikationsnetze -Feldbusse -Teil 5-14: Dienstfestlegungen des Application Layer (Anwendungsschicht) -

SIST EN 61158-5-14:2008

(standards.iteh.ai)

https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-

This European Standard was approved by CENELEC on 2008-02-018 CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2008 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 65C/475/FDIS, future edition 1 of IEC 61158-5-14, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-5-14 on 2008-02-01.

This and the other parts of the EN 61158-5 series supersede EN 61158-5:2004.

With respect to EN 61158-5:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 5-2, 5-3, ..., 5-20.

The following dates were fixed:

_	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2008-11-01
_	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELE<u>CIST EN 61158-5-14:2008</u> https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008

Endorsement notice

The text of the International Standard IEC 61158-5-14:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131-1	NOTE Harmonized as EN 61131-1:2003 (not modifi	ed).
IEC 61158-3-14	NOTE Harmonized as EN 61158-3-14:2008 (not mo	dified).
IEC 61158-4-14	NOTE Harmonized as EN 61158-4-14:2008 (not mo	dified).
IEC 61158-6-14	NOTE Harmonized as EN 61158-6-14:2008 (not mo	dified).
IEC 61784-2	NOTE Harmonized as EN 61784-2:2008 (not modifi	ed).

EN 61158-5-14:2008

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
IEC 61131-3	_1)	Programmable controllers - Part 3: Programming languages	EN 61131-3	2003 ²⁾
IEC/TR 61158-1	2007	Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series	-	-
IEC 61588	_1)	Precision clock synchronization protocol for networked measurement and control systems	-	-
ISO/IEC 646	- ¹⁾ iT	Information technology - ISO 7-bit coded Character set for information interchange	W	-
ISO/IEC 7498-1	_1)	(Standards.iten.al) Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model Indards.iten.al/catalog/standards/sist/92eadaf4-e985-4524	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 7498-3	_1)	Information technology 6 Open Systems Interconnection - Basic Reference Model: Naming and addressing		-
ISO/IEC 8822	_1)	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824	_1)	Information technology - Open Systems Interconnection - Specification of Abstract Syntax Notation One (ASN.1)	-	-
ISO/IEC 9545	_1)	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	_1)	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61158-5-14:2008</u> https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008





Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks - Fieldbus specifications -Part 5-14: Application layer service definition - Type 14 elements

> <u>SIST EN 61158-5-14:2008</u> https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION



ICS 35.100.70; 25.040.40

ISBN 2-8318-9462-X

CONTENTS

INTRODUCTION 6 1 Scope 7 1.1 Overview 7 1.2 Specifications 8 1.3 Conformance 8 2 Normative references 8 3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 9545 terms 9 3.4 ISO/IEC 8822 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5.1 Overview 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data typestand ands.ttch.ai) 17 5.4 Data type ASE service specification 37 6.1 Overview 16 5.3 FAL defined data typestand ands.ttch.ai) 17 5.4 Data type ASE service specification 37 6.1 General 1990/50000000000000000000000000000000000	FO	REWC	PRD	4
1.1 Overview 7 1.2 Specifications 8 1.3 Conformance 8 1.3 Conformance 8 2 Normative references 8 3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5.1 Overview Terms STAND ARD PREVIEW 6 Data type ASE 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type standards.iteh.ai 17 5.4 Data type ASE service specification 37 6.1 General Specification.ENGLISS.5.14200 37 6.1 General Specification.ENGLISS.5.14200 37 6.2 ASES Specification.ENGLISS.5.142	INT	RODL	ICTION	6
1.2 Specifications 8 1.3 Conformance 8 2 Normative references 8 3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 8824 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview 17 5.4 Data type objects 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type objects 16 5.4 Data type ASE service specification 37 6 Communication model specificationLEN OLISS-5.142008 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bi	1	Scop	e	7
1.3 Conformance 8 2 Normative references 8 3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.1 ISO/IEC 7498-1 terms 9 3.1 ISO/IEC 8824 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5.1 Overview Terms term term term term term term term term		1.1	Overview	7
2 Normative references 8 3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 8824 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview 17 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type objects 16 5.4 Data type ASE service specification 37 6 Communication model specification CLOS LISES LIGUM 37 7 1 General http://standris.standards.sta/92cadal-985-1524-9665 6.1 General http://standris.standards.sta/92cadal-985-1524-9665 37 6.1 General http://standards.sta/92cadal-985-1524-9665 37 6.3 Application relationship 82 <td></td> <td>1.2</td> <td>Specifications</td> <td>8</td>		1.2	Specifications	8
3 Terms, definitions, symbols, abbreviations and conventions 9 3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 8822 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview 17 5.4 definition of data type objects 16 5.3 FAL defined data type specification 37 6 Concepts 16 5.3 FAL defined data type schedulards, ittp://datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.datafic.eds/stype.schedulars/stype.datafic.eds/stype.schedulars/stype.datafic.eds/stype.schedulars/stype.datafic.eds/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars/stype.schedulars		1.3	Conformance	8
3.1 ISO/IEC 7498-1 terms 9 3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 8824 terms 9 3.4 ISO/IEC 8824 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Concepts 16 5 Data type ASE 16 5.1 Overview Termson Odata type objects 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type scification 16 5.4 Data type ASE service specification 17 5.4 Data type ASE service specification 37 6.1 General Ittps:/standards.itchaicatalog/standards/sist/2caddf-c95.4524/9c5. 37 6.1 General Ittps:/standards.itchaicatalog/standards/sist/2caddf-c95.4524/9c5. 37 6.2 ASEs 900252204001584 er/81.58.5142008 38 6.3 Application layer entity 38 38 6.4 Summary of application layer services 86	2	Norm	ative references	8
3.2 ISO/IEC 8822 terms 9 3.3 ISO/IEC 9545 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data typesstandards.iteh.all 17 5.4 Data type ASE service specification 37 6 Communication model specification LNG1158.5142008 37 6.1 General Maxious service specification LNG1158.5142008 37 6.1 General Maxious services services 38 6.3 Application relationship 82 64 Summary of application layer services 85 Bibliography 88 Figure 1 – Application layer entity 38 38 39 39 Figure 2 – Received message processing procedure 60 60 60 Figure 3 –	3	Term	s, definitions, symbols, abbreviations and conventions	9
3.3 ISO/IEC 9545 terms 9 3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview (Fgh SCPAND) ARD PREVIEW 16 5.3 FAL defined data type objects 5.3 FAL defined data type objects 16 5.3 FAL defined data type objects 16 5.4 Data type ASE service specification 37 6 Communication model specificationLN 61158-5142008 37 6.1 General Mitps/standards ichaircantogistanturds/sist/92eadaB-e985-4524-9e65 37 6.2 ASEs 37 51 32		3.1	ISO/IEC 7498-1 terms	9
3.4 ISO/IEC 8824 terms 9 3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview Teth <standard preview<="" td=""> 16 5.2 Formal definition of data type objects 16 5.2 Formal definition of data type specification 5.4 Data type ASE service specification 37 6 Communication model specification INOLISS-S: 142008 37 6.1 General Mps/standards ich al/catalog/standards/sis/92.endsH-c985-4524-9e65- 7 6.1 General Mps/standards/sis/92.endsH-c985-4524-9e65- 6.1 General Mps/standards/sis/92.endsH-c985-4524-9e65- 37 6.2 ASEs 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 85 85 Bibliography 86 Figure 1 – Application layer entity 38 36 3 Application layer entity</standard>		3.2	ISO/IEC 8822 terms	9
3.5 Fieldbus application-layer specific definitions 9 3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview Formal definition of data type objects 16 5.2 Formal definition of data type standards.itch.al 17 5.4 Data type ASE service specification 37 6 Communication model specification 37 6.1 General Impostandards.itch.alcatabystandards.i		3.3	ISO/IEC 9545 terms	9
3.6 Abbreviations and symbols 12 3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview ITCH-STANDARD PREVIEW 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type standards.itch.ai) 17 5.4 Data type ASE service specification 37 6.1 General Imps/standards.itch.aicatalogstandards/sis92endaRi-e985-4524-965 37 6.1 General Statoffic/Act/601/S81-61-61138-5-14-2008 38 6.3 Application relationship 82 38 6.4 Summary of application layer services. 85 Bibliography 86 38 53 Figure 1 – Application layer entity. 38 53 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 53 Table 3 – Access rights assignment 53 Table 4 – Services for domain object		3.4		
3.7 Conventions 13 4 Concepts 16 5 Data type ASE 16 5.1 Overview Tesh STANDARD PREVIEW 16 5.1 Overview 5.2 Formal definition of data type objects 16 5.3 FAL defined data type standards.itch.ai) 17 5.4 Data type ASE service specification 37 6.1 General Intestigation 17 6.1 General Intestigation 17 6.1 General Intestigation 17 6.2 ASEs 38 37 6.1 General Intestigation isservice specification 37 6.2 ASEs 38 38 38 6.3 Application relationship 82 84 88 Bibliography 88 86 86 Figure 1 – Application layer entity 38 38 38 7able 1 – Management object base 40 40 40 Table 2 – Access group assignment 52 52 53 T				
4 Concepts			•	
5 Data type ASE 16 5.1 Overview TERP STANDARD PREVIEW 16 5.2 Formal definition of data type objects 16 5.3 FAL defined data type standards.iteh.ai 17 5.4 Data type ASE service specification 37 6 Communication model specification EN.01158-5-14-2008 37 6.1 General https://standards.iteh.aicato/standards.ise/02eadaft-e085-4524-9e65- 37 6.1 General https://standards.iteh.aicato/standards.ise/02eadaft-e085-4524-9e65- 37 6.1 General https://standards.ise/14-2008 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 53 Table 5 – Service for report object 55 </td <td></td> <td></td> <td></td> <td></td>				
5.1 Overview Test ST. A. N.D. A.R.D. PREVIEW 16 5.2 Formal definition of data type objects 16 16 5.3 FAL defined data typestandards.iteh.ai. 17 5.4 Data type ASE service specification 37 6 Communication model specificationI. EN 01158-5-142008 37 6.1 General https://standards.iteh.aicatalog/standards.ist/22ca461-e985-4524-9e65- 6.1 General 9bd2b2cc4607/sst-en-61158-5-142008 6.2 ASEs 38 6.3 Application relationship 82 6.4 Summary of application layer services. 85 Bibliography. 86 Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 73 Table 4 – Services for domain object 53 74 Service for report object 55 75 Table 5 – Service for report object 55 75 Table 6 – FAL ma	-		·	
5.3 FAL defined data typesstandards.iteh.ai) 17 5.4 Data type ASE service specification 37 6 Communication model specification 17 6.1 General https://standards.itch.ai/catalog/standards/sist/92cadaR-c985-4524-965- 37 6.2 ASEs 9602/6/26460/384-en-61158-5-14-2008 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Sigure 1 – Application layer entity 38 38 Figure 2 – Received message processing procedure 60 60 60 Figure 3 – AR ASE conveys APDUs between AP 82 40 Table 1 – Management object base 40 40 Table 2 – Access group assignment 52 53 Table 3 – Access rights assignment 53 73 Table 4 – Services for domain object 55 55 Table 5 – Service for report object 55 55 Table 6 – FAL management entity services 62 63 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 65	5			
5.3 FAL defined data typesstandards.iteh.ai) 17 5.4 Data type ASE service specification 37 6 Communication model specification 17 6.1 General https://standards.itch.ai/catalog/standards/sist/92cadaR-c985-4524-965- 37 6.2 ASEs 9602/6/26460/384-en-61158-5-14-2008 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Sigure 1 – Application layer entity 38 38 Figure 2 – Received message processing procedure 60 60 60 Figure 3 – AR ASE conveys APDUs between AP 82 40 Table 1 – Management object base 40 40 Table 2 – Access group assignment 52 53 Table 3 – Access rights assignment 53 73 Table 4 – Services for domain object 55 55 Table 5 – Service for report object 55 55 Table 6 – FAL management entity services 62 63 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 65		-	Overview Teh STANDARD PREVIEW	16
5.4 Data type ASE service specification 37 6 Communication model specification 37 6.1 General https://standards.iteh.a/canlog/standards/sist/92cadaF-c985-4524-9c65 37 6.2 ASEs 96d252ce4b61/xst-en-61158-5-14:2008 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 55 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 64 Table 9 – EM_GetDeviceAttribute service parameters 65 Table 9 – EM_ConfiguringDevice service primitives 69			Formal definition of data type objects	10
6 Communication model specification EN.61158-5-14:2008 37 6.1 General https://standards.itch.ai/catalog/standards/sist/92eadaf4-e985-4524-965- 37 6.2 ASEs 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 73 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 63 Table 9 – EM_GetDeviceAttribute service parameters 64 Table 9 – EM_ActiveNotification service parameters 65 Table 10 – EM_ActiveNotification service parameters 67 Table 11 – EM_ConfiguringDevice service primitives 69			Data type ASE service specification	37
6.1 General https://standards.itch.ai/catalog/standards/sist/92eadaA-e985-4524-9e65- 37 6.2 ASEs 38 6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 53 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 64 Table 9 – EM_GetDeviceAttribute service parameters 65 Table 10 – EM_ActiveNotification service parameters 67 Table 11 – EM_ConfiguringDevice service primitives 69	6		nunication model specification EN 61158-5-14:2008	37
6.2 ASES	•		General https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-	37
6.3 Application relationship 82 6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 53 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 64 Table 9 – EM_GetDeviceAttribute service parameters 65 Table 10 – EM_ActiveNotification service parameters 67 Table 11 – EM_ConfiguringDevice service parameters 67		-	9bd2b2cc4b61/sist-en-61158-5-14-2008 ASEs	38
6.4 Summary of application layer services 85 Bibliography 86 Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 53 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 8 – EM_OnlineReply service parameters 64 Table 9 – EM_GetDeviceAttribute service parameters 65 Table 10 – EM_ActiveNotification service parameters 67 Table 11 – EM_ConfiguringDevice service primitives 69		-		
Figure 1 – Application layer entity 38 Figure 2 – Received message processing procedure 60 Figure 3 – AR ASE conveys APDUs between AP 82 Table 1 – Management object base 40 Table 2 – Access group assignment 52 Table 3 – Access rights assignment 53 Table 4 – Services for domain object 53 Table 5 – Service for report object 55 Table 6 – FAL management entity services 62 Table 7 – EM_DetectingDevice service parameters 63 Table 9 – EM_GetDeviceAttribute service parameters 64 Table 9 – EM_ActiveNotification service parameters 67 Table 11 – EM_ConfiguringDevice service primitives 69		6.4		
Figure 2 - Received message processing procedure60Figure 3 - AR ASE conveys APDUs between AP82Table 1 - Management object base40Table 2 - Access group assignment52Table 3 - Access rights assignment53Table 4 - Services for domain object53Table 5 - Service for report object55Table 6 - FAL management entity services62Table 7 - EM_DetectingDevice service parameters63Table 8 - EM_OnlineReply service parameters64Table 9 - EM_GetDeviceAttribute service parameters65Table 10 - EM_ActiveNotification service parameters67Table 11 - EM_ConfiguringDevice service primitives69	Bib	liograp	bhy	86
Figure 2 - Received message processing procedure60Figure 3 - AR ASE conveys APDUs between AP82Table 1 - Management object base40Table 2 - Access group assignment52Table 3 - Access rights assignment53Table 4 - Services for domain object53Table 5 - Service for report object55Table 6 - FAL management entity services62Table 7 - EM_DetectingDevice service parameters63Table 8 - EM_OnlineReply service parameters64Table 9 - EM_GetDeviceAttribute service parameters65Table 10 - EM_ActiveNotification service parameters69				
Figure 3 – AR ASE conveys APDUs between AP82Table 1 – Management object base40Table 2 – Access group assignment52Table 3 – Access rights assignment53Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Fig	ure 1 -	- Application layer entity	38
Table 1 – Management object base40Table 2 – Access group assignment52Table 3 – Access rights assignment53Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Fig	ure 2 -	- Received message processing procedure	60
Table 2 – Access group assignment.52Table 3 – Access rights assignment.53Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Fig	ure 3 -	- AR ASE conveys APDUs between AP	82
Table 2 – Access group assignment.52Table 3 – Access rights assignment.53Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69				
Table 3 – Access rights assignment53Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	le 1 –	Management object base	40
Table 4 – Services for domain object53Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	le 2 –	Access group assignment	52
Table 5 – Service for report object55Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	ole 3 –	Access rights assignment	53
Table 6 – FAL management entity services62Table 7 – EM_DetectingDevice service parameters63Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	le 4 –	Services for domain object	53
Table 7 - EM_DetectingDevice service parameters63Table 8 - EM_OnlineReply service parameters64Table 9 - EM_GetDeviceAttribute service parameters65Table 10 - EM_ActiveNotification service parameters67Table 11 - EM_ConfiguringDevice service primitives69	Tab	le 5 –	Service for report object	55
Table 8 – EM_OnlineReply service parameters64Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	le 6 –	FAL management entity services	62
Table 9 – EM_GetDeviceAttribute service parameters65Table 10 – EM_ActiveNotification service parameters67Table 11 – EM_ConfiguringDevice service primitives69	Tab	ole 7 –	EM_DetectingDevice service parameters	63
Table 10 - EM_ActiveNotification service parameters67Table 11 - EM_ConfiguringDevice service primitives69	Tab	le 8 –	EM_OnlineReply service parameters	64
Table 10 - EM_ActiveNotification service parameters67Table 11 - EM_ConfiguringDevice service primitives69				
Table 11 – EM_ConfiguringDevice service primitives 69				
			– EM_SetDefaultValue service parameter	

Table 13 – Parameters for domain download service	.72
Table 14 – Parameters for domain upload service	.74
Table 15 – EventRoport service parameters	.76
Table 16 – AcknowledgeEventReport service parameters	.77
Table 17 – ReportConditionChanging service parameters	.78
Table 18 – Read service parameters	.79
Table 19 – Write service parameters	.80
Table 20 – VariableDistribute service parameters	.81

 Table 21 – Summary of application layer services
 85

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-5-14:2008 https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008 - 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-14: Application layer service definition – Type 14 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-5-14 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-5 subseries cancel and replace IEC 61158-5:2003. This edition of this part constitutes a technical addition. This part and its Type 14 companion parts also cancel and replace IEC/PAS 62409, published in 2005.

This edition of IEC 61158-5 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus for lack of market relevance;
- b) addition of new types of fieldbuses;
- c) partition of part 5 of the third edition into multiple parts numbered -5-2, -5-3, ...

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/475/FDIS	65C/486/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended. **iTeh STANDARD PREVIEW**

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series. (standards.iten.al)

The list of all the parts of the IEC 61158 series, under the general title Industrial communication networks – Fieldbus specifications, can be found on the IEC web site.

https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-5-14:2008 https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-14: Application layer service definition – Type 14 elements

1 Scope

1.1 Overview

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 14 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 14 fieldbus application layer in terms of

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service,
- b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions and events of the service; b) the primitive actions are service; b) the primitive actio
- c) the parameters associated with each primitive action and event, and the form which they take; and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- 1) the FAL user at the boundary between the user and the application layer of the fieldbus reference model, and
- 2) Systems Management at the boundary between the application layer and Systems Management of the fieldbus reference model.

This standard specifies the structure and services of the Type 14 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented application service elements (ASEs) and a layer management entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can send/receive is specified. This permits greater flexibility to the FAL users in standardizing

such object behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various types of IEC 61158.

This specification may be used as the basis for formal Application Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill the Type 14 application layer services as defined in this standard.

https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/sist/92eadaf4-e985-iteh.ai/catalog/standards/

2 Normative references 9bd2b2cc4b61/sist-en-61158-5-14-2008

The following referenced standards are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced standard (including any amendments) applies.

IEC 61131-3, Programmable controllers — Part 3: Programming languages

IEC/TR 61158-1 (Ed.2.0), Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series

IEC 61588, Precision clock synchronization protocol for networked measurement and control systems

ISO/IEC 646, Information technology – ISO 7–bit coded character set for information interchange

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model

ISO/IEC 7498-3, Information technology – Open Systems Interconnection – Basic Reference Model – Part 3: Naming and addressing

ISO/IEC 8822, Information technology – Open Systems Interconnection – Presentation service definition

ISO/IEC 8824, Information Technology – Abstract Syntax notation One (ASN-1): Specification of basic notation

ISO/IEC 9545, Information technology – Open Systems Interconnection – Application Layer structure

ISO/IEC 10731, Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services

Terms, definitions, symbols, abbreviations and conventions 3

For the purposes of this document, the following terms as defined in these publications apply:

ISO/IEC 7498-1 terms 3.1

- a) application entity
- b) application process
- c) application protocol data unit
- d) application service element
- e) application entity invocation
- f) application process invocation
- g) application transactionen STANDARD PREVIEW
- h) real open system

3.2

i) transfer syntax

ISO/IEC 8822 terms

SIST EN 61158-5-14:2008

(standards.iteh.ai)

- a) abstract syntax https://standards.iteh.ai/catalog/standards/sist/92eadaf4-e985-4524-9e65-9bd2b2cc4b61/sist-en-61158-5-14-2008
- b) presentation context

3.3 ISO/IEC 9545 terms

- a) application-association
- b) application-context
- c) application context name
- d) application-entity-invocation
- e) application-entity-type
- f) application-process-invocation
- g) application-process-type
- h) application-service-element
- i) application control service element

ISO/IEC 8824 terms 3.4

- a) object identifier
- b) type

3.5 Fieldbus application-layer specific definitions

3.5.1

access control

control on the reading and writing of an object