

SLOVENSKI STANDARD

SIST EN 61158-6-5:2008

01-julij-2008

Nadomešča:

SIST EN 61158-6:2004

**Industrijska komunikacijska omrežja - Specifikacije za procesno vodilo - 6-5. del:
Specifikacija protokola na aplikacijskem nivoju - Elementi tipa 5 (IEC 61158-6-
5:2007)**

Industrial communication networks - Fieldbus specifications - Part 6-5: Application layer
protocol specification - Type 5 elements

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-5: Protokollspezifikation des
Application Layer (Anwendungsschicht) - Typ 5-Elemente

SIST EN 61158-6-5:2008

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-5:
Spécification des services des couches d'application - Elements de type 5

Ta slovenski standard je istoveten z: EN 61158-6-5:2008

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN 61158-6-5:2008

en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-6-5:2008

<https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61158-6-5

March 2008

ICS 35.100.70; 25.040.40

Partially supersedes EN 61158-6:2004

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-5: Application layer protocol specification -
Type 5 elements
(IEC 61158-6-5:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-5: Spécification des services
des couches d'application -
Éléments de type 5
(CEI 61158-6-5:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-5: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 5-Elemente
(IEC 61158-6-5:2007)

**ITeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 61158-6-5:2008

<https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-700000000000/61158-6-5:2008>

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-5, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-5 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

[SIST EN 61158-6-5:2008](#)

Annex ZA has been added by CENELEC [added by CENELEC/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008](#)

Endorsement notice

The text of the International Standard IEC 61158-6-5:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60559	NOTE Harmonized as HD 592 S1:1991 (not modified).
IEC 61784-1	NOTE Harmonized as EN 61784-1:2008 (not modified).
IEC 61784-3-1	NOTE Harmonized as EN 61784-3-1:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-1	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 3-1: Data-link layer service definition - Type 1 elements	EN 61158-3-4	2008 ²⁾
IEC 61158-4-1	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 4-1: Data-link layer protocol specification - Type 1 elements	EN 61158-4-4	2008 ²⁾
IEC 61158-5-5	- ¹⁾	Industrial communication networks - Fieldbus specifications Part 5-5: Application layer service definition - Type 5 elements	EN 61158-5-5	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 8825-1	- ¹⁾	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-6-5:2008

<https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008>



IEC 61158-6-5

Edition 1.0 2007-12

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-5: Application layer protocol specification – Type 5 elements**

[SIST EN 61158-6-5:2008
https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008](https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XE

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	11
1.3 Conformance.....	11
2 Normative references	11
3 Terms, definitions, symbols, abbreviations and conventions	11
3.1 Terms and definitions from other ISO/IEC standards	11
3.2 IEC/TR 61158-1 terms.....	12
3.3 Abbreviations and symbols.....	16
3.4 Conventions	17
3.5 Conventions used in state machines	17
4 Protocol.....	19
4.1 Overview	19
4.2 FAL syntax description	19
4.3 Transfer syntax.....	19
4.4 FAL protocol state machine structure	75
4.5 SMK state machine	75
4.6 VCR state machine.....	92
4.7 FAL service protocol machine (FSPM).....	93
4.8 Application relationship protocol machines (ARPMs).....	93
4.9 DLL mapping protocol machine (DMPM).....	108
Bibliography.....	114
Figure 1 – State transition diagram for SMK.....	77
Figure 2 – State transition diagram of client / server ARPM	97
Figure 3 – State transition diagram of the publisher / subscriber ARPM	104
Figure 4 – State transition diagram of DMPM.....	110
Table 1 – Conventions used for state machines	17
Table 2 – Data types.....	20
Table 3 – Data types.....	20
Table 4 – APDU header format	21
Table 5 – FDA address use.....	22
Table 6 – FDA address header field APDUs sent by a client VCR endpoint.....	23
Table 7 – FDA address header field APDUs sent by a server VCR endpoint	24
Table 8 – FDA address header field APDUs sent by a publisher VCR endpoint.....	24
Table 9 – FDA address header field APDUs sent by a report source VCR endpoint	25
Table 10 – APDU trailer fields.....	25
Table 11 – Request APDU parameters.....	27
Table 12 – SMK FDA address values	29
Table 13 – SMK FDA address values	30

Table 14 – Request APDU parameters.....	31
Table 15 – SMK FDA address values for SM identify	32
Table 16 – SMK FDA address values for SMK set assignment info request APDUs	32
Table 17 – SMK clear address request APDU parameters.....	33
Table 18 – SMK FDA address values for SMK set assignment info request APDUs	33
Table 19 – SMK set assignment info request APDU parameters	34
Table 20 – SMK set assignment info response APDU parameters.....	35
Table 21 – SMK FDA address values for SMK device clear assignment Info APDUs.....	36
Table 22 – SMK clear assignment info request APDU parameters	36
Table 23 – SMK FDA address values for SMK device annunciation request APDUs.....	36
Table 24 – SMK device annunciation request APDU parameters.....	37
Table 25 – Initiate request APDU parameters	40
Table 26 – Initiate response APDU parameters.....	40
Table 27 – Abort request APDU parameters	40
Table 28 – Get response APDU parameters.....	41
Table 29 – Identify response APDU parameters.....	41
Table 30 – Get OD request APDU parameters	41
Table 31 – Get OD response APDU parameters.....	42
Table 32 – Initiate put OD request APDU parameters	42
Table 33 – Put OD request APDU parameters.....	42
Table 34 – Generic initiate download sequence request APDU parameters.....	43
Table 35 – Generic download segment request APDU parameters.....	44
Table 36 – Generic terminate download sequence request APDU parameters	44
Table 37 – Response APDU parameters	44
Table 38 – Initiate download sequence request APDU parameters.....	45
Table 39 – Download segment request APDU parameters	45
Table 40 – Download segment response APDU parameters.....	45
Table 41 – Terminate download sequence request APDU parameters	46
Table 42 – Initiate upload sequence request APDU parameters	46
Table 43 – Upload segment request APDU parameters.....	47
Table 44 – Upload segment response APDU parameters	47
Table 45 – Terminate upload sequence request APDU parameters.....	47
Table 46 – Request domain download request APDU parameters	48
Table 47 – Request domain upload request APDU parameters	48
Table 48 – Create program invocation request APDU parameters.....	49
Table 49 – Create program invocation response APDU parameters	49
Table 50 – Delete program invocation request APDU parameters	49
Table 51 – Start request APDU parameters	50
Table 52 – Stop request APDU parameters.....	50
Table 53 – Resume request APDU parameters	50
Table 54 – Reset request APDU parameters.....	51
Table 55 – Kill request APDU parameters	51
Table 56 – Read request APDU parameters.....	51

Table 57 – Read response APDU parameters	52
Table 58 – Read with subindex request APDU parameters.....	52
Table 59 – Read with subindex response APDU parameters	52
Table 60 – Write request APDU parameters.....	52
Table 61 – Write with subindex request APDU parameters.....	53
Table 62 – Define variable list request APDU parameters	53
Table 63 – Define variable list response APDU parameters	53
Table 64 – Delete variable list request APDU parameters	54
Table 65 – Information report request APDU parameters	54
Table 66 – Information report with subindex request APDU parameters	54
Table 67 – Information report on change request APDU parameters	55
Table 68 – Information report on change with subindex request APDU parameters	55
Table 69 – Event notification request APDU parameters	55
Table 70 – Alter event condition monitoring request APDU parameters.....	56
Table 71 – Acknowledge event notification request APDU parameters	56
Table 72 – LAN redundancy diagnostic message request APDU parameters	57
Table 73 – LAN redundancy get information response APDU parameters	59
Table 74 – LAN redundancy get statistics request APDU parameters	61
Table 75 – Object description header.....	63
Table 76 – Null object.....	63
Table 77 – Structure of the list of object descriptions	64
Table 78 – Structure of a load region in the S-OD.....	65
Table 79 – Structure of a function invocation in the DP-OD.....	66
Table 80 – Structure of an event in the S-OD.....	67
Table 81 – Structure of a data type in the ST-OD.....	67
Table 82 – Structure of a data type structure description in the ST-OD	68
Table 83 – Structure of a simple variable in the S-OD.....	68
Table 84 – Structure of an array in the S-OD	69
Table 85 – Structure of a record in the S-OD	70
Table 86 – Structure of a variable list in the DV-OD	71
Table 87 – Common error parameters.....	72
Table 88 – PI error parameters	72
Table 89 – OD error parameters	72
Table 90 – Error class and error code values.....	73
Table 91 – SMKPM service primitives	76
Table 92 – SMKPM states.....	77
Table 93 – SMKPM state table – initialization	78
Table 94 – SMKPM state table – receive transitions.....	78
Table 95 – SMKPM state table – internal events	83
Table 96 – HseRepeatTimerExpires ()	84
Table 97 – RcvNewNetworkAddress (interface, address)	84
Table 98 – RcvMsg ().....	84
Table 99 – SntpSyncLost ().....	84

Table 100 – AddressToClear (sm_svc)	85
Table 101 – AssignmentInfo_Set ()	85
Table 102 – ConfigurationSessionActive ()	85
Table 103 – DeviceRedundancyState ()	85
Table 104 – DevId_Match (sm_svc)	86
Table 105 – DuplicateQueryIdMatch (sm_svc)	86
Table 106 – DuplicatePdTagDetected ()	86
Table 107 – FdaAddressType (sm_svc)	86
Table 108 – IsValid (sm_svc)	87
Table 109 – NetworkAddressChange (interface, address)	87
Table 110 – NumberOfAssignedAddresses ()	87
Table 111 – OperationalRestore ()	87
Table 112 – PdTag_Match (sm_svc)	87
Table 113 – PdTagDeviceIndex_Check (sm_svc)	88
Table 114 – Query_Match (sm_svc)	88
Table 115 – QueryType (sm_svc)	88
Table 116 – SmCacheEntry (sm_svc)	88
Table 117 – Clear_Address (interface_to_clear)	89
Table 118 – Clear_DuplicatePdTagFlag ()	89
Table 119 – Get_AddlCode ()	89
Table 120 – New_Address (interface, address)	89
Table 121 – Restart_HseRepeatTimer ()	90
Table 122 – Restore_Defaults ()	90
Table 123 – Send_SM_CommonErrorRsp (sm_service_type, svc_spec_params)	90
Table 124 – Send_SM_ReqRspMessage (sm_svc)	90
Table 125 – Set_Assignment_Data (sm_svc)	90
Table 126 – Set_DuplicatePdTagFlag ()	91
Table 127 – SvcType (sm_svc)	91
Table 128 – Additional code used by error class and code	91
Table 129 – Additional code parameter IDs	92
Table 130 – Primitives issued by FSPM to ARPM	94
Table 131 – Primitives issued by ARPM to FSPM	94
Table 132 – Parameters used with primitives exchanged between FSPM and ARPM	95
Table 133 – Client / Server ARPM states	97
Table 134 – Client / server ARPM state table – sender transitions	98
Table 135 – Client / server ARPM state table – receiver transitions	99
Table 136 – Primitives issued by FSPM to ARPM	101
Table 137 – Primitives issued by ARPM to FSPM	102
Table 138 – Parameters used with primitives exchanged between FSPM and ARPM	102
Table 139 – Publisher / subscriber ARPM states	103
Table 140 – MulticastARPM state table – sender transitions	104
Table 141 – MulticastARPM state table – receiver transitions	105
Table 142 – BuildFAL-ErrPDU()	105

Table 143 – BuildFAL-ReqRspPDU()	106
Table 144 – GetArepld()	106
Table 145 – ConfigurationArCheckOK()	106
Table 146 – FAL_Pdu_BufferSize().....	106
Table 147 – FAL_Pdu_Confirmed()	106
Table 148 – FAL_Pdu_DuplicateMsg ()	106
Table 149 – FAL_Pdu_GetVcrlid()	107
Table 150 – FAL_Pdu_InactivityCloseTime().....	107
Table 151 – FAL_Pdu_TransmitDelayTime().....	107
Table 152 – FAL_Pdu_SvcType()	107
Table 153 – FAL_Pdu_RemoteAddress()	107
Table 154 – FAL_Pdu_TrailerFields().....	107
Table 155 – FAL_Pdu_ServiceSpecificParameters()	108
Table 156 – FAL_Pdu_Valid()	108
Table 157 – MaxOutstandingReached()	108
Table 158 – StartInactivityCloseTimer()	108
Table 159 – Primitives issued by ARPM to DMPM	109
Table 160 – Primitives issued by DMPM to ARPM	109
Table 161 – Parameters used with primitives exchanged between ARPM and DMPM	109
Table 162 – Primitives exchanged between the socket model and DMPM	109
Table 163 – Parameters of DMPM/socket model primitives	110
Table 164 – DMPM state descriptions	110
Table 165 – DMPM state table – sender transitions	111
Table 166 – DMPM state table – receiver transitions	112
Table 167 – ConnectionOriented.....	112
Table 168 – GetBufferedData	112
Table 169 – GetConnectionId	112
Table 170 – LoadBuffer	113
Table 171 – RemainingBufferSizeCheck	113
Table 172 – StartTransmitDelayTimer	113

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
 FIELDBUS SPECIFICATIONS –**
Part 6–5: Application layer protocol specification – Type 5 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

International standard IEC 61158-6-5 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-6 subseries cancel and replace IEC 61158-6:2003. This edition of this part constitutes an editorial revision.

This edition of IEC 61158-6 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus for lack of market relevance;

- b) addition of new types of fieldbuses;
- c) partition of part 6 of the third edition into multiple parts numbered -6-2, -6-3, ...

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/476/FDIS	65C/487/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

(standards.iteh.ai)

SIST EN 61158-6-5:2008

<https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008>

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61158-6-5:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/a1095aea-7b7e-4796-a7ac-5129a2113791/sist-en-61158-6-5-2008>