

SLOVENSKI STANDARD

SIST EN 61158-6-10:2008

01-julij-2008

Nadomešča:

SIST EN 61158-6:2004

Industrijska komunikacijska omrežja - Specifikacije za procesno vodilo - 6-10. del: Specifikacija protokola na aplikacijskem nivoju - Elementi tipa 10 (IEC 61158-6-10:2007)

Industrial communication networks - Fieldbus specifications - Part 6-10: Application layer protocol specification - Type 10 elements

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-10: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 10-Elemente

SIST EN 61158-6-10:2008

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-10: Spécification des services des couches d'application - Elements de type 10

Ta slovenski standard je istoveten z: EN 61158-6-10:2008

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN 61158-6-10:2008

en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-6-10:2008

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541f23/sist-en-61158-6-10-2008>

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-10: Application layer protocol specification -
Type 10 elements
(IEC 61158-6-10:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-10: Spécification des services
des couches d'application -
Éléments de type 10
(CEI 61158-6-10:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-10: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 10-Elemente
(IEC 61158-6-10:2007)

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-6-10:2008

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-199999999999>

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-10, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-10 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC and CENELEC draw attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

The following patent rights for Type 10 have been announced by [HI]:

WO publication	Title (WO)
WO 99/046908	Local network, especially ethernet network, with redundancy properties and redundancy manager

The following patent rights for Type 10 have been announced by [SI]:

WO publication	Title (WO)
WO 00/026731	Automation system and method for accessing the functionality of hardware components
WO 02/043336	System and method for the parallel transmission of real-time critical and non real-time critical data via switched data networks especially ethernet
WO 02/076033	Synchronous, clocked communication system with local input/output components and method for integrating local input/output components into such a system
WO 03/028258	Method for synchronising nodes of a communication system
WO 03/028259	Communications system and method for synchronising a communications cycle
WO 04/030284	Method for permanent redundant transmission of data telegrams in communication systems
EP 1453230	Synchronisation in einem schaltbaren Datennetz

IEC and CENELEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[HI]: Hirschmann Automation and Control GmbH
Stuttgarter Straße 45-51
D-72654 Neckartenzlingen
Germany

[SI]: Siemens AG
CT IP L&T
Hr. Hans-Jörg Müller
Otto-Hahn-Ring 6
D-81739 Munich
Germany

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC and CENELEC shall not be held responsible for identifying any or all such patent rights.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-10:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-3-3 NOTE Harmonized as EN 61158-3-3:2008 (not modified).

IEC 61158-4-3 NOTE Harmonized as EN 61158-4-3:2008 (not modified).

IEC 61784-1 NOTE Harmonized as EN 61784-1:2008 (not modified).

IEC 61784-2 NOTE Harmonized as EN 61784-2:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	- ¹⁾	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	1991 ²⁾
IEC 61158-5-10	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-10: Application layer service definition - Type 10 elements	EN 61158-5-10	2008 ²⁾
IEC 61784-3-3	- ¹⁾	Industrial communication networks - Profiles - Part 3-3: Functional safety fieldbuses - Additional specifications for CPF 3	EN 61784-3-3	2008 ²⁾
ISO/IEC 646	1991	Information technology - ISO 7-bit coded character set for information interchange	-	-
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8822	- ¹⁾	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	- ¹⁾	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-
ISO 8601	- ¹⁾	Data elements and interchange formats - Information interchange - Representation of dates and times	EN 28601	1992 ²⁾
IEEE 802	2001	IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture	-	-
IEEE 802.1AB	2005	IEEE Standard for Local and Metropolitan Area Networks: Station and Media Access Control Connectivity Discovery	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEEE 802.1D	2004	IEEE Standard for Local and Metropolitan Area Networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	2005	IEEE Standard for Local and Metropolitan Area Networks - Virtual Bridged Local Area Networks	-	-
IEEE 802.3	2005	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and Metropolitan Area Networks - Specific requirements - Part 3: Carrier Sense Multiple Access with Collision Detection	-	-
IEEE 802.11	1999 ³⁾	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications	-	-
IEEE 802.15.1	2005	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and Metropolitan Area Networks - Specific requirements - Part 15.1: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Wireless Personal Area Networks (WPANs)	-	-
IETF RFC 768	- ¹⁾	User Datagram Protocol	-	-
IETF RFC 791	- ¹⁾	Internet Protocol	-	-
IETF RFC 792	- ¹⁾	Internet Control Message Protocol	-	-
IETF RFC 826	- ¹⁾	Ethernet Address Resolution Protocol	-	-
IETF RFC 1034	- ¹⁾	Domain names - concepts and facilities	-	-
IETF RFC 1112	- ¹⁾	Host Extensions for IP Multicasting	-	-
IETF RFC 2131	- ¹⁾	Dynamic Host Configuration Protocol	-	-
IETF RFC 2132	- ¹⁾	DHCP Options and BOOTP Vendor Extensions	-	-
IETF RFC 2365	- ¹⁾	Administratively Scoped IP Multicast	-	-
IETF RFC 2474	- ¹⁾	Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers	-	-
IETF RFC 2674	- ¹⁾	Definitions of Managed Objects for Bridges with Traffic Classes, Multicast Filtering and Virtual LAN Extensions	-	-
IETF RFC 2737	- ¹⁾	Entity MIB (Version 2)	-	-

³⁾ IEEE 802.11:1999 is superseded by IEEE 802.11:2007.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IETF RFC 2863	- ¹⁾	The Interfaces Group MIB	-	-
IETF RFC 3418	- ¹⁾	Management Information Base (MIB) for the Simple Network Management Protocol (SNMP)	-	-
IETF RFC 3490	- ¹⁾	Internationalizing Domain Names in Applications (IDNA)	-	-
IETF RFC 3621	- ¹⁾	Power Ethernet MIB	-	-
IETF RFC 3636	- ¹⁾	Definitions of Managed Objects for IEEE 802.3-Medium Attachment Units (MAUs)	-	-
The Open Group C706	- ¹⁾	CAE Specification DCE11: Remote Procedure Call	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61158-6-10:2008](https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541f23/sist-en-61158-6-10-2008)

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541f23/sist-en-61158-6-10-2008>



IEC 61158-6-10

Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications –
Part 6-10: Application layer protocol specification – Type 10 elements
(standards.iteh.ai)

SIST EN 61158-6-10:2008

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541f23/sist-en-61158-6-10-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XT

ICS 35.100.70; 25.040.40

ISBN 2-8318-9485-9

CONTENTS

FOREWORD.....	17
INTRODUCTION.....	20
1 Scope.....	21
1.1 General.....	21
1.2 Specifications.....	21
1.3 Conformance.....	21
2 Normative references	22
3 Terms, definitions, abbreviations, symbols and conventions	24
3.1 Referenced terms and definitions	24
3.2 Additional terms and definitions for distributed automation	24
3.3 Additional terms and definitions for decentralized periphery	26
3.4 Additional abbreviations and symbols for distributed automation	33
3.5 Additional abbreviations and symbols for decentralized periphery	34
3.6 Additional abbreviations and symbols for media redundancy	35
3.7 Conventions	35
3.8 Conventions used in state machines	42
4 Application layer protocol specification for common protocols.....	45
4.1 FAL syntax description.....	45
4.2 Transfer syntax	48
4.3 Discovery and basic configuration	57
4.4 Precision time control	79
4.5 Media redundancy.....	147
4.6 Real-time cyclic.....	175
4.7 Real-time acyclic.....	192
4.8 Remote procedure call	203
4.9 Link layer discovery.....	218
4.10 MAC bridges	226
4.11 Virtual bridges.....	249
4.12 IP suite.....	256
4.13 Domain name system	259
4.14 Dynamic host configuration	259
4.15 Simple network management.....	259
4.16 Common DLL mapping protocol machines (DMPM)	269
5 Application layer protocol specification for distributed automation	279
5.1 FAL syntax description	279
5.2 Transfer syntax	303
5.3 FAL protocol state machines	305
5.4 AP context state machine	306
5.5 FAL service protocol machines (FSPM).....	306
5.6 Application relationship protocol machine (ARPM).....	390
5.7 DLL mapping protocol machines (DMPMs)	394
5.8 Protocol options	398
6 Application layer protocol specification for decentralized periphery.....	399
6.1 FAL syntax description	399
6.2 Transfer syntax	408
6.3 FAL protocol state machines	526

iteh STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 61158-6-10:2008

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541f23/sist-en-61158-6-10-2008>

fab230541f23/sist-en-61158-6-10-2008

6.4	AP-Context state machine	527
6.5	FAL service protocol machines (FSPMs)	527
6.6	Application relationship protocol machines (ARPMs)	592
6.7	DLL mapping protocol machines (DMPMs)	683
Annex A (informative)	Filtering data base (FDB)	684
Annex B (informative)	Establishing of a companion AR	687
Annex C (informative)	Establishing of a device access AR	688
Annex D (informative)	Establishing of an AR (simple procedure)	689
Annex E (informative)	Establishing of an AR (accelerated procedure)	690
Annex F (informative)	Establishing of an AR (fast startup procedure)	692
Annex G (informative)	Example of the upload, storage, and retrieval procedure	693
	Bibliography	695
Figure 1	– Common structure of specific fields	39
Figure 2	– Common structure of specific fields for octet 1 (high)	40
Figure 3	– Common structure of specific fields for octet 2 (low)	40
Figure 4	– Common structure of specific fields for octet 1 (high)	41
Figure 5	– Common structure of specific fields for octet 2	41
Figure 6	– Common structure of specific fields for octet 3	41
Figure 7	– Common structure of specific fields for octet 4 (low)	42
Figure 8	– Coding of the data type BinaryDate	49
Figure 9	– Encoding of Time Of Day value	50
Figure 10	– Encoding of Time Difference value	50
Figure 11	– Encoding of Network Time value	51
Figure 12	– Encoding of Network Time Difference value	51
Figure 13	– Timescale correspondence between PTCP_Time and CycleCounter	85
Figure 14	– Message timestamp point	88
Figure 15	– Four message timestamps	88
Figure 16	– Line delay protocol with follow up	89
Figure 17	– Line delay protocol without follow up	89
Figure 18	– Line delay measurement	91
Figure 19	– Model parameter for GSDML usage	92
Figure 20	– Bridge delay measurement	93
Figure 21	– Delay accumulation	93
Figure 22	– Worst case accumulated time deviation of synchronization	94
Figure 23	– Scheme for measurement of deviation	94
Figure 24	– Measurement of deviation	95
Figure 25	– Sending Sync-Frame without Follow Up-Frame	95
Figure 26	– Sending Sync-Frame with FollowUp-Frame	96
Figure 27	– Forwarding Sync- and FollowUp-Frame	96
Figure 28	– Transition between Synchronization Variants	97
Figure 29	– State transition diagram of delay request	98
Figure 30	– State transition diagram of delay response	106
Figure 31	– Overview of PTCP	112

Figure 32 – State transition diagram of BMA	113
Figure 33 – State transition diagram of MSM	130
Figure 34 – State transition diagram of BRC	140
Figure 35 – State transition diagram of SRX	144
Figure 36 – MRM protocol machine for MRP	152
Figure 37 – MRC protocol machine	158
Figure 38 – MRM protocol machine.....	167
Figure 39 – MRC protocol machine for MRRT	173
Figure 40 – Structure of the CycleCounter	177
Figure 41 – Structuring of the protocol machines within the DMPM (bridge).....	270
Figure 42 – Error message structure.....	279
Figure 43 – Coding scheme of ITEMQUALITYDEF.....	284
Figure 44 – Relationship among protocol machines	306
Figure 45 – State transition diagram of FSPM.....	320
Figure 46 – State transition diagram of ARPM	392
Figure 47 – State transition diagram of DMPM.....	397
Figure 48 – Classification of diagnosis, maintenance and qualified	473
Figure 49 – Definition of PLL window.....	486
Figure 50 – Detection of dropped frames — appear	495
Figure 51 – Detection of dropped frames — disappear	495
Figure 52 – Relationship among Protocol Machines.....	526
Figure B.1 – Establishing of a companion AR	687
Figure C.1 – Establishing of a device access AR.....	688
Figure D.1 – Accelerated establishing of an IOAR (simple procedure).....	689
Figure E.1 – Accelerated establishing of an IOAR without error	690
Figure E.2 – Accelerated establishing of an IOAR with “late” error	691
Figure F.1 – Establishing of an IOAR using fast startup	692
Figure G.1 – Example of upload with storage.....	693
Figure G.2 – Example of retrieval with storage.....	694
Table 1 – State machine description elements	42
Table 2 – Description of state machine elements	43
Table 3 – Conventions used in state machines	43
Table 4 – IEEE 802.3 DLPDU syntax	45
Table 5 – IEEE 802.11 DLPDU syntax	46
Table 6 – IEEE 802.15.1 DLPDU syntax	46
Table 7 – SourceAddress.....	52
Table 8 – DCP_MulticastMACAdd	52
Table 9 – PTCP_MulticastMACAdd	53
Table 10 – MRP OUI.....	53
Table 11 – MRPMulticastMACAdd	54
Table 12 – MRRTMulticastMACAdd	54
Table 13 – LT (Length/Type).....	54

Table 14 – TagControllInformation.Priority	55
Table 15 – FrameID range 1	55
Table 16 – FrameID range 2	55
Table 17 – FrameID range 3	56
Table 18 – FrameID range 4	56
Table 19 – FrameID range 5	56
Table 20 – FrameID range 6	56
Table 21 – FrameID range 7	57
Table 22 – FrameID range 8	57
Table 23 – FrameID range 9	57
Table 24 – DCP APDU syntax	58
Table 25 – DCP substitutions	59
Table 26 – ServiceID	61
Table 27 – ServiceType for request	61
Table 28 – ServiceType for response	61
Table 29 – List of options	62
Table 30 – List of suboptions	63
Table 31 – SuboptionDHCP	65
Table 32 – BlockQualifier with option IP	66
Table 33 – BlockQualifier with option DeviceProperties, DHCP, and ManufacturerSpecific	66
Table 34 – BlockError	66
Table 35 – BlockInfo for SuboptionIPParameter	67
Table 36 – Bit 1 and Bit 0 of BlockInfo for SuboptionIPParameter	67
Table 37 – Bit 7 of BlockInfo for SuboptionIPParameter	67
Table 38 – BlockInfo for all other suboptions	67
Table 39 – DeviceInitiativeValue	67
Table 40 – SignalValue	68
Table 41 – DeviceRoleDetails	69
Table 42 – IPAddress	69
Table 43 – Subnetmask	70
Table 44 – StandardGateway	70
Table 45 – DCPUCS state table	73
Table 46 – DCPUCR state table	75
Table 47 – DCPMCS state table	77
Table 48 – DCPMCR state table	79
Table 49 – PTCP APDU syntax	80
Table 50 – PTCP substitutions	80
Table 51 – PTCP_TLVHeader.Type	81
Table 52 – PTCP_Delay10ns	81
Table 53 – PTCP_Delay1ns.Value	82
Table 54 – PTCP_Delay1ns.Sign	82
Table 55 – PTCP_CumulativeFrequencyOffset	82

Table 56 – PTCP_SequenceID	83
Table 57 – PTCP_SubType for OUI (=00-0E-CF)	83
Table 58 – PTCP_NanoSeconds	83
Table 59 – PTCP_Flags.LeapSecond	84
Table 60 – Timescale correspondence between MJD, UTC, and PTCP_EpochNumber	84
Table 61 – Timescale correspondence between PTCP_EpochNumber, PTCP_Second, PTCP_Nanosecond, CycleCounter, and SendClockFactor	84
Table 62 – PTCP_ClockStratum	86
Table 63 – PTCP_ClockRole	86
Table 64 – PTCP_RequestPortID	87
Table 65 – PTCP_SyncID	87
Table 66 – PTCP_T2TimeStamp	87
Table 67 – DelayRequest state table	100
Table 68 – Macros used by DelayRequest	104
Table 69 – Functions used by DelayRequest	105
Table 70 – DelayResponse state table	107
Table 71 – Macros used by DelayResponse	110
Table 72 – Functions used by DelayResponse	111
Table 73 – BMA state table	115
Table 74 – BMA state table – check remote	122
Table 75 – BMA state table – check local vs. remote	123
Table 76 – Macros used by BMA	125
Table 77 – Functions used by BMA	127
Table 78 – BMA_Sync_Ind	127
Table 79 – BMA_Announce_Ind	128
Table 80 – MSM state table	131
Table 81 – Macros used by MSM	136
Table 82 – Functions used by MSM	137
Table 83 – MSM_Role_Ind	137
Table 84 – MSM_Sync	138
Table 85 – MSM_Announce	139
Table 86 – BRC state table	141
Table 87 – Macros used by BRC	143
Table 88 – Macros used by the BRC	143
Table 89 – BRC_Sync_Ind	143
Table 90 – SRX state table	145
Table 91 – Functions used by SRX	146
Table 92 – MRP APDU syntax	147
Table 93 – MRP substitutions	147
Table 94 – MRP_TLVHeader.Type	148
Table 95 – MRP_Prio	148
Table 96 – MRP_PortRole	148
Table 97 – MRP_RingState	149

STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 61158-6-10:2008

<https://standards.iteh.ai/catalog/standards/sist/7fb760fe-5a9f-4be1-a647-fab230541123/sist-en-61158-6-10-2008>

tab230541123/sist-en-61158-6-10-2008

Table 98 – MRP_Interval	149
Table 99 – MRP_Transition.....	149
Table 100 – MRP_TimeStamp	149
Table 101 – MRP_DomainUUID	150
Table 102 – MRRT APDU syntax	150
Table 103 – MRRT substitutions	150
Table 104 – MRRT_TLVHeader.Type.....	151
Table 105 – MRRT_DomainUUID.....	151
Table 106 – Local variables of MRM protocol machine.....	153
Table 107 – MRM state machine.....	153
Table 108 – Local variables of MRC protocol machine	159
Table 109 – MRC state machine	159
Table 110 – Functions	164
Table 111 – FDB Clear Timer	166
Table 112 – Topology Change Timer	166
Table 113 – Local variables of MRM Protocol Machine for MRRT Activation	168
Table 114 – MRM state machine for MRRT Activation.....	168
Table 115 – MRC state machine for MRRT Activation	174
Table 116 – MRM and MRC functions.....	175
Table 117 – RTC APDU syntax	176
Table 118 – RTC substitutions	176
Table 119 – CycleCounter Difference.....	177
Table 120 – DataStatus.State	178
Table 121 – DataStatus.DataValid	178
Table 122 – DataStatus.ProviderState	178
Table 123 – DataStatus.StationProblemIndicator	178
Table 124 – TransferStatus for RT_CLASS_3	179
Table 125 – IOxS.Extension.....	180
Table 126 – IOCS.Instance	180
Table 127 – IOxS.DataState	180
Table 128 – PPM state table.....	182
Table 129 – Functions used by the PPM	185
Table 130 – CPM state table.....	186
Table 131 – Functions used by the CPM.....	192
Table 132 – RTA APDU syntax	192
Table 133 – RTA substitutions	193
Table 134 – PDUType.Type	193
Table 135 – PDUType.Version.....	194
Table 136 – APMS state table.....	196
Table 137 – Functions used by the APMS and APMR	199
Table 138 – A_Timer_add.....	199
Table 139 – A_Timer_event	200
Table 140 – A_Timer_remove	200