

SLOVENSKI STANDARD

SIST EN 61158-6-18:2008

01-julij-2008

Nadomešča:

SIST EN 61158-6:2004

Industrijska komunikacijska omrežja - Specifikacije za procesno vodilo - 6-18. del: Specifikacija protokola na aplikacijskem nivoju - Elementi tipa 18 (IEC 61158-6-18:2007)

Industrial communication networks - Fieldbus specifications - Part 6-18: Application layer protocol specification - Type 18 elements

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-18: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 18-Elemente

SIST EN 61158-6-18:2008

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-18: Spécification des services des couches d'application - Elements de type 18

Ta slovenski standard je istoveten z: EN 61158-6-18:2008

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN 61158-6-18:2008

en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-6-18:2008

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008>

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-18: Application layer protocol specification -
Type 18 elements
(IEC 61158-6-18:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-18: Spécification des services
des couches d'application -
Éléments de type 18
(CEI 61158-6-18:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-18: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 18-Elemente
(IEC 61158-6-18:2007)

ITEH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-18:2008](https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-11d1-4060-9302-2008)

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-11d1-4060-9302-2008>

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-18, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-18 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6.20.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC and CENELEC draw attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 18:

3343036/Japan	[MEC]	"Network System for a Programmable Controller"
5896509/USA	[MEC]	"Network System for a Programmable Controller"
246906/Korea	[MEC]	"Network System for a Programmable Controller"
Pending/Germany	[MEC]	"Network System for a Programmable Controller"

IEC and CENELEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[MEC] Mitsubishi Electric Corporation
Corporate Licensing Division
7-3, Marunouchi 2-chome, Chiyoda-ku,
Tokyo 100-8310, Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC and CENELEC shall not be held responsible for identifying any or all such patent rights.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-18:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60559	NOTE	Harmonized as HD 592 S1:1991 (not modified).
IEC 61158-3-18	NOTE	Harmonized as EN 61158-3-18:2008 (not modified).
IEC 61158-4-18	NOTE	Harmonized as EN 61158-4-18:2008 (not modified).
IEC 61784-2	NOTE	Harmonized as EN 61784-2:2008 (not modified).
ISO/IEC 8877	NOTE	Harmonized as EN 28877:1993 (not modified).
ISO 8601	NOTE	Harmonized as EN 28601:1992 (not modified).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-6-18:2008](https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008)

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-5-18	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-18: Application layer service definition - Type 18 elements	EN 61158-5-18	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8822	- ¹⁾	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	- ¹⁾	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.



IEC 61158-6-18

Edition 1.0 2007-12

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-18: Application layer protocol specification – Type 18 elements**

[SIST EN 61158-6-18:2008
https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008](https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XB**

ICS 35.100.70; 25.040.40

ISBN 2-8318-9496-4

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	8
2 Normative references.....	9
3 Terms and definitions.....	9
3.1 Terms and definitions from other ISO/IEC standards.....	9
3.2 Other terms and definitions.....	10
3.3 Abbreviations and symbols.....	19
3.4 Additional abbreviations and symbols for decentralized periphery.....	19
3.5 Conventions.....	21
4 Abstract syntax.....	21
4.1 M1 device manager PDU abstract syntax.....	21
4.2 M2 device manager PDU abstract syntax.....	21
4.3 S1 device manager PDU abstract syntax.....	22
4.4 S2 device manager PDU abstract syntax.....	22
4.5 M1 connection manager PDU abstract syntax.....	22
4.6 M2 connection manager PDU abstract syntax.....	23
4.7 S1 connection manager PDU abstract syntax.....	24
4.8 S2 connection manager PDU abstract syntax.....	24
4.9 M1 cyclic transmission PDU abstract syntax.....	24
4.10 M2 cyclic transmission PDU abstract syntax.....	25
4.11 S1 cyclic transmission PDU abstract syntax.....	25
4.12 S2 cyclic transmission PDU abstract syntax.....	26
5 Transfer syntax.....	26
5.1 M1 device manager PDU encoding.....	26
5.2 M2 device manager PDU encoding.....	28
5.3 S1 device manager PDU encoding.....	29
5.4 S2 device manager PDU encoding.....	30
5.5 M1 connection manager PDU encoding.....	31
5.6 M2 connection manager PDU encoding.....	35
5.7 S1 connection manager PDU encoding.....	35
5.8 S2 connection manager PDU encoding.....	36
5.9 M1 cyclic transmission PDU encoding.....	37
5.10 M2 cyclic transmission PDU encoding.....	38
5.11 S1 cyclic transmission PDU encoding.....	39
5.12 S2 cyclic transmission PDU encoding.....	41
5.13 Acyclic transmission PDU encoding.....	42
6 Structure of FAL protocol state machines.....	50
7 AP-context state machine.....	51
8 FAL service protocol machine (FSPM).....	51
8.1 Overview.....	51
8.2 FAL service primitives.....	51
9 AR protocol machine (ARPM).....	52

9.1	Overview	52
9.2	M1 master ARPM	52
9.3	M2 master ARPM	57
9.4	Slave ARPM	60
10	DLL mapping protocol machine (DMPM).....	63
10.1	Overview	63
10.2	Primitives received from the ARPM	63
10.3	Indications received from the DL	63
	Bibliography.....	64
	Figure 1 – Parameter block 1 command parameter field.....	44
	Figure 2 – Parameter block 2 command parameter field.....	45
	Figure 3 – Relationships among protocol machines and adjacent layers	50
	Figure 4 – ARPM M1 master AR state diagram	53
	Figure 5 – ARPM M2 master AR state diagram	57
	Figure 6 – ARPM slave AR state diagram	60
	Table 1 – M1 device manager attribute format	21
	Table 2 – M2 device manager attribute format	22
	Table 3 – S1 device manager attribute format	22
	Table 4 – S2 device manager attribute format	22
	Table 5 – M1 connection manager attribute format.....	23
	Table 6 – M2 connection manager attribute format.....	24
	Table 7 – S1 connection manager attribute format.....	24
	Table 8 – S2 connection manager attribute format.....	24
	Table 9 – M1 cyclic transmission attribute format.....	25
	Table 10 – M2 cyclic transmission attribute format.....	25
	Table 11 – S1 cyclic transmission attribute format	25
	Table 12 – S2 cyclic transmission attribute format	26
	Table 13 – M1 device manager attribute encoding	27
	Table 14 – M2 device manager attribute encoding	29
	Table 15 – S1 device manager attribute encoding.....	30
	Table 16 – S2 device manager attribute encoding.....	31
	Table 17 – M1 connection manager attribute encoding	32
	Table 18 – M2 connection manager attribute encoding	35
	Table 19 – S1 connection manager attribute encoding	36
	Table 20 – S2 connection manager attribute encoding	36
	Table 21 – M1 cyclic transmission attribute encoding.....	37
	Table 22 – M2 cyclic transmission attribute encoding.....	39
	Table 23 – S1 cyclic transmission attribute encoding	40
	Table 24 – S2 cyclic transmission attribute encoding	41
	Table 25 – Acyclic transmission – message data encoding	42
	Table 26 – Command header format.....	43
	Table 27 – Command codes	43

Table 28 – System information command parameter field	46
Table 29 – System information command parameter field	46
Table 30 – System information command parameter field	46
Table 31 – System information command parameter field	47
Table 32 – Line test command parameter field	47
Table 33 – Memory read command parameter field	48
Table 34 – Memory write command parameter field	49
Table 35 – FSPM events	52
Table 36 – M1 master state-event table 1 – events	55
Table 37 – M1 master state-event table 2 – receipt of FSPM service primitives	55
Table 38 – M1 master state-event table 3 – receipt of DMPM service primitives	57
Table 39 – M2 master state-event table 1 – events	58
Table 40 – M2 master state-event table 2 – receipt of FSPM service primitives	59
Table 41 – M2 master state-event table 3 – receipt of DMPM service primitives	59
Table 42 – S1 connect monitoring time	61
Table 43 – S2 connect monitoring time	61
Table 44 – Slave state-event table 1 – events	62
Table 45 – Slave state-event table 2 – receipt of FSPM service primitives	62
Table 46 – Slave state-event table 3 – receipt of DMPM service primitives	62
Table 47 – ARPM to DL mapping	63
Table 48 – DL to ARPM mapping	63

[SIST EN 61158-6-18:2008](https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008)

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
 FIELDBUS SPECIFICATIONS –**
Part 6-18: Application layer service definition – Type 18 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC draws attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 18:

3343036/Japan	[MEC]	“Network System for a Programmable Controller”
5896509/USA	[MEC]	“Network System for a Programmable Controller”
246906/Korea	[MEC]	“Network System for a Programmable Controller”
Pending/Germany	[MEC]	“Network System for a Programmable Controller”

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[MEC] Mitsubishi Electric Corporation
 Corporate Licensing Division
 7-3, Marunouchi 2-chome, Chiyoda-ku,
 Tokyo 100-8310, Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61158-6-18 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-6 subseries cancel and replace IEC 61158-6:2003. This edition of this part constitutes a technical addition.

This edition of IEC 61158-6 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus for lack of market relevance;
- b) addition of new types of fieldbuses;
- c) partition of part 6 of the third edition into multiple parts numbered -6-2, -6-3, ...

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/476/FDIS	65C/487/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61158-6-18:2008](https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008)

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6358f44a11ef/sist-en-61158-6-18-2008>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-18: Application layer protocol specification – Type 18 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 18 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 18 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158- 5-18, and
- 2) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 18 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-18.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in the IEC 61158-6 series.

1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems.

Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-18, *Industrial communication networks – Fieldbus specifications – Part 5-18: Application layer service definition – Type 18 elements*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3 Terms and definitions

SIST EN 61158-6-18:2008

3.1 Terms and definitions from other ISO/IEC standards

<https://standards.iteh.ai/catalog/standards/sist/8cee0057-fc83-4355-9e8d-6558f4411c/sist-en-61158-6-18-2008>

3.1.1 ISO/IEC 7498-1 terms

For the purposes of this document, the following terms as defined in ISO/IEC 7498-1 apply:

- a) application entity
- b) application process
- c) application protocol data unit
- d) application service element
- e) application entity invocation
- f) application process invocation
- g) application transaction
- h) real open system
- i) transfer syntax

3.1.2 ISO/IEC 8822 terms

For the purposes of this document, the following terms as defined in ISO/IEC 8822 apply:

- a) abstract syntax
- b) presentation context

3.1.3 ISO/IEC 9545 terms

For the purposes of this document, the following terms as defined in ISO/IEC 9545 apply: