

# INTERNATIONAL STANDARD

**Plugs and socket-outlets for household and similar purposes –  
Part 2-5: Particular requirements for adaptors**

(<https://standards.iteh.ai>)  
Document Preview

[IEC 60884-2-5:2017](https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293bcb81489/iec-60884-2-5-2017)

<https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293bcb81489/iec-60884-2-5-2017>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

[IEC 60884-2-5:2017](https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293becb81489/iec-60884-2-5-2017)

<https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293becb81489/iec-60884-2-5-2017>



IEC 60884-2-5

Edition 2.0 2017-05

# INTERNATIONAL STANDARD

---

**Plugs and socket-outlets for household and similar purposes –  
Part 2-5: Particular requirements for adaptors**

Document Preview

[IEC 60884-2-5:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293becb81489/iec-60884-2-5-2017>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.120.30

ISBN 978-2-8322-4275-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Definitions .....	7
4 General requirements .....	8
5 General remarks on tests .....	8
6 Ratings.....	9
7 Classification.....	9
8 Marking .....	9
9 Checking of dimensions.....	10
10 Protection against electric shock .....	10
11 Provision for earthing .....	11
12 Terminals and terminations .....	11
13 Construction of fixed socket-outlets .....	11
14 Construction of adaptors.....	11
15 Interlocked socket-outlet parts of adaptors .....	15
16 Resistance to ageing, protection provided by enclosures, and resistance to humidity.....	15
17 Insulation resistance and electric strength .....	15
18 Operation of earthing contacts .....	16
19 Temperature rise .....	16
20 Breaking capacity .....	18
21 Normal operation .....	19
22 Force necessary to withdraw the plug .....	20
23 Flexible cables and their connection .....	22
24 Mechanical strength .....	24
25 Resistance to heat.....	25
26 Screws, current-carrying parts and connections.....	25
27 Creepage distances, clearances and distances through sealing compound.....	25
28 Resistance of insulating material to abnormal heat, to fire and to tracking .....	26
29 Resistance to rusting .....	26
30 Additional tests on pins provided with insulating sleeves .....	26
Annex A (normative) Safety-related routine tests for factory-wired portable accessories (protection against electric shock and correct polarity) .....	27
Annex B (normative) Survey of specimens needed for tests .....	28
Annex C (informative) Alternative gripping tests .....	29
Annex D (normative) Switches incorporated in adaptors .....	31
Annex E (informative) Changes planned for the future in order to align IEC 60884-1 with the requirements of IEC 60228, IEC 60998 and IEC 60999 .....	32
Annex AA (normative) Travel adaptors.....	33
Annex BB (informative) Examples of adaptors .....	41
Bibliography.....	43

Figure AA.1 – World plug types.....	35
Table 101 – Nominal cross-sectional areas of flexible copper conductors for the temperature-rise test.....	17
Table 16 – Maximum and minimum withdrawal force for plug and socket-outlet parts of adaptors .....	22

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 60884-2-5:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293bcb81489/iec-60884-2-5-2017>

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

### Part 2-5: Particular requirements for adaptors

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60884-2-5 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories.

This second edition cancels and replaces the first edition published in 1995. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a general alignment with IEC 60884-1:2002, Amendment 1:2006 and Amendment 2:2013;
- b) new and modified definitions;
- c) requirements for travel adaptors, for adaptors with additional functions and for adaptors with a cable outlet;
- d) requirements for adaptors with incorporated overcurrent protective devices;
- e) requirement to warn against inserting an adaptor into another adaptor;

f) new requirements for the construction and shape of the adaptors.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
23B/1242/FDIS	23B/1246/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-5 shall be used in conjunction with IEC 60884-1. It was established on the basis of the third edition of IEC 60884-1 (2002) and of its Amendments 1 (2006) and 2 (2013).

This Part 2-5 supplements or modifies the corresponding clauses in IEC 60884-1, so as to convert that publication into the IEC Standard: Particular requirements for adaptors.

Where this Part 2-5 states "addition", "modification" or "replacement", the relevant requirement, test specifications or explanatory matter in Part 1 shall be adapted accordingly.

Subclauses, figures, tables or notes which are additional to those in Part 1 are numbered starting from 101. Additional annexes are lettered starting from AA.

A list of all parts in the IEC 60884 series, published under the general title *Plugs and socket-outlets for household and similar purposes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. at this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

### Part 2-5: Particular requirements for adaptors

#### 1 Scope

##### *Replacement:*

This part of IEC 60884 applies to adaptors for a.c. only with or without earthing contact, with a rated voltage greater than 50 V but not exceeding 440 V and a rated current not exceeding 32 A, intended for household and similar purposes, either indoors or outdoors.

This document also applies to travel adaptors (see Annex AA). For travel adaptors the scope is limited to a voltage rating greater than 50 V but not exceeding 250 V and to a current rating not exceeding 20 A.

Travel adaptors allowing the simultaneous connection of two or more plugs are not covered by this document.

NOTE 1 In the following countries the use of non-shuttered adaptors is not allowed: BE, CN, DK, ES, FR, IT, NO, MY, PT, SE, SG, UK, ZA.

NOTE 2 In the following countries adaptors having IP classes below IPX4 shall be provided with shutters: FI.

NOTE 3 In the following countries fused adaptors are not allowed: ZA.

NOTE 4 In the following countries rewirable external flexible cables connected to adaptors are not allowed: ZA.

NOTE 5 In the following countries, travel adaptors shall not be used for charging electrical vehicles: CH, SE.

This document covers the requirements for adaptors with additional functions, however the additional function itself is not covered by this standard.

NOTE 6 Examples of additional functions are electronic power supply units, dimmers, timers, protection devices, infrared switches.

This document does not apply to adaptors incorporating connectors according to IEC 60320 (all parts).

Adaptors complying with this document are suitable for use at ambient temperatures not normally exceeding +40 °C, but their average over a period of 24 h does not exceed +35 °C, with a lower limit of the ambient air temperature of –5 °C.

NOTE 7 Tests for temperatures below normal range are under consideration.

#### 2 Normative references

This clause of Part 1 is applicable except as follows:

##### *Addition:*

IEC 60127-2, *Miniature fuses – Part 2: Cartridge fuse-links*

IEC 60127-3, *Miniature fuses – Part 3: Sub-miniature fuse-links*



IEC 60269-3, *Low-voltage fuses – Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household or similar applications) – Examples of standardized systems of fuses A to F*

IEC 60884-1:2002, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*

IEC 60884-1:2002/AMD1:2006

IEC 60884-1:2002/AMD 2:2013

### 3 Definitions

This clause of Part 1 is applicable except as follows:

#### *Replacement of NOTE 3:*

NOTE 3 The term "accessory" is used as a general term covering plugs, socket-outlets and adaptors; the term "portable accessory" covers plugs, portable socket-outlets and adaptors.

#### *Addition:*

NOTE 101 The term "adaptor" is used as a general term covering all types of adaptors except where reference is made to one particular type.

#### **3.25 Replacement:**

##### **rated voltage**

value of voltage assigned to the accessory by the manufacturer

#### **3.26 Replacement:**

##### **rated current**

value of current assigned to the accessory by the manufacturer

#### *Addition:*

#### **3.101**

##### **adaptor**

portable accessory constructed as an integral unit incorporating one plug part and one or more socket-outlet parts, with or without integrated additional functions, allowing the connection of one or more plugs to a socket-outlet, both the socket-outlet and the plugs belonging to the same national system

Note 1 to entry: Examples of national systems are listed in IEC TR 60083.

#### **3.102**

##### **fused adaptor**

adaptor incorporating a replaceable fuse link in one or more current-carrying poles

Note 1 to entry: Fuses of fused adaptors are not intended to protect appliances or parts of them against overload.

#### **3.103**

##### **polarized adaptor**

adaptor constructed so that, when inserted in a socket-outlet installed in a polarized wiring installation, the correct relationship between the neutral and the line pole or poles is maintained

#### **3.104**

##### **single-way adaptor**

adaptor with one socket-outlet part allowing the connection of one plug

**3.105****multi-way adaptor**

adaptor with more than one socket-outlet part allowing the simultaneous connection of two or more plugs

**3.106****travel adaptor**

portable accessory, intended for temporary use, allowing the connection of one or more plug type(s) of different national systems to a socket-outlet that is not designed to accept such plugs

Note 1 to entry: A travel adaptor is not necessarily an integral unit and it can include integrated additional functions.

Note 2 to entry: Examples of national systems are listed in IEC TR 60083.

**3.107****travel adaptor with movable pins**

travel adaptor where plug pins may slide in and out, rotate or fold in any direction, so that they are not permanently fixed but have means to be locked in position for normal use

**3.108****intermediate adaptor**

adaptor allowing the connection of one or more plugs to a socket-outlet via a control device such as a dimmer, photo-electric switch, etc., which is connected to the adaptor by an external flexible cable

**3.109****rewirable intermediate adaptor**

intermediate adaptor constructed in such a way that the external flexible cable can be replaced

**3.110****non-rewirable intermediate adaptor**

intermediate adaptor constructed in such a way that it forms a complete unit with the external flexible cable after connection and assembly by the manufacturer of the adaptor

Note 1 to entry: See also 14.1.

**3.111****adaptor with cable outlet**

adaptor which may be rewirable or non-rewirable, and constructed in such a way that it allows the connection of an external flexible cable through a cable outlet

**3.112****rated power**

power value assigned to the accessory by the manufacturer

**4 General requirements**

This clause of Part 1 is applicable.

**5 General remarks on tests**

This clause of Part 1 is applicable except as follows:

*Addition:*

For the purposes of the tests, unless otherwise specified, the word “adaptors” covers all adaptors including fused adaptors, polarized adaptors, single-way adaptors, multi-way adaptors, intermediate adaptors, adaptors with cable outlet and travel adaptors.

## 6 Ratings

This clause of Part 1 is applicable except as follows:

*Addition:*

**6.101** The rated voltage of the adaptor shall not be lower than the nominal voltage of the supply system to which it can be connected via a socket-outlet.

NOTE Nominal voltages are defined in IEC 60038.

**6.102** The rated current of the adaptor shall be the lowest value of the following:

- the rated current of the plug part; or
- the arithmetic sum of the highest rated currents of all plugs which can be simultaneously inserted into the adaptor; or
- the rated current of the incorporated overcurrent protective device, if any.

**6.103** When assigned, the rated power of the adaptor shall be calculated by multiplying the rated current (as determined in 6.102) and the rated voltage (as determined in 6.101) at a power factor equal to 1.

*Compliance with the requirements of 6.101 to 6.103 is checked by inspection of the marking.*

## 7 Classification

[IEC 60884-2-5:2017](https://standards.iec.org/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293becb81489/iec-60884-2-5-2017)

<https://standards.iec.org/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293becb81489/iec-60884-2-5-2017>

This clause of Part 1 is applicable.

## 8 Marking

This clause of Part 1 is applicable except as follows:

**8.1** *Replacement of the first dashed item:*

- rated current in amperes or rated power in watts, or both;

*Addition at the end of the subclause:*

The marking for the rated power, if any, shall be completed by the word MAX.

NOTE 101 These markings can be shown as in the examples: MAX 2 000 W or 2 000 W MAX.

The rated power and/or rated current marking shall be easily discernible until the last plug is connected.

NOTE 102 In the following country, marking of the rated power in watts, visible when the adaptor is in use, is mandatory: FR.

Fused adaptors shall be marked to indicate the presence of a fuse within the adaptor and this marking may be in the form of a symbol.

Fused adaptors shall be marked with the rated current and type of fuse on the fuse-holder or in the proximity of the fuse.

An instruction, which may be a symbol or a sentence, warning against inserting an adaptor into another adaptor shall be provided by the manufacturer:

- on the adaptor, or
- on the smallest package unit, or
- on the instruction sheet accompanying the adaptor.

NOTE 103 A standardized symbol and/or sentence can be defined by the National Committees.

**8.2 Addition before NOTE 1:**

Watts ..... W

Fuse .....  
(see IEC 60417-5016:2002-10)



**9 Checking of dimensions**

This clause of Part 1 is applicable.

**10 Protection against electric shock**

This clause of Part 1 is applicable except as follows:

**10.1 Replacement of the second paragraph and NOTE:**

Live parts shall not be accessible when the plug part of an adaptor is in partial or complete engagement with a socket-outlet of the same system.

<https://standards.iteh.ai/catalog/standards/iec/adc87766-6f8d-4835-b0d2-1293bec81489/iec-60884-2-5-2017>

NOTE In the following countries this requirement does not apply when the plug part of the adaptor is partially engaged: CA, DK, JP, US.

*Replacement of the fifth paragraph:*

*For adaptors, the test finger is applied in every possible position when the adaptor is in partial or complete engagement with a socket-outlet of the same system.*

**10.3 Replacement of the first paragraph:**

It shall not be possible to make contact between a pin of a plug and a live socket contact of an adaptor or between a pin of an adaptor and a live socket contact of a socket-outlet, of the same system, whilst any other current-carrying pin is accessible.

**10.4 Replacement of the first paragraph:**

External parts of plugs, with the exception of assembly screws and the like, current-carrying and earthing pins, earthing straps and metal rings around pins and accessible metal parts fulfilling the requirements of 10.2.1 or 10.2.2 of IEC 60884-1:2002, IEC 60884-1:2002/AMD1:2006 and IEC 60884-1:2002/AMD2:2013, shall be of insulating material.

**10.5 Replacement of the first paragraph:**