



SLOVENSKI STANDARD

SIST EN 61158-4-18:2008

01-junij-2008

Nadomešča:

SIST EN 61158-4:2004

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 4-18. del: Specifikacija protokola na nivoju podatkovnih povezav - Elementi tipa 18 (IEC 61158-4-18:2007)

Industrial communication networks - Fieldbus specifications -- Part 4-18: Data-link layer protocol specification - Type 18 elements

iTeh STANDARD PREVIEW

Industrielle Kommunikationsnetze - Feldbusse - Teil 4-18: Protokollspezifikation des Data Link Layer (Sicherheitsschicht) - Typ 18-Elemente

SIST EN 61158-4-18:2008

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 4-18: Spécification des protocoles des couches de liaison de données - Eléments de type 18

Ta slovenski standard je istoveten z: EN 61158-4-18:2008

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.20	Podatkovni povezovalni sloj	Data link layer
35.110	Omreževanje	Networking

SIST EN 61158-4-18:2008

en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-4-18:2008

<https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61158-4-18

February 2008

ICS 35.100.20; 25.040.40

Partially supersedes EN 61158-4:2004

English version

**Industrial communication networks -
Fieldbus specifications -
Part 4-18: Data-link layer protocol specification -
Type 18 elements
(IEC 61158-4-18:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 4-18: Spécification des protocoles
des couches de liaison de données -
Éléments de type 18
(CEI 61158-4-18:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 4-18: Protokollspezifikation des
Data Link Layer (Sicherheitsschicht) -
Typ 18-Elemente
(IEC 61158-4-18:2007)

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61158-4-18:2008

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/474/FDIS, future edition 1 of IEC 61158-4-18, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-4-18 on 2008-02-01.

This and the other parts of the EN 61158-4 series supersede EN 61158-4:2004.

With respect to EN 61158-4:2004 the following changes were made:

- deletion of Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data-link layer, for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 4-1, 4-2, ..., 4-19.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC and CENELEC draw attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 18 and possibly other types:

3343036/Japan	[MEC]	"Network System for a Programmable Controller"
5896509/USA	[MEC]	"Network System for a Programmable Controller"
246906/Korea	[MEC]	"Network System for a Programmable Controller"
Pending/Germany	[MEC]	"Network System for a Programmable Controller"

IEC and CENELEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[MEC] Mitsubishi Electric Corporation
Corporate Licensing Division
7-3, Marunouchi 2-chome, Chiyoda-ku,
Tokyo 100-8310, Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC and CENELEC shall not be held responsible for identifying any or all such patent rights.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-4-18:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-5-18	NOTE	Harmonized as EN 61158-5-18:2008 (not modified).
IEC 61158-6-18	NOTE	Harmonized as EN 61158-6-18:2008 (not modified).
IEC 61784-2	NOTE	Harmonized as EN 61784-2:2008 (not modified).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-4-18:2008](https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008)

<https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-2	2007	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2008
IEC 61158-3-18	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 3-18: Data-link layer service definition - Type 18 elements	EN 61158-3-18	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 7498-3	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 13239	- ¹⁾	Information technology - Telecommunications - and information exchange between systems - High-level data link control (HDLC) procedures	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.



IEC 61158-4-18

Edition 1.0 2007-12

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 4-18: Data-link layer protocol specification – Type 18 elements**

SIST EN 61158-4-18:2008
<https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

W

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Procedures.....	8
1.4 Applicability.....	9
1.5 Conformance.....	9
2 Normative references.....	9
3 Terms, definitions, symbols, abbreviations and conventions.....	9
3.1 Reference model terms and definitions.....	9
3.2 Type 18: Symbols.....	10
3.3 Type 18: Additional conventions.....	11
4 DL-protocol overview.....	11
4.1 Introduction.....	11
4.2 Polled DLE classes.....	11
4.3 Packed DLE classes.....	11
5 DLPDU encoding and transmission.....	11
5.1 DL – PhL interface.....	11
5.2 DLPDU transmission encoding.....	12
6 DLPDU – basic structure.....	15
6.1 Overview.....	15
6.2 Address field.....	15
6.3 Status field.....	16
6.4 Data field.....	18
7 DLPDU – Detailed structure, segmenting and reassembly.....	20
8 Data transmission methods.....	24
8.1 Overview.....	24
8.2 Master-polled method.....	24
8.3 Level A slave-polled method.....	25
8.4 Level B slave-polled method.....	26
8.5 Level C slave-polled method.....	26
8.6 Master-packed method.....	27
8.7 Slave-packed method.....	28
9 DL-management – procedures.....	29
9.1 Overview.....	29
9.2 Establish master-polled DLE procedure.....	29
9.3 Establish slave-polled DLE procedure.....	30
9.4 Establish master-packed DLE procedure.....	32
9.5 Establish slave-packed DLE procedure.....	33
9.6 Release connection procedure.....	34
9.7 Suspend connection procedure.....	34
9.8 Resume connection procedure.....	34
9.9 Activate standby Master procedure.....	35
Bibliography.....	36

Figure 1 – HDLC flag	12
Table 1 – HDLC convention summary	13
Table 2 – HDLC exception summary	14
Table 3 – Master-polled DLE address octet 0.....	15
Table 4 – Slave-polled DLE address octet 0.....	15
Table 5 – Master-packed DLE address octet 0.....	16
Table 6 – Master-polled DLE status octet 0.....	16
Table 7 – Master-polled DLE status octet 1.....	17
Table 8 – Slave-polled DLE status octet 0.....	17
Table 9 – slave-polled DLE status octet 1	18
Table 10 – Slave-packed DLE status	18
Table 11 – DLPDU – Master-polled DLE acyclic data field	19
Table 12 – DLPDU – Slave-polled DLE acyclic data field	20
Table 13 – Example master-polled DLE RY contiguous data field	21
Table 14 – Example slave-polled DLE RX contiguous data field	21
Table 15 – Example master-polled DLE RWw contiguous data field	21
Table 16 – Example slave-polled DLE RWr contiguous data field.....	21
Table 17 – Bit-oriented segment header	22
Table 18 – Polled DLE acyclic segment number field.....	23
Table 19 – Slave-polled DLE acyclic data type and sequence field	23
Table 20 – DLPDU – Polled class poll with data.....	24
Table 21 – Slave-polled DLE response timeout.....	24
Table 22 – DLPDU – Poll	25
Table 23 – DLPDU – End of cycle	25
Table 24 – slave-polled DLE request timeout.....	25
Table 25 – DLPDU – Level A poll response.....	26
Table 26 – DLPDU – Level B poll response.....	26
Table 27 – DLPDU – Level C poll response	27
Table 28 – DLPDU – Packed class poll with data	27
Table 29 – Slave-packed DLE response timeout	27
Table 30 – Slave-packed DLE request timeout.....	28
Table 31 – DLPDU – Packed class poll response.....	28
Table 32 – Slave-packed DLE time constraints	29
Table 33 – DLPDU – Poll with test data	29
Table 34 – Slave-polled DLE response timeout.....	30
Table 35 – DLPDU – Poll test	30
Table 36 – Slave-polled DLE request timeout	30
Table 37 – DLPDU – Poll test response	31
Table 38 – Slave-polled DLE configuration parameter.....	31
Table 39 – DLPDU – Baud rate synchronization.....	32
Table 40 – DLPDU – Poll test	32
Table 41 – Slave-packed DLE response timeout	32

Table 42 – Slave-packed DLE number of occupied DLE station slots	33
Table 43 – Slave-packed DLE baud rate synchronization timeout	33
Table 44 – Slave-packed DLE Master timeout.....	34
Table 45 – DLPDU – Packed poll test response	34

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61158-4-18:2008](https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008)

<https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
 FIELDBUS SPECIFICATIONS –**
Part 4-18: Data-link layer protocol specification – Type 18 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

IEC draws attention to the fact that it is claimed that compliance with this standard may involve the use of patents as follows, where the [xx] notation indicates the holder of the patent right:

Type 18 and possibly other Types:

3343036/Japan	[MEC]	“Network System for a Programmable Controller”
5896509/USA	[MEC]	“Network System for a Programmable Controller”
246906/Korea	[MEC]	“Network System for a Programmable Controller”
Pending/Germany	[MEC]	“Network System for a Programmable Controller”

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained from:

[MEC] Mitsubishi Electric Corporation
 Corporate Licensing Division
 7-3, Marunouchi 2-chome, Chiyoda-ku,
 Tokyo 100-8310, Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61158-4-18 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-4 subseries cancel and replace IEC 61158-4:2003. This edition of this part constitutes a technical addition.

This edition of IEC 61158-4 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data link layer, for lack of market relevance;
- b) addition of new types of fieldbuses;
- c) division of this part into multiple parts numbered -4-1, -4-2, ..., 4.19.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/474/FDIS	65C/485/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61158-4-18:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/ef040165-2665-4333-90a1-284ec5ebaffa/sist-en-61158-4-18-2008>