

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Heat-shrinkable low and medium voltage moulded shapes –
Part 3: Specification for individual materials – Sheet 102: Heat-shrinkable,
polyolefin, anti-tracking moulded shapes for medium voltage applications

IEC 62677-3-102:2018
<https://standards.iec.ch/catalog/standards/siv/607/1c4cc-1d9c-430a-b8c3-76c0e0162c078>
Profils thermorétractables basse et moyenne tensions –
Partie 3: Spécification pour matériaux particuliers – Feuille 102: Profils
thermorétractables anticheminement en polyoléfine pour applications moyenne
tension



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms, containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Heat-shrinkable low and medium voltage moulded shapes –
Part 3: Specification for individual materials – Sheet 102: Heat-shrinkable,
polyolefin, anti-tracking moulded shapes for medium voltage applications**

**Profils thermorétractables basse et moyenne tensions –
Partie 3: Spécification pour matériaux particuliers – Feuille 102: Profils
thermorétractables anticheminement en polyoléfine pour applications moyenne
tension**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.035.20 29.035.01

ISBN 978-2-8322-5226-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Designation	7
5 Conditions of test for dimensions.....	7
6 Requirements	7
7 Moulded shapes material conformance.....	7
Annex A (informative) Adhesive compatibility guide	10
Bibliography.....	11
Table 1 – Property requirements	8
Table 2 – Resistance to selected fluids	9
Table A.1 – Adhesive compatibility guide	10

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 62677-3-102:2018](https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018)

<https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HEAT-SHRINKABLE LOW AND MEDIUM
VOLTAGE MOULDED SHAPES –**
**Part 3: Specification for individual materials –
Sheet 102: Heat-shrinkable, polyolefin, anti-tracking
moulded shapes for medium voltage applications**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62677-3-102 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
15/815/FDIS	15/821/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62677 series, published under the general title *Heat-shrinkable low and medium voltage moulded shapes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62677-3-102:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018>

INTRODUCTION

This part of IEC 62677 is one of a series that deals with heat shrinkable low and medium voltage moulded shapes. The series consists of three parts:

Part 1: General requirements (IEC 62677-1);

Part 2: Methods of test (IEC 62677-2);

Part 3: Specification for individual materials (IEC 62677-3).

This standard gives one of the sheets comprising Part 3 as follows:

Sheet 101: Heat-shrinkable, polyolefin moulded shapes for low voltage applications

Sheet 102: Heat-shrinkable, polyolefin, anti-tracking moulded shapes for medium voltage applications

Sheet 103: Heat-shrinkable, polyolefin, semi-conductive moulded shapes for 8 medium voltage applications

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 62677-3-102:2018](https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018)

<https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018>

HEAT-SHRINKABLE LOW AND MEDIUM VOLTAGE MOULDED SHAPES –

Part 3: Specification for individual materials – Sheet 102: Heat-shrinkable, polyolefin, anti-tracking moulded shapes for medium voltage applications

1 Scope

This part of IEC 62677 is applicable to heat shrinkable medium voltage moulded shapes in a range of configurations suitable for insulation, environmental sealing, mechanical protection, strain relief for power cable terminations, joints and stop ends. These moulded shapes have been found suitable for use for temperatures between –40 °C and 100 °C.

The moulded shapes can be supplied with a pre-coated adhesive. A guide to adhesive compatibility and temperature performance is given in Annex A. The manufacturers/suppliers can be consulted for options.

Materials which conform to this document meet established levels of performance. However, the selection of a material by a user for a specific application will be based on the actual requirements necessary for adequate performance in that application and will not be based on this document alone.

The tests specified are designed to control the quality of the moulded shapes but it is recognized that they are designed to be used in low and medium voltage cable accessories and as such electrical performance will be proven as part of the assembly. Examples of this are described in IEC 60502 (all parts), EN 50393 and HD 629.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60296, *Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear*

IEC 60757, *Code for designation of colours*

IEC 62677-1, *Heat shrinkable low and medium voltage moulded shapes – Part 1: General requirements*

IEC 62677-2, *Heat shrinkable low and medium voltage moulded shapes – Part 2: Methods of test*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Designation

The moulded shapes shall be identified by the following designation:

Description	IEC publication number	IEC part number	IEC sheet number	Adhesive	Colour
↓	↓	↓	↓	↓	↓
Suppliers part number	IEC 62677	- 3	- 102	-U	- RD

Any colour abbreviation shall comply with IEC 60757, where applicable. Non-standard colours shall be written out in full.

See Annex A for adhesive nomenclature.

NOTE This information is for packaging labelling only, in accordance with IEC 62677-1.

5 Conditions of test for dimensions

The moulded shapes shall be shrunk in a forced air circulation oven at $200\text{ °C} \pm 5\text{ K}$ for (10 ± 1) min.

6 Requirements

[IEC 62677-3-102:2018](https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-1c5b0519e616/iec-62677-3-102-2018)

<https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-1c5b0519e616/iec-62677-3-102-2018>

In addition to the general requirements given in IEC 62677-1, the heat-shrinkable moulded shapes shall comply with the requirements in Table 1 and where applicable Table 2.

7 Moulded shapes material conformance

Conformance with the requirements of this document shall be based on the results from test sheets, $(2 \pm 0,15)$ mm thick, unless otherwise specified, which shall be prepared from the same heat-shrinkable material and conditions (including cross-linking) that is used to manufacture the heat shrinkable moulded shapes.

Table 1 – Property requirements

Property	IEC 62677-2:2017 clause or Subclause	Units	Max. or Min.	Requirements	Remarks
Dimensions	6	mm	Min. Min.	To be agreed between purchaser and supplier	See Clause 5
Heat shock	7				Heat at 175 °C ± 5 K
Tensile strength	10.1 and 10.2	MPa	Min.	8	
Elongation at break	10.1 and 10.2	%	Min.	200	
Bending at low temperature	8	-	-	No cracking shall be visible	Test at -40 °C The mandrel shall be between 20 and 22 times the sample thickness.
Dimensional stability on storage	9	-	-	The dimensions shall remain as agreed between purchaser and supplier	See Clause 5
Tensile strength	10.1 and 10.2	MPa %	Min.	10	Use a jaw separation rate of 100 mm/min.
Elongation at break	10.1 and 10.2		Min.	300	
Secant modulus at 2% elongation	11	MPa	Min. Max.	80 160	
Electric strength	12	kV/mm	Min.	10	
Volume resistivity at room temperature	13	$\Omega \cdot m$	Min.	10 ¹⁰	
Resistance to selected fluids	18				Use the fluids and test temperatures specified in Table 2
Tensile strength	10.1 and 10.2	MPa %	Min.	8	
Elongation at break	10.1 and 10.2		Min.	200	
Heat ageing	20				Heat at 150 °C ± 3 K
Tensile strength	10.1 and 10.2	MPa	Min.	8	
Elongation at break	10.1 and 10.2	%	Min.	200	
Long term ageing	19				The ageing temperature shall be 100 °C ± 3 K
Elongation at break	10.2	%	Min.	150	
Resistance to tracking	15	-	Min.	Class 2A 2,5 kV – 1 h 2,75 kV – 1h 3,0 kV – 1 h 3,25 kV – 20 min	Specimens shall be prepared from crosslinked moulded plaques of thickness (6 ± 0,5) mm. Specimens should not be abraded but cleaned with an appropriate solvent. The method of cleaning shall be recorded.

Property	IEC 62677-2:2017 clause or Subclause	Units	Max. or Min.	Requirements	Remarks
Resistance to Weathering	27				All samples should be cut to the appropriate size to fit the sample holders. Intermediate tests may also be done at 1 000 h intervals as an intermediate check.
	After 3 000 h test to				
	10.1	Mpa	Min.	8	
	10.2	Mpa	Min.	200	
	15	-	Min.	Class 2A 2,5 kV – 1h	

Table 2 – Resistance to selected fluids

Test fluid no.	Fluids	Type	Standard or symbol	Immersion temperature °C ± 2K
1	Insulating oil	Mineral based	IEC 60296 transformer oil	23
2	Cleaning fluids		Isopropyl alcohol	23
3	-	Water	Deionized	85

Other fluids and/or temperatures may be specified for customers with specific needs. These additional fluids and/or temperatures shall be applicable when incorporated into agreements between the supplier and customer.

[IEC 62677-3-102:2018](https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018)

<https://standards.iteh.ai/catalog/standards/sist/bd71e4ce-fd9e-430a-b8c3-86e545c4b11d/iec-62677-3-102-2018>