

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS/COSEM suite –
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 6-2: Classes d'interfaces COSEM**

<https://standards.iteh.ai/catalog/standards/sist/53192840-625a-4f29-8afa-229bc12cf22c/iec-62056-6-2-2016>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS/COSEM suite –
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 6-2: Classes d'interfaces COSEM**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220; 35.110; 91.140.50

ISBN 978-2-8322-3041-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	9
INTRODUCTION.....	12
1 Scope.....	14
2 Normative references.....	14
3 Terms, definitions and abbreviations	16
3.1 Terms and definitions related to the Image transfer process (see 5.3.6)	16
3.2 Terms and definitions related to the S-FSK PLC setup classes (see 5.8)	17
3.3 Terms and definitions related to the PRIME NB OFDM PLC setup ICs (see 5.10)	18
3.4 Terms and definitions related to ZigBee® (see 5.12)	20
3.5 Abbreviations	22
4 Basic principles	26
4.1 General.....	26
4.2 Referencing methods	27
4.3 Reserved base_names for special COSEM objects	27
4.4 Class description notation	27
4.5 Common data types	30
4.6 Data formats	31
4.6.1 Date and time formats	31
4.6.2 Floating point number formats	33
4.7 The COSEM server model.....	35
4.8 The COSEM logical device.....	36
4.8.1 General	36
4.8.2 COSEM logical device name (LDN)	36
4.8.3 The “association view” of the logical device	36
4.8.4 Mandatory contents of a COSEM logical device	37
4.8.5 Management logical device	37
4.9 Information security.....	37
5 The COSEM interface classes.....	38
5.1 Overview.....	38
5.2 Interface classes for parameters and measurement data.....	42
5.2.1 Data (class_id = 1, version = 0).....	42
5.2.2 Register (class_id = 3, version = 0)	42
5.2.3 Extended register (class_id = 4, version = 0)	46
5.2.4 Demand register (class_id = 5, version = 0).....	47
5.2.5 Register activation (class_id = 6, version = 0).....	50
5.2.6 Profile generic (class_id = 7, version = 1)	52
5.2.7 Utility tables (class_id = 26, version = 0).....	57
5.2.8 Register table (class_id = 61, version = 0)	58
5.2.9 Status mapping (class_id = 63, version = 0).....	60
5.3 Interface classes for access control and management.....	61
5.3.1 Overview	61
5.3.2 Client user identification	61
5.3.3 Association SN (class_id = 12, version = 3)	62
5.3.4 Association LN (class_id = 15, version = 2)	66
5.3.5 SAP assignment (class_id = 17, version = 0)	72

5.3.6	Image transfer	72
5.3.7	Security setup (class_id = 64, version = 0).....	79
5.3.8	Push interface classes and objects.....	81
5.4	Interface classes for time- and event bound control.....	87
5.4.1	Clock (class_id = 8, version = 0).....	87
5.4.2	Script table (class_id = 9, version = 0).....	90
5.4.3	Schedule (class_id = 10, version = 0).....	91
5.4.4	Special days table (class_id = 11, version = 0).....	94
5.4.5	Activity calendar (class_id = 20, version = 0).....	95
5.4.6	Register monitor (class_id = 21, version = 0).....	98
5.4.7	Single action schedule (class_id = 22, version = 0).....	100
5.4.8	Disconnect control (class_id = 70, version = 0).....	101
5.4.9	Limiter (class_id = 71, version = 0).....	103
5.4.10	Parameter monitor (class_id = 65, version = 0).....	106
5.4.11	Sensor manager interface class.....	107
5.5	Interface classes for setting up data exchange via local ports and modems	111
5.5.1	IEC local port setup (class_id = 19, version = 1).....	111
5.5.2	IEC HDLC setup (class_id = 23, version = 1).....	112
5.5.3	IEC twisted pair (1) setup (class_id = 24, version = 1).....	114
5.5.4	Modem configuration (class_id = 27, version = 1).....	117
5.5.5	Auto answer (class_id = 28, version = 2).....	118
5.5.6	Auto connect (class_id = 29, version = 2).....	121
5.5.7	GPRS modem setup (class_id = 45, version = 0).....	123
5.5.8	GSM diagnostic (class_id = 47, version = 0).....	124
5.6	Interface classes for setting up data exchange via M-Bus.....	126
5.6.1	M-Bus slave port setup (class_id = 25, version = 0).....	126
5.6.2	M-Bus client (class_id = 72, version = 1).....	127
5.6.3	Wireless Mode Q channel (class_id = 73, version = 1).....	132
5.6.4	M-Bus master port setup (class_id = 74, version = 0).....	133
5.7	Interface classes for setting up data exchange over the Internet.....	133
5.7.1	TCP-UDP setup (class_id = 41, version = 0).....	133
5.7.2	IPv4 setup (class_id = 42, version = 0).....	134
5.7.3	IPv6 setup (class_id = 48, version = 0).....	137
5.7.4	MAC address setup (class_id = 43, version = 0).....	140
5.7.5	PPP setup (class_id = 44, version = 0).....	141
5.7.6	SMTP setup (class_id = 46, version = 0).....	145
5.8	Interface classes for setting up data exchange using S-FSK PLC	146
5.8.1	General	146
5.8.2	Overview	146
5.8.3	S-FSK Phy&MAC set-up (class_id = 50, version = 1).....	149
5.8.4	S-FSK Active initiator (class_id = 51, version = 0).....	153
5.8.5	S-FSK MAC synchronization timeouts (class_id = 52, version = 0).....	155
5.8.6	S-FSK MAC counters (class_id = 53, version = 0).....	157
5.8.7	IEC 61334-4-32 LLC setup (class_id = 55, version = 1).....	160
5.8.8	-FSK Reporting system list (class_id = 56, version = 0).....	161
5.9	Interface classes for setting up the LLC layer for ISO/IEC 8802-2.....	162
5.9.1	General	162
5.9.2	ISO/IEC 8802-2 LLC Type 1 setup (class_id = 57, version = 0).....	162
5.9.3	ISO/IEC 8802-2 LLC Type 2 setup (class_id = 58, version = 0).....	163

5.9.4	ISO/IEC 8802-2 LLC Type 3 setup (class_id = 59, version = 0)	164
5.10	Interface classes for setting up and managing DLMS/COSEM narrowband OFDM PLC profile for PRIME networks.....	166
5.10.1	Overview	166
5.10.2	Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes	167
5.10.3	61334-4-32 LLC SSSCS setup (class_id = 80, version = 0)	169
5.10.4	PRIME NB OFDM PLC Physical layer parameters.....	170
5.10.5	PRIME NB OFDM PLC Physical layer counters (class_id = 81, version = 0)	170
5.10.6	PRIME NB OFDM PLC MAC setup (class_id = 82, version = 0).....	171
5.10.7	PRIME NB OFDM PLC MAC functional parameters (class_id = 83, version = 0)	172
5.10.8	PRIME NB OFDM PLC MAC counters (class_id = 84, version = 0)	174
5.10.9	PRIME NB OFDM PLC MAC network administration data (class_id = 85, version = 0)	175
5.10.10	PRIME NB OFDM PLC MAC address setup (class_id = 43, version = 0).....	177
5.10.11	PRIME NB OFDM PLC Application identification (class_id = 86, version = 0)	177
5.11	Interface classes for setting up and managing the DLMS/COSEM narrowband OFDM PLC profile for G3-PLC networks	178
5.11.1	Overview	178
5.11.2	Mapping of G3-PLC PIB attributes to COSEM IC attributes	179
5.11.3	G3-PLC MAC layer counters (class_id = 90, version = 1)	180
5.11.4	G3-PLC MAC setup (class_id = 91, version = 1)	181
5.11.5	G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 1).....	187
5.12	ZigBee® setup classes.....	192
5.12.1	Overview	192
5.12.2	ZigBee® SAS startup (class_id = 101, version = 0).....	194
5.12.3	ZigBee® SAS join (class_id = 102, version = 0).....	196
5.12.4	ZigBee® SAS APS fragmentation (class_id = 103, version = 0).....	197
5.12.5	ZigBee® network control (class_id = 104, version = 0).....	198
5.12.6	ZigBee® tunnel setup (class_id = 105, version = 0).....	204
5.13	Maintenance of the interface classes	205
5.13.1	New versions of interface classes.....	205
5.13.2	New interface classes	205
5.13.3	Removal of interface classes.....	205
6	Relation to OBIS.....	206
6.1	General.....	206
6.2	Abstract COSEM objects	206
6.2.1	Use of value group C	206
6.2.2	Data of historical billing periods.....	207
6.2.3	Billing period values / reset counter entries.....	209
6.2.4	Other abstract general purpose OBIS codes	209
6.2.5	Clock objects (class_id = 8).....	210
6.2.6	Modem configuration and related objects.....	210
6.2.7	Script table objects (class_id = 9).....	210
6.2.8	Special days table objects (class_id = 11)	211
6.2.9	Schedule objects (class_id = 10).....	211
6.2.10	Activity calendar objects (class_id = 20)	211

6.2.11	Register activation objects (class_id = 6).....	212
6.2.12	Single action schedule objects (class_id = 22).....	212
6.2.13	Register monitor objects (class_id = 21).....	212
6.2.14	Parameter monitor objects (class_id = 65).....	212
6.2.15	Limiter objects (class_id = 71).....	212
6.2.16	IEC local port setup objects (class_id = 19).....	213
6.2.17	Standard readout profile objects (class_id = 7).....	213
6.2.18	IEC HDLC setup objects (class_id = 23).....	213
6.2.19	IEC twisted pair (1) setup objects (class_id =24).....	213
6.2.20	Objects related to data exchange over M-Bus.....	214
6.2.21	Objects to set up data exchange over the Internet.....	215
6.2.22	Objects for setting up data exchange using S-FSK PLC.....	216
6.2.23	Objects for setting up the ISO/IEC 8802-2 LLC layer.....	216
6.2.24	Objects for data exchange using narrowband OFDM PLC for PRIME networks.....	217
6.2.25	Objects for data exchange using narrow-band OFDM PLC for G3-PLC networks.....	218
6.2.26	ZigBee® setup objects.....	218
6.2.27	Association objects (class_id = 12, 15).....	218
6.2.28	SAP assignment object (class_id = 17).....	218
6.2.29	COSEM logical device name object.....	219
6.2.30	Information security related objects.....	219
6.2.31	Image transfer objects (class_id = 18).....	219
6.2.32	Utility table objects (class_id = 26).....	219
6.2.33	Device ID objects.....	220
6.2.34	Metering point ID objects.....	220
6.2.35	Parameter changes and calibration objects.....	221
6.2.36	I/O control signal objects.....	221
6.2.37	Disconnect control objects (class_id = 70).....	221
6.2.38	Status of internal control signals objects.....	221
6.2.39	Internal operating status objects.....	222
6.2.40	Battery entries objects.....	222
6.2.41	Power failure monitoring objects.....	222
6.2.42	Operating time objects.....	223
6.2.43	Environment related parameters objects.....	223
6.2.44	Status register objects.....	223
6.2.45	Event code objects.....	224
6.2.46	Communication port log parameter objects.....	224
6.2.47	Consumer message objects.....	224
6.2.48	Currently active tariff objects.....	224
6.2.49	Event counter objects.....	224
6.2.50	Meter tamper event related objects.....	225
6.2.51	Error register objects.....	225
6.2.52	Alarm register, Alarm filter and Alarm descriptor objects.....	226
6.2.53	General list objects.....	226
6.2.54	Event log objects.....	227
6.2.55	Inactive objects.....	227
6.3	Electricity related COSEM objects.....	227
6.3.1	Value group D definitions.....	227

6.3.2	Electricity ID numbers	227
6.3.3	Billing period values / reset counter entries.....	228
6.3.4	Other electricity related general purpose objects.....	228
6.3.5	Measurement algorithm	229
6.3.6	Metering point ID (electricity related)	231
6.3.7	Electricity related status objects	231
6.3.8	List objects – Electricity (class_id = 7)	231
6.3.9	Threshold values.....	232
6.3.10	Register monitor objects (class_id = 21)	232
6.4	Coding of OBIS identifications	233
7	Previous versions of interface classes.....	234
7.1	General.....	234
7.2	Profile generic (class_id = 7, version = 0)	234
7.3	Association SN (class_id = 12, version = 0)	237
7.4	Association SN (class_id = 12, version = 1)	239
7.5	Association SN (class_id = 12, version = 2)	242
7.6	Association LN (class_id = 15, version = 0).....	245
7.7	Association LN (class_id = 15, version = 1).....	250
7.8	IEC local port setup (class_id = 19, version = 0)	255
7.9	IEC HDLC setup, (class_id = 23, version = 0)	256
7.10	IEC twisted pair (1) setup (class_id = 24, version = 0)	258
7.11	PSTN modem configuration (class_id = 27, version = 0).....	259
7.12	Auto answer (class_id = 28, version = 0)	261
7.13	PSTN auto dial (class_id = 29, version = 0)	262
7.14	Auto connect (class_id = 29, version = 1).....	263
7.15	S-FSK Phy&MAC setup (class_id = 50, version = 0).....	265
7.16	S-FSK IEC 61334-4-32 LLC setup (class_id = 55, version = 0)	268
7.17	M-Bus client (class_id = 72, version = 0).....	269
7.18	G3 NB OFDM PLC MAC layer counters (class_id = 90, version = 0)	274
7.19	G3 NB OFDM PLC MAC setup (class_id = 91, version = 0)	275
7.20	G3 NB OFDM PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 0).....	279
Annex A (informative)	Additional information on Auto answer and Auto connect ICs	285
Annex B (informative)	Additional information to M-Bus client (class_id = 72, version 1)	287
Annex C (informative)	Additional information on IPv6 setup class (class_id = 48, version = 0)	289
C.1	General.....	289
C.2	IPv6 addressing	289
C.3	IPv6 header format.....	291
C.4	IPv6 header extensions	292
C.4.1	Overview	292
C.4.2	Hop-by-Hop options	293
C.4.3	Destination options	293
C.4.4	Routing options.....	293
C.4.5	Fragment options	293
C.4.6	Security options	294
Annex D (informative)	Overview of the narrow-band OFDM PLC technology for PRIME networks	295


Annex E (informative) Overview of the narrow-band OFDM PLC technology for G3-PLC networks	296
Annex F (informative) Significant technical changes with respect to IEC 62056-6-2:2013	297
Bibliography	299
Index	301
Figure 1 – Meaning of the definitions concerning the Image	17
Figure 2 – An interface class and its instances	26
Figure 3 – The COSEM server model	35
Figure 4 – Combined metering device	36
Figure 5 – Overview of the interface classes – Part 1	38
Figure 6 – Overview of the interface classes – Part 2	39
Figure 7 – The time attributes when measuring sliding demand	47
Figure 8 – The attributes in the case of block demand	47
Figure 9 – The attributes in the case of sliding demand (number of periods = 3)	48
Figure 10 – Image transfer process flow chart	78
Figure 11 – COSEM model of push operation	82
Figure 12 – Push windows and delays	83
Figure 13 – The generalized time concept	88
Figure 14 – State diagram of the Disconnect control IC	101
Figure 15 – Definition of upper and lower thresholds	110
Figure 16 – Object model of DLMS/COSEM servers	147
Figure 17 – Object model of DLMS/COSEM servers	166
Figure 18 – Example of a ZigBee® network	193
Figure 19 – Data of historical billing periods – example with module 12, VZ = 5	208
Figure A.1 – Network connectivity example for a GSM/GPRS network	285
Figure B.1 – Encryption key status diagram	287
Figure C.1 – IPv6 address formats	290
Figure C.2 – IPv6 header format	291
Figure C.3 – Traffic class parameter format	291
Table 1 – Reserved base_names for SN referencing	27
Table 2 – Common data types	30
Table 3 – List of interface classes by class_id	40
Table 4 – Enumerated values for physical units	44
Table 5 – Examples for scaler_unit	46
Table 6 – Encoding of selective access parameters with data_index	87
Table 7 – Schedule	91
Table 8 – Special days table	92
Table 9 – Disconnect control IC – states and state transitions	102
Table 10 – Explicit presentation of threshold value arrays	111
Table 11 – Explicit presentation of action_sets	111
Table 12 – ADS address elements	116

Table 13 – Fatal error register.....	116
Table 14 – Mapping IEC 61334-4-512:2001 MIB variables to COSEM IC attributes / methods	148
Table 15 – MAC addresses in the S-FSK profile	153
Table 16 – Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes.....	167
Table 17 – Mapping of G3-PLC IB attributes to COSEM IC attributes	179
Table 18 – Use of ZigBee® setup COSEM interface classes	194
Table 19 – Use of value group C for abstract objects in the COSEM context	207
Table 20 – Representation of various values by appropriate ICs	227
Table 21 – Measuring algorithms – enumerated values.....	230
Table 22 – Threshold objects, electricity.....	232
Table 23 – Register monitor objects, electricity.....	233
Table B.1 – Encryption key is preset in the slave and cannot be changed	288
Table B.2 – Encryption key is preset in the slave and new key is set after installation.....	288
Table B.3 – Encryption key is not preset in the slave, but can be set, case a)	288
Table B.4 – Encryption key is not preset in the slave, but can be set, case b)	288
Table C.1 – IPv6 header vs. IPv6 IC.....	292
Table C.2 – Optional IPv6 header extensions vs. IPv6 IC.....	292

IIEH STANDARD PREVIEW
(standards.iteh.ai)

IEC 62056-6-2:2016

<https://standards.iteh.ai/catalog/standards/sist/53172840-625a-4f29-8afa-229bc12cf22c/iec-62056-6-2-2016>



INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –
THE DLMS/COSEM SUITE –****Part 6-2: COSEM interface classes**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the Image transfer procedure.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from Itron, Inc., Liberty Lake, Washington, USA.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

IEC (<http://patents.iec.ch>) maintains on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-6-2 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

DLMS¹ User Association
Zug/Switzerland
www.dlms.com

International Standard IEC 62056-6-2 has been prepared by IEC technical committee 13: Electrical energy measurement and control.

This second edition cancels and replaces the first edition of IEC 62056-6-2, published in 2013. It constitutes a technical revision.

The significant technical changes with respect to IEC 62056-6-2:2013 are listed in Annex F (informative).

The text of this standard is based on the following documents:

FDIS	Report on voting
13/1651A/FDIS	13/1659/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

¹ Device Language Message Specification.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC 62056-6-2:2016

<https://standards.iteh.ai/catalog/standards/sist/53172840-625a-4f29-8afa-229bc12cf22c/iec-62056-6-2-2016>

Withdrawing

INTRODUCTION

This second edition of IEC 62056-6-2 has been prepared by IEC TC13 WG14 with a significant contribution of the DLMS User Association, its D-type liaison partner.

This edition is in line with the DLMS UA Blue Book Edition 11.0. The main new features are the client user identification mechanism, the “Push setup”, the “Parameter monitor”, the “GSM diagnostic”, the “IPv6 setup”, the “Prime NB OFDM PLC setup”, the “G3-PLC setup” and the “ZigBee® setup”² interface classes.

In 2014, the DLMS UA has published Blue Book Edition 12.0 adding several new features regarding functionality, efficiency and security while keeping full backwards compatibility.

The intention of the DLMS UA is to bring also these latest developments to international standardization. Therefore, IEC TC13 WG14 launched a project to bring these new elements also to the IEC 62056 suite that will lead to Edition 3.0 of the standard.

Object modelling and data identification

Driven by the business needs of the energy market participants – generally in a liberalized, competitive environment – and by the desire to manage natural resources efficiently and to involve the consumers, the utility meter became part of an integrated metering, control and billing system. The meter is not any more a simple data recording device but it relies critically on communication capabilities. Ease of system integration, interoperability and data security are important requirements.

COSEM, the Companion Specification for Energy Metering, addresses these challenges by looking at the utility meter as part of a complex measurement and control system. The meter has to be able to convey measurement results from the metering points to the business processes which use them. It also has to be able to provide information to the consumer and manage consumption and eventually local generation.

COSEM achieves this by using object modelling techniques to model all functions of the meter, without making any assumptions about which functions need to be supported, how those functions are implemented and how the data are transported. The formal specification of COSEM interface classes forms a major part of COSEM.

To process and manage the information it is necessary to uniquely identify all data items in a manufacturer-independent way. The definition of OBIS, the Object Identification System is another essential part of COSEM. It is based on DIN 43863-3:1997, *Electricity meters – Part 3: Tariff metering device as additional equipment for electricity meters – EDIS – Energy Data Identification System*. The set of OBIS codes has been considerably extended over the years to meet new needs.

COSEM models the utility meter as a server application – see 4.7 – used by client applications that retrieve data from, provide control information to, and instigate known actions within the meter via controlled access to the COSEM objects. The clients act as agents for third parties i.e. the business processes of energy market participants.

The standardized COSEM interface classes form an extensible library. Manufacturers use elements of this library to design their products that meet a wide variety of requirements.

² ZigBee® is a trademark owned by ZigBee corporation. This information is given for the convenience of users of this document and does not constitute an endorsement by the IEC of the product named.

The server offers means to retrieve the functions supported, i.e. the COSEM objects instantiated. The objects can be organized to logical devices and application associations and to provide specific access rights to various clients.

The concept of the standardized interface class library provides different users and manufacturers with a maximum of diversity while ensuring interoperability.



iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62056-6-2:2016](https://standards.iteh.ai/catalog/standards/sist/53172840-625a-4f29-8afa-229bc12cf22c/iec-62056-6-2-2016)

<https://standards.iteh.ai/catalog/standards/sist/53172840-625a-4f29-8afa-229bc12cf22c/iec-62056-6-2-2016>