

SLOVENSKI STANDARD
SIST EN 61800-7-304:2008

01-junij-2008

BUXca Yý U
SIST EN 61491:2001

9`Y_f] b]dc[cbg_]g]ghYa]n`bUghUj`]j c` \]fchg`c`!'+! '\$("XY.:; YbYf] b]j a Ygb_]b`i dcfUVUdfcZ]cj`nUY_Y_f] bYdc[cbg_]Yg]ghYa Y!`DfYg`_Uj UdfcZ]U]dU(`bU ca fYybYH\ bc`c[]Yf]97`*% \$\$!'+! '\$(.&\$\$+L

Adjustable speed electrical power drive systems - Part 7-304: Generic interface and use of profiles for power drive systems - Mapping of profile type 4 to network technologies (IEC 61800-7-304:2007)

ITeh STANDARD PREVIEW
(standards.iteh.ai)

Elektrische Leistungsantriebssysteme mit einstellbarer Drehzahl - Teil 7-304: Generisches Interface und Nutzung von Profilen für Leistungsantriebssysteme (PDS) - Abbildung von Profil-Typ 4 auf Netzwerktechnologien (IEC 61800-7-304:2007)

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>

Entraînements électriques de puissance à vitesse variable - Partie 7-304: Interface et utilisation génériques de profils pour les entraînements électriques de puissance - Mapping des profils de type 4 pour technologies réseaux (CEI 61800-7-304:2007)

Ta slovenski standard je istoveten z: EN 61800-7-304:2008

ICS:

29.200	W{ ^!} ã ãU!^c[!] ã ã Ùcãããã [Á ^dã] } ã ãã ð	Rectifiers. Convertors. Stabilized power supply
35.100.05	X^ • [ð ^Á] [!ãã] ã\ ^ !^zãç^	Multilayer applications

SIST EN 61800-7-304:2008 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61800-7-304:2008

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>

English version

**Adjustable speed electrical power drive systems -
Part 7-304: Generic interface and use of profiles for power drive systems -
Mapping of profile type 4 to network technologies
(IEC 61800-7-304:2007)**

Entraînements électriques de puissance
à vitesse variable -
Partie 7-304: Interface et utilisation
génériques de profils
pour les entraînements électriques
de puissance -
Mapping des profils de type 4
pour technologies réseaux
(CEI 61800-7-304:2007)

Elektrische Leistungsantriebssysteme
mit einstellbarer Drehzahl -
Teil 7-304: Generisches Interface
und Nutzung von Profilen
für Leistungsantriebssysteme (PDS) -
Abbildung von Profil-Typ 4
auf Netzwerktechnologien
(IEC 61800-7-304:2007)

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61800-7-304:2008

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 22G/185/FDIS, future edition 1 of IEC 61800-7-304, prepared by SC 22G, Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC TC 22, Power electronic systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61800-7-304 on 2008-02-01.

This European Standard, together with its companion parts for Profile type 4 (SERCOS), partially replaces EN 61491:1998 which is at present being revised (to be issued as a Technical Report).

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2011-02-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61800-7-304:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158	NOTE	Harmonized in EN 61158 series (not modified).
IEC 61499-1	NOTE	Harmonized as EN 61499-1:2005 (not modified).
IEC 61800	NOTE	Harmonized in EN 61800 series (not modified).
IEC 61800-7-1	NOTE	Harmonized as EN 61800-7-1:2008 (not modified).
IEC 61800-7-201	NOTE	Harmonized as EN 61800-7-201:2008 (not modified).
IEC 61800-7-202	NOTE	Harmonized as EN 61800-7-202:2008 (not modified).
IEC 61800-7-203	NOTE	Harmonized as EN 61800-7-203:2008 (not modified).
IEC 61800-7-301	NOTE	Harmonized as EN 61800-7-301:2008 (not modified).
IEC 61800-7-302	NOTE	Harmonized as EN 61800-7-302:2008 (not modified).
IEC 61800-7-303	NOTE	Harmonized as EN 61800-7-303:2008 (not modified).

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-2	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2008 ²⁾
IEC 61158-4-16	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 4-16: Data-link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-5-16	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-16: Application layer service definition - Type 16 elements	EN 61158-5-16	2008 ²⁾
IEC 61158-6-16	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 6-16: Application layer protocol specification - Type 16 elements	EN 61158-6-16	2008 ²⁾
IEC 61491	2002	Electrical equipment of industrial machines - Serial data link for real-time communication between controls and drives	-	-
IEC 61784-1	- ¹⁾	Industrial communication networks - Profiles - Part 1: Fieldbus profiles	EN 61784-1	2008 ²⁾
IEC 61784-2	- ¹⁾	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3	EN 61784-2	2008 ²⁾
IEC 61800-7	Series	Adjustable speed electrical power drive systems - Part 7: Generic interface and use of profiles for power drive systems	EN 61800-7	Series
IEC 61800-7-204	- ¹⁾	Adjustable speed electrical power drive systems - Part 7-204: Generic interface and use of profiles for power drive systems - Profile type 4 specification	EN 61800-7-204	2008 ²⁾

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 8802-3	2000	Information technology - Telecommunications - and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61800-7-304:2008

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>



IEC 61800-7-304

Edition 1.0 2007-11

INTERNATIONAL STANDARD

**Adjustable speed electrical power drive systems –
Part 7-304: Generic interface and use of profiles for power drive systems –
Mapping of profile type 4 to network technologies**

SIST EN 61800-7-304:2008

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XC**

ICS 29.200; 35.100.05

ISBN 2-8318-9383-6

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	11
2 Normative references	11
3 Terms, definitions and abbreviated terms	12
3.1 Terms and definitions	12
3.2 Abbreviated terms	17
4 General	17
5 Mapping to CP16/1 (SERCOS I) and CP16/2 (SERCOS II)	18
5.1 Reference to communication standards	18
5.2 Overview	18
5.3 Physical layer and topology.....	20
5.4 Synchronisation mechanism	21
5.4.1 General	21
5.4.2 Handling of command and feedback values	22
5.4.3 Position loop with fine interpolator	23
5.5 Telegram contents.....	24
5.5.1 General	24
5.5.2 Data block	25
5.5.3 Communication function group telegrams	25
5.5.4 Standard telegrams	26
5.5.5 Application telegrams	28
5.6 Non-cyclic data transfer.....	29
5.7 Real-time bits	29
5.7.1 Functions of Real time bits	29
5.7.2 Allocation of real-time bits	30
5.7.3 Possible cases	31
5.8 Signal control word and signal status word	33
5.9 Data container.....	34
5.10 Drive shutdown functions	36
5.11 Communication classes	37
5.11.1 General	37
5.11.2 Communication class A	38
5.11.3 Communication class B (Extended Functions)	41
5.11.4 Communication class C (Additional Functions)	42
5.11.5 Communication cycle time granularity.....	43
6 Mapping to CP16/3 (SERCOS III)	43
6.1 Reference to communication standards	43
6.2 Overview	43
6.3 Physical layer and topology.....	45
6.4 Synchronisation mechanism and telegram content	46
6.5 Non-cyclic data transfer.....	47
6.6 Real-time bits	47
6.7 Signal control word and signal status word	47
6.8 Data container.....	47

6.9	Drive shutdown functions	47
6.10	Communication classes	48
7	Mapping to EtherCAT	48
7.1	Reference to communication standards	48
7.2	Overview	48
7.3	SoE Synchronisation	49
7.3.1	General	49
7.3.2	CP16 Phase 0-2	50
7.3.3	CP16 Phase 3-4	50
7.4	SoE Application Layer Management	50
7.4.1	EtherCAT State Machine and IEC 61784 CPF 16 State Machine	50
7.4.2	Multiple Drives	51
7.4.3	IDN Usage	51
7.5	SoE Process Data Mapping	52
7.6	SoE Service Channel Services	55
7.6.1	Overview	55
7.6.2	SSC Read	55
7.6.3	SSC Write	60
7.6.4	SSC Procedure Commands	64
7.6.5	SSC Slave Info	66
7.7	SoE Coding General	67
7.8	SoE Protocol Data Unit Coding	69
7.8.1	SSC Read	69
7.8.2	SSC Write	72
7.8.3	Notify SSC Command Execution Request	76
7.8.4	SSC Slave Info	77
	Bibliography	79
	Figure 1 – Structure of IEC 61800-7	10
	Figure 2 – Topology	21
	Figure 3 – Validity of command values and feedback acquisition time in the PDSs	22
	Figure 4 – Synchronisation of cycle times	23
	Figure 5 – Synchronisation of the control loops and the fine interpolator	23
	Figure 6 – AT configuration (example)	29
	Figure 7 – Function of the real-time bits	30
	Figure 8 – Allocation of IDN ≠ 0 to the real-time bits	31
	Figure 9 – Allocation of IDN = 0 to the real-time bits	32
	Figure 10 – Allocation of IDN ≠ 0 to the real-time bits	33
	Figure 11 – Configuration example of signal status word	34
	Figure 12 – Data container configuration without acknowledge (slave)	35
	Figure 13 – Data container configuration with acknowledge (slave)	36
	Figure 14 – Structure of Communication classes	37
	Figure 15 – Topology	45
	Figure 16 – Telegram sequence	46
	Figure 17 – General communication cycle	47

Figure 18 – ESM and IEC 61158-4-16 State Machine	51
Figure 19 – Successful SSC Read sequence	56
Figure 20 – Unsuccessful SSC Read sequence	56
Figure 21 – Successful SSC Fragmented Read sequence.....	57
Figure 22 – Successful SSC Write sequence	60
Figure 23 – Unsuccessful SSC Write sequence	61
Figure 24 – Successful SSC Fragmented Write sequence.....	61
Figure 25 – Successful SSC Procedure Command sequence.....	64
Figure 26 – Aborted SSC Procedure Command sequence	65
Figure 27 – Slave Info sequence.....	66
Table 1 – CP16/1 and CP16/2 feature summary.....	18
Table 2 – Number of PDSs per network (examples)	19
Table 3 – Communication Profile Interoperability within a network	20
Table 4 – Typical operation data for cyclic transmission.....	24
Table 5 – Typical data for non-cyclic transmission	25
Table 6 – IDN for choice and parameterisation of telegrams	26
Table 7 – Structure of standard telegram-0.....	26
Table 8 – Structure of standard telegram-1.....	26
Table 9 – Structure of standard telegram-2.....	26
Table 10 – Structure of standard telegram-3.....	27
Table 11 – Structure of standard telegram-4.....	27
Table 12 – Structure of standard telegram-5.....	27
Table 13 – Structure of standard telegram-6	28
Table 14 – IDN for configuration of MDT	28
Table 15 – IDN for configuration of AT	28
Table 16 – IDN for real-time bits	29
Table 17 – Real-time bits assignment IDNs.....	30
Table 18 – IDN for configuring control and status words	33
Table 19 – Data containers IDN	34
Table 20 – Ring configuration – Timing.....	38
Table 21 – Ring configuration – Telegram configuration.....	39
Table 22 – Ring configuration – Phase run-up	39
Table 23 – Service channel protocol	39
Table 24 – Information & diagnostics	40
Table 25 – Communication class A settings	40
Table 26 – Ring configuration – Telegram configuration.....	41
Table 27 – Information & diagnostics	41
Table 28 – Real-time control bits	41
Table 29 – Real-time status bits.....	42
Table 30 – Communication class B settings	42
Table 31 – CP16/3 features summary	44
Table 32 – Number of PDSs per network (examples)	45

Table 33 – Synchronisation performance classes.....	47
Table 34 – EtherCAT feature summary	49
Table 35 – Number of PDSs per network (examples)	49
Table 36 – Obsolete IDNs.....	52
Table 37 – Changed IDNs.....	52
Table 38 – Status word of drive	53
Table 39 – Control word for drive	54
Table 40 – Mapping of SSC services to EtherCAT services.....	55
Table 41 – SSC Read Service.....	58
Table 42 – Read SSC Fragment Service.....	59
Table 43 – SSC Write Service.....	62
Table 44 – Write SSC Fragment Service	63
Table 45 – Notify SSC Command Execution Service.....	65
Table 46 – SSC Slave Info Service	67
Table 47 – SoE Mailbox Protocol	68
Table 48 – SSC Read Request	69
Table 49 – SSC Read Response.....	70
Table 50 – Read SSC Fragment Request.....	72
Table 51 – SSC Write Request	73
Table 52 – SSC Write Response.....	74
Table 53 – Write SSC Fragment Request.....	76
Table 54 – Notify SSC Command Execution Request.....	77
Table 55 – Slave Info Request.....	78

STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 61800-7-304:2008

[https://standards.iteh.ai/catalog/standards/sist/48a10197-1222-486c-87a8-](https://standards.iteh.ai/catalog/standards/sist/48a10197-1222-486c-87a8-3d1706cc7ca8/sist-en-61800-7-304-2008)

[3d1706cc7ca8/sist-en-61800-7-304-2008](https://standards.iteh.ai/catalog/standards/sist/48a10197-1222-486c-87a8-3d1706cc7ca8/sist-en-61800-7-304-2008)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

**Part 7-304: Generic interface and use
of profiles for power drive systems –
Mapping of profile type 4 to network technologies**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Standard IEC 61800-7-304 has been prepared by subcommittee SC 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee TC 22: Power electronic systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/185/FDIS	22G/193/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61800 series, under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61800-7-304:2008

<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-d0d706ee7ca8/sist-en-61800-7-304-2008>

INTRODUCTION

The IEC 61800 series is intended to provide a common set of specifications for adjustable speed electrical power drive systems.

IEC 61800-7 describes a generic interface between control systems and power drive systems. This interface can be embedded in the control system. The control system itself can also be located in the drive (sometimes known as "smart drive" or "intelligent drive").

A variety of physical interfaces is available (analogue and digital inputs and outputs, serial and parallel interfaces, fieldbuses and networks). Profiles based on specific physical interfaces are already defined for some application areas (e.g. motion control) and some device classes (e.g. standard drives, positioner). The implementations of the associated drivers and application programmers interfaces are proprietary and vary widely.

IEC 61800-7 defines a set of common drive control functions, parameters, and state machines or description of sequences of operation to be mapped to the drive profiles.

IEC 61800-7 provides a way to access functions and data of a drive that is independent of the used drive profile and communication interface. The objective is a common drive model with generic functions and objects suitable to be mapped on different communication interfaces. This makes it possible to provide common implementations of motion control (or velocity control or drive control applications) in controllers without any specific knowledge of the drive implementation.

iTeh STANDARD PREVIEW

There are several reasons to define a generic interface:

For a drive device manufacturer

- Less effort to support system integrators
- Less effort to describe drive functions because of common terminology
- The selection of drives does not depend on availability of specific support

For a control device manufacturer

- No influence of bus technology
- Easy device integration
- Independent of a drive supplier

For a system integrator

- Less integration effort for devices
- Only one understandable way of modeling
- Independent of bus technology

Much effort is needed to design a motion control application with several different drives and a specific control system. The tasks to implement the system software and to understand the functional description of the individual components may exhaust the project resources. In some cases, the drives do not share the same physical interface. Some control devices just support a single interface which will not be supported by a specific drive. On the other hand, the functions and data structures are often specified with incompatibilities. This requires the system integrator to write special interfaces for the application software and this should not be his responsibility.

Some applications need device exchangeability or integration of new devices in an existing configuration. They are faced with different incompatible solutions. The efforts to adopt a solution to a drive profile and to manufacturer specific extensions may be unacceptable. This will reduce the degree of freedom to select a device best suited for this application to the selection of the unit which will be available for a specific physical interface and supported by the controller.

IEC 61800-7-1 is divided into a generic part and several annexes as shown in Figure 1. The drive profile types for CiA 402¹, CIP Motion^{TM2}, PROFIdrive³ and SERCOS interface^{TM4} are mapped to the generic interface in the corresponding annex. The annexes have been submitted by open international network or fieldbus organizations which are responsible for the content of the related annex and use of the related trademarks.

The different profile types 1, 2, 3 and 4 are specified in IEC 61800-7-201, IEC 61800-7-202, IEC 61800-7-203 and IEC 61800-7-204.

This part of IEC 61800-7 specifies how the profile type 4 (SERCOSTM) is mapped to the network technologies SERCOS I, II, III and EtherCAT^{TM5}.

IEC 61800-7-301, IEC 61800-7-302 and IEC 61800-7-303 specify how the profile types 1, 2 and 3 are mapped to different network technologies (such as CANopen⁶, EtherCATTM, Ethernet Powerlink^{TM7}, DeviceNet^{TM8}, ControlNet^{TM9}, EtherNet/IP^{TM10}, PROFIBUS¹¹ and PROFINET¹²).

-
- 1 CiA 402 is a trade name of CAN in Automation, e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name CiA 402.
 - 2 CIP MotionTM is a trade name of Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name CIP MotionTM. Use of the trade name CIP MotionTM requires permission of Open DeviceNet Vendor Association, Inc.
 - 3 PROFIdrive is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIdrive. Use of the trade name PROFIdrive requires permission of PROFIBUS International.
 - 4 SERCOSTM and SERCOS interfaceTM are trade names of SERCOS International e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade names SERCOS or SERCOS interface. Use of the trade names SERCOS and SERCOS interface requires permission of the trade name holder.
<https://standards.iteh.ai/catalog/standards/sist/48a10197-f222-486c-87a8-101709ee72a8/iec-61800-7-304-3098>
 - 5 EtherCATTM is a trade name of Beckhoff, Verl. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name EtherCATTM. Use of the trade name EtherCATTM requires permission of the trade name holder.
 - 6 CANopen is an acronym for Controller Area Network *open* and is used to refer to EN 50325-4.
 - 7 Ethernet PowerlinkTM is a trade name of B&R, control of trade name use is given to the non profit organization EPSG. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name Ethernet PowerlinkTM. Use of the trade name Ethernet PowerlinkTM requires permission of the trade name holder.
 - 8 DeviceNetTM is a trade name of Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name DeviceNetTM. Use of the trade name DeviceNetTM requires permission of Open DeviceNet Vendor Association, Inc.
 - 9 ControlNetTM is a trade name of ControlNet International, Ltd. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name ControlNetTM. Use of the trade name ControlNetTM requires permission of ControlNet International, Ltd.
 - 10 EtherNet/IPTM is a trade name of ControlNet International, Ltd. and Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name EtherNet/IPTM. Use of the trade name EtherNet/IPTM requires permission of either ControlNet International, Ltd. or Open DeviceNet Vendor Association, Inc.
 - 11 PROFIBUS is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIBUS. Use of the trade name PROFIBUS requires permission of PROFIBUS International.
 - 12 PROFINET is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFINET. Use of the trade name PROFINET requires permission of PROFIBUS International.