

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 6: Type MU connector family
PREVIEW
(standards.iteh.ai)

Dispositifs d'interconnexion et composants passifs fibroniques – Interfaces de connecteurs fibroniques – IEC 61754-6:2022
Partie 6: Famille de connecteurs de type MU

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

INTERNATIONAL STANDARD

NORME INTERNATIONALE

iTeh STANDARD

Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces –

Part 6: Type MU connector family

PREVIEW
(standards.iteh.ai)

Dispositifs d'interconnexion et composants passifs fibroniques – Interfaces de connecteurs fibroniques – [IEC 61754-6:2022](#)

Partie 6: Famille de connecteurs de type MU

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.20

ISBN 978-2-8322-1077-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Description	7
5 Interfaces	8
Annex A (informative) Configuration of type MU-A connector set	77
Annex B (informative) Configuration of type MU-B connector set	78
Annex C (informative) Floating 2-port connector plug	79
Annex D (informative) Panel dimensions	80
D.1 General	80
D.2 Simplex adaptor	80
D.3 4,5 mm duplex adaptor	80
D.4 6,25 mm duplex adaptor	81
D.5 Horizontal duplex adaptor	81
D.6 4,5 mm 8-port adaptor	82
Bibliography	83
Figure 1 – Simplex plug connector interface – Push/pull	11
Figure 2 – 4,5 mm duplex plug connector interface – Push/pull	14
Figure 3 – Simplex adaptor connector interface – Push/pull	17
Figure 4 – Pin gauge for resilient alignment sleeve	19
Figure 5 – 4,5 mm duplex adaptor connector interface – Push/pull	20
Figure 6 – 8-port adaptor connector interface – Push/pull	23
Figure 7 – Plug connector interface – For printed board housings	25
Figure 8 – Sleeve holder interface	27
Figure 9 – 2-port backplane housing interface	29
Figure 10 – 2-port printed board housing interface	33
Figure 11 – 8-port backplane housing interface	37
Figure 12 – 8-port printed board housing interface	41
Figure 13 – Simplex active device receptacle interface	45
Figure 14 – Detail of the mechanical stop for rigid bore alignment feature	47
Figure 15 – 4,5 mm duplex active device receptacle interface	48
Figure 16 – Detail of the mechanical stop for rigid bore alignment feature	50
Figure 17 – 6,25 mm duplex active device receptacle interface	51
Figure 18 – Detail of the mechanical stop for rigid bore alignment feature	53
Figure 19 – Plug connector interface – For printed board housings, APC	54
Figure 20 – Simplex plug connector interface – Push/pull, APC	57
Figure 21 – 4,5 mm duplex plug connector interface – Push/pull, APC	60
Figure 22 – 6,25 mm duplex plug connector interface – Push/pull, APC	63
Figure 23 – 6,25 mm duplex plug connector interface – Push/pull	66
Figure 24 – 6,25 mm duplex adaptor connector interface	69

ITeCh STANDARD
PREVIEW
 (standards.iteh.ai)

IEC 61754-6:2022
<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

Figure 25 – Horizontal duplex plug connector interface – Push/pull.....	71
Figure 26 – Horizontal duplex adaptor connector interface.....	74
Figure A.1 – Configuration of type MU-A connector set.....	77
Figure B.1 – Configuration of type MU-B connector set.....	78
Figure C.1 – Floating 2-port connector plug.....	79
Figure D.1 – Panel cut out.....	80
Figure D.2 – Panel cut out.....	80
Figure D.3 – Panel cut out.....	81
Figure D.4 – Panel cut out.....	81
Figure D.5 – Panel cut out.....	82
Table 1 – Interfaces.....	8
Table 2 – Intermateability of MU-A connectors.....	9
Table 3 – Intermateability of MU-B connectors.....	9
Table 4 – Intermateability of MU receptacles.....	10
Table 5 – Dimensions of the simplex plug connector interface.....	12
Table 6 – Grade of the simplex plug connector.....	13
Table 7 – Dimensions of the 4,5 mm duplex plug connector interface.....	15
Table 8 – Grade of the 4,5 mm duplex plug connector.....	16
Table 9 – Dimensions of the simplex adaptor connector interface.....	18
Table 10 – Grade of the simplex adaptor connector.....	19
Table 11 – Pin gauge dimensions.....	19
Table 12 – Dimensions of the 4,5 mm duplex adaptor connector interface.....	21
Table 13 – Grade of the 4,5 mm duplex adaptor connector.....	22
Table 14 – Dimensions of the 8-port adaptor connector interface.....	24
Table 15 – Grade of the 8-port adaptor connector.....	25
Table 16 – Dimensions of the plug connector interface.....	26
Table 17 – Grade of the plug connector.....	27
Table 18 – Dimensions of the sleeve holder interface.....	28
Table 19 – Grade of the sleeve holder.....	28
Table 20 – Dimensions of the 2-port backplane housing interface.....	31
Table 21 – Grade of the 2-port backplane housing.....	32
Table 22 – Dimensions of the 2-port printed board housing interface.....	35
Table 23 – Dimensions of the 8-port backplane housing interface.....	39
Table 24 – Grade of the 8-port backplane housing.....	40
Table 25 – Dimensions of the 8-port printed board housing interface.....	43
Table 26 – Dimensions of the simplex active device receptacle interface.....	46
Table 27 – Alignment feature grade.....	47
Table 28 – Dimensions of the mechanical stop for rigid bore alignment feature.....	47
Table 29 – Mechanical stop feature grade.....	48
Table 30 – Dimensions of the 4,5 mm duplex active device receptacle interface.....	49
Table 31 – Alignment feature grade.....	50
Table 32 – Dimensions of the mechanical stop for rigid bore alignment feature.....	50

Table 33 – Mechanical stop feature grade.....	51
Table 34 – Dimensions of the 6,25 mm duplex active device receptacle interface	52
Table 35 – Alignment feature grade	53
Table 36 – Dimensions of the mechanical stop for rigid bore alignment feature.....	53
Table 37 – Mechanical stop feature grade.....	54
Table 38 – Dimensions of the plug connector interface – For printed board housings, APC...55	55
Table 39 – Dimensions of the simplex plug connector interfaces, APC.....	58
Table 40 – Dimensions of the 4,5 mm duplex plug connector interfaces, APC.....	61
Table 41 – Dimensions of the 6,25 mm duplex plug connector interface, APC.....	64
Table 42 – Dimensions of the 6,25 mm duplex plug connector interface.....	66
Table 43 – Grade of the 6,25 mm duplex plug connector.....	68
Table 44 – Dimensions of the 6,25 mm duplex adaptor connector interface	69
Table 45 – Grade of the 6,25 mm duplex adaptor connector	70
Table 46 – Dimensions of the horizontal duplex plug connector interface.....	72
Table 47 – Grade of the horizontal duplex plug connector.....	73
Table 48 – Dimensions of the horizontal duplex adaptor connector interface.....	75
Table 49 – Grade of the horizontal duplex adaptor connector.....	76
Table C.1 – Dimensions table for 2-port connector plug	79
Table D.1 – Dimensions for simplex adaptor.....	80
Table D.2 – Dimensions for 4,5 mm duplex adaptor	81
Table D.3 – Dimensions for 6,25 mm duplex adaptor	81
Table D.4 – Dimensions for horizontal duplex adaptor	82
Table D.5 – Dimensions for 4,5 mm 8-port adaptor.....	82

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
DEVICES AND PASSIVE COMPONENTS –
FIBRE OPTIC CONNECTOR INTERFACES –****Part 6: Type MU connector family**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61754-6 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2013 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the test method IEC 61300-3-22 for the compression force of the ferrule was added;
- b) Annex D (informative) with cut out dimension requirements for testing the strength of mounted adaptors was added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86B/4562/FDIS	86B/4585/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61754 series, under the general title *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or [IEC 61754-6:2022](http://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022)
- amended. <https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – FIBRE OPTIC CONNECTOR INTERFACES –

Part 6: Type MU connector family

1 Scope

This part of IEC 61754 specifies the standard interface dimensions for type MU family of connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-3-22, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-22: Examinations and measurements – Ferrule compression force*

IEC 61754-1, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 1: General and guidance*

3 Terms and definitions

[IEC 61754-6:2022](https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022)

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

For the purposes of this document, the terms and definitions given in IEC 61754-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Description

The parent connector for type MU connector family is a miniature single-position plug which is characterized by a cylindrical, spring-loaded butting ferrule(s) of a 1,25 mm typical diameter, and a push-pull coupling mechanism. The optical alignment mechanism of the connectors is of a rigid hole or a resilient sleeve style.

This document type MU connector family defines the standard interface dimensions of active device receptacles for the type MU connectors. The receptacles are used to retain the connector plugs and mechanically maintain the optical datum target of the plugs at a defined position within the receptacle housings.

5 Interfaces

This document contains the standard interfaces showed in Table 1.

Table 1 – Interfaces

Interface IEC 61754-6-1	Simplex plug connector interface – Push/pull (see Figure 1)
Interface IEC 61754-6-2	4,5 mm duplex plug connector interface – Push/pull (see Figure 2)
Interface IEC 61754-6-3	Simplex adaptor connector interface – Push/pull (see Figure 3)
Interface IEC 61754-6-4	4,5 mm duplex adaptor connector interface – Push/pull (see Figure 5)
Interface IEC 61754-6-5	8-port adaptor connector interface – Push/pull (see Figure 6)
Interface IEC 61754-6-6	Plug connector interface – for printed board housings (see Figure 7)
Interface IEC 61754-6-7	Sleeve holder interface – for printed board housings (see Figure 8)
Interface IEC 61754-6-8	2-port backplane housing interface – Self-retentive (see Figure 9)
Interface IEC 61754-6-9	2-port printed board housing interface – Self-retentive (see Figure 10)
Interface IEC 61754-6-10	8-port backplane housing interface – Self-retentive (see Figure 11)
Interface IEC 61754-6-11	8-port printed board housing interface – Self-retentive (see Figure 12)
Interface IEC 61754-6-12	Simplex active device receptacle interface – for physical contact (PC) connector plug (see Figure 13)
Interface IEC 61754-6-13	4,5 mm duplex active device receptacle interface – for PC connector plug (see Figure 15)
Interface IEC 61754-6-14	6,25 mm duplex active device receptacle interface – for PC connector plug (see Figure 17)
Interface IEC 61754-6-15	Plug connector interface – for printed board housings, angled PC (APC) 8 degrees (see Figure 19)
Interface IEC 61754-6-16	Simplex plug connector interface – Push/pull, APC 8 degrees (see Figure 20)
Interface IEC 61754-6-17	4,5 mm duplex plug connector interface – Push/pull, APC 8 degrees (see Figure 21)
Interface IEC 61754-6-18	6,25 mm duplex plug connector interface – Push/pull, APC 8 degrees (see Figure 22)
Interface IEC 61754-6-19	6,25 mm duplex plug connector interface – Push/pull (see Figure 23)
Interface IEC 61754-6-20	6,25 mm duplex adaptor connector interface – Push/pull (see Figure 24)
Interface IEC 61754-6-21	Horizontal duplex plug connector interface – Push/pull (see Figure 25)
Interface IEC 61754-6-22	Horizontal duplex adaptor connector interface – Push/pull (see Figure 26)

The plugs of interfaces IEC 61754-6-1, IEC 61754-6-2, IEC 61754-6-6, IEC 61754-6-19 and IEC 61754-6-21 have a ferrule(s) with a spherically polished endface, and realize physical contact (PC). The plugs of interfaces IEC 61754-6-15, IEC 61754-6-16, IEC 61754-6-17 and IEC 61754-6-18 have a ferrule(s) with a spherically polished angled endface and realize angled PC (APC).

The type MU connector family comprises two types of connector set: MU-A connector set (see Annex A) and MU-B connector set (see Annex B). The MU-A connector set is a plug/adaptor configuration with a push-pull coupling mechanism. The MU-B connector set is a plug-in type back-plane connector configuration which is plug/backplane and printed board housings/plug for printed board housing/sleeve holder configuration and is equipped with a self-retentive mechanism.

The type MU-A connector set consists of simplex and duplex plugs, and simplex, duplex and 8-port adaptors. The plugs are common to the backplane connector housings of the type MU-B connector set.

The type MU-B connector set consists of 2-port and 8-port backplane and printed board connector housings, simplex and duplex plugs, plug for printed board connector housings, and sleeve holder. The plug for printed board connector housing is used as a jack together with the sleeve holder. The jack is attached into the printed board connector housing.

Table 2, Table 3 and Table 4 show the intermateability of the standard interfaces. It shall be noted however that in order to obtain the designated optical performance, any plug shall be connected to a counterpart plug whose ferrule end is polished to the same condition.

Table 2 – Intermateability of MU-A connectors

Plugs	Adaptors				
	61754-6-3	61754-6-4	61754-6-5	61754-6-20	61754-6-22
61754-6-1	Mate	Mate	Mate	Mate	Mate
61754-6-2	Not mate	Mate	Mate	Not mate	Not mate
61754-6-16	Mate	Mate	Mate	Mate	Mate
61754-6-17	Not mate	Mate	Mate	Not mate	Not mate
61754-6-18	Not mate	Not mate	Not mate	Mate	Not mate
61754-6-19	Not mate	Not mate	Not mate	Mate	Not mate
61754-6-21	Not mate	Not mate	Not mate	Not mate	Mate

Table 3 – Intermateability of MU-B connectors

Plugs	Connector housings			
	Backplane connector housing		Printed board connector housing	
	61754-6-8	61754-6-10	61754-6-9	61754-6-11
61754-6-1	Mate	Mate	Not mate	Not mate
61754-6-2	Mate	Mate	Not mate	Not mate
61754-6-6 with 61754-6-7	Not mate	Not mate	Mate	Mate
61754-6-15 with 61754-6-7	Not mate	Not mate	Mate	Mate
61754-6-16	Mate	Mate	Not mate	Not mate
61754-6-17	Mate	Mate	Not mate	Not mate
61754-6-18	Not mate	Not mate	Not mate	Not mate
61754-6-19	Not mate	Not mate	Not mate	Not mate
61754-6-21	Not mate	Not mate	Not mate	Not mate

Table 4 – Intermateability of MU receptacles


Plugs	Receptacles		
	61754-6-12	61754-6-13	61754-6-14
61754-6-1	Mate	Mate	Mate
61754-6-2	Not mate	Mate	Not mate
61754-6-16	Not mate	Not mate	Not mate
61754-6-17	Not mate	Not mate	Not mate
61754-6-18	Not mate	Not mate	Not mate
61754-6-19	Not mate	Not mate	Mate
61754-6-21	Not mate	Not mate	Not mate

Figure 1 is an example of a simplex plug connector interface. Table 5 gives dimensions of the simplex plug connector interface and Table 6 gives the grade of the simplex plug connector interface.

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

[IEC 61754-6:2022](https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022)


<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>




Cross-section A-A

**ITeH STANDARD
PREVIEW
(standards.iteh.ai)**

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-4461-8b3b-a82834b95961/iec-61754-6-2022>
IEC 61754-6:2022



Ferrule endface geometry



Projection from B

IEC

Figure 1 – Simplex plug connector interface – Push/pull

Table 5 – Dimensions of the simplex plug connector interface

Reference	Dimensions		Remarks
	Minimum	Maximum	
<i>A</i>	See Table 6		a
<i>B</i>	2,6 mm	2,7 mm	
<i>C</i>	4,6 mm	4,8 mm	
<i>D</i>	4,65 mm	4,75 mm	
<i>E</i>	4,3 mm	4,4 mm	
<i>F</i>	3,3 mm	3,4 mm	
<i>G</i>	25°	35°	Angle, unit in degrees
<i>H</i>	25°	35°	Angle, unit in degrees
<i>I</i>	6,55 mm	–	b
<i>J</i>	4,2 mm	4,5 mm	c
<i>K</i>	5,5 mm	–	
<i>L</i>	2,4 mm	2,5 mm	
<i>M</i>	1,5 mm	–	
<i>N</i>	0,6 mm	–	
<i>O</i>	0,5 mm	–	
<i>P</i>	2,6 mm	–	b
<i>Q</i>	1 mm	1,1 mm	b d
<i>R</i>	2,65 mm	2,9 mm	b
<i>S</i>	5,5 mm	5,6 mm	
<i>T</i>	4,3 mm	4,5 mm	
<i>U</i>	–	3,7 mm	
<i>V</i>	–	2,4 mm	
<i>W</i>	6,5 mm	6,6 mm	
<i>AA</i>	4,3 mm	4,4 mm	
<i>AB</i>	3,85 mm	3,95 mm	
<i>AC</i>	0,7 mm	0,9 mm	
<i>AD</i>	0,2 mm	–	Radius
<i>AE</i>	3 mm	–	
<i>AF</i>	2,2 mm	2,3 mm	
<i>EA</i>	32,5°	45°	Angle, unit in degrees ^e
<i>EB</i>	5 mm	30 mm	Radius ^f
<i>EC</i>	0,45 mm	0,73 mm	Diameter

^a A chamfer or radius is allowed to a maximum depth of 0,5 mm from the ferrule endface.

^b The delatch housing shall be movable to the right or left. Dimensions *L*, *M* and *V* are given when the delatch housing is at the furthest right.

^c Dimension *J* is given for the plug endface when not mated. The ferrule is movable by a certain axial compression force with direct contacting endfaces, and therefore dimension *J* is variable. Ferrule compression force shall be 5,5 N to 6,5 N when the position of the optical datum target from the mechanical datum target is moved in the range of 3,9 mm to 4,1 mm. In addition, dimension *J* shall become less than 3,25 mm with a relatively large axial compression force. The compression force shall be measured according to IEC 61300-3-22.

^d *Q* is to the right of the mechanical datum target when the delatch housing is to the right (connected state) and to the left of the mechanical datum target when the delatch housing is to the left (disconnected state).

^e 40° to 45° are desirable to minimize debris for backplane connectors.

^f Dome eccentricity of the spherically polished ferrule endface shall be less than 50 μm.

Table 6 – Grade of the simplex plug connector

Grade	Dimensions		Remarks
	mm		
	<i>A</i>		
	Minimum	Maximum	
A	See IEC 61755-3-1		a
B	See IEC 61755-3-1		a
C	See IEC 61755-3-1		a
D	See IEC 61755-3-1		a
A _m	Grade not specified at this time		a b
B _m	1,246 7	1,249 5	a b
C _m	Grade not specified at this time		a b
^a Add grade number to the interface reference number.			
^b See IEC 61755-6-1 ¹ for guidance.			

Figure 2 is an example of a 4,5 mm duplex plug connector interface. Table 7 gives dimensions of the 4,5 mm duplex plug connector interface and Table 8 gives the grade of the 4,5 mm duplex plug connector interface.

iteh STANDARD
 PREVIEW
 (standards.iteh.ai)

IEC 61754-6:2022

<https://standards.iteh.ai/catalog/standards/sist/190d2528-3e6f-44bd-8b3b-a82834b95961/iec-61754-6-2022>

¹ Under preparation. Stage at the time of publication: IEC/CDM 61755-6-1:2021.