

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial-process control valves –
Part 1: Control valve terminology and general considerations**

**Vannes de régulation des processus industriels –
Partie 1: Terminologie des vannes de régulation et considérations générales**

<https://standards.iteh.ai/catalog/standards/sist/7183ed93-2abc-4103-8bf4-054d6336808a/iec-60534-1-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial-process control valves –
Part 1: Control valve terminology and general considerations**

**Vannes de régulation des processus industriels –
Partie 1: Terminologie des vannes de régulation et considérations générales**

<https://standards.iteh.ai/catalog/standards/sist/7183ed93-2abc-4103-8bf4-054d6336808a/iec-60534-1-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 23.060.40; 25.040.40

ISBN 978-2-8322-6855-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
3.1 Component terminology	6
3.3 Functional terminology	9
4 Testing requirements	13
4.1 Production testing	13
4.2 Type testing	13
4.2.1 Flow-capacity testing	13
4.2.2 Laboratory noise testing	13
4.2.3 Test specimen	13
5 Prediction methods	13
5.1 Valve sizing	13
5.2 Noise levels	14
Bibliography.....	15

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60534-1:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/7183ed93-2abc-4103-8bf4-054d6336808a/iec-60534-1-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL-PROCESS CONTROL VALVES –**Part 1: Control valve terminology and general considerations**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60534-1 has been prepared by subcommittee 65B: Measurement and control devices, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of the definitions given in IEC 60534-1 in order to harmonize them with current terminology;
- b) addition of terms common to individual standards in the 60534 series; and
- c) further clarification in existing definitions.

The text of this standard is based on the following documents:

Draft	Report on voting
65B/1228/FDIS	65B/1235/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

IEC 60534 consists of the following parts, under the general title *Industrial-process control valves*:

- Part 1: *Control valve terminology and general considerations*
- Part 2-1: *Flow capacity – Sizing equations for fluid flow under installed conditions*
- Part 2-3: *Flow capacity – Test procedures*
- Part 2-4: *Flow capacity – Section Four: Inherent flow characteristics and rangeability*
- Part 3-1: *Dimensions – Face-to-face dimensions for flanged, two-way, globe-type, straight pattern and centre-to-face dimensions for flanged, two-way, globe-type, angle pattern control valves*
- Part 3-2: *Dimensions – Face-to-face dimensions for rotary control valves except butterfly valves*
- Part 3-3: *Dimensions – End-to-end dimensions for butt weld, two-way, globe-type, straight pattern control valves*
- Part 4: *Inspection and routine testing*
- Part 5: *Marking*
- Part 6-1: *Mounting details for attachment of positioners to control valves – Section 1: Positioner mounting on linear actuators*
- Part 6-2: *Mounting details for attachment of positioners to control valves – Positioner mounting on rotary actuators*
- Part 7: *Control valve data sheet*
- Part 8-1: *Noise considerations – Section One: Laboratory measurement of noise generated by aerodynamic flow through control valves*
- Part 8-2: *Noise considerations – Section 2: Laboratory measurement of noise generated by hydrodynamic flow through control valves*
- Part 8-3: *Noise considerations – Control valve aerodynamic noise prediction method*
- Part 8-4: *Noise considerations – Section 4: Prediction of noise generated by hydrodynamic flow*
- Part 9: *Test procedure for response measurements from step inputs*

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60534-1:2023](https://standards.iteh.ai/catalog/standards/sist/7183ed93-2abc-4103-8bf4-054d6336808a/iec-60534-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/7183ed93-2abc-4103-8bf4-054d6336808a/iec-60534-1-2023>

INDUSTRIAL-PROCESS CONTROL VALVES –

Part 1: Control valve terminology and general considerations

1 Scope

This part of IEC 60534 applies to all types of industrial-process control valves (hereinafter referred to as control valves). This document establishes a partial basic terminology list and provides guidance on the use of all other parts of IEC 60534.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60534 (all parts), *Industrial-process control valves*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Component terminology

3.1.1

control valve

power-operated device that changes the fluid flow rate in a process control system

Note 1 to entry: The device assembly consists of a valve connected to an actuator that is capable of changing the position of a closure member in the valve in response to a signal from the controlling system.

3.1.1.1

control valve with a linear motion closure member

valve that contains a closure member that moves in a line perpendicular to the seating plane

3.1.1.1.1

diaphragm valve

valve in which a flexible closure member isolates the line fluid from the actuating mechanism and provides a seal to the atmosphere

3.1.1.1.2

gate valve

valve whose closure member is a flat gate that moves in a direction parallel to the plane of the seat

3.1.1.1.3**globe valve**

valve in which the closure member moves in a direction perpendicular to the plane of the seat(s)

Note 1 to entry: This definition is applicable to both straight and angle pattern control valves.

3.1.1.2**control valve with a rotary motion closure member**

valve that contains a closure member that is rotated into or away from a seat to modulate flow

3.1.1.2.1**ball valve**

valve with a closure member that is a sphere with an internal passage wherein the centre of the spherical surface is coincident with the axis of the shaft

3.1.1.2.2**segmented ball valve**

valve with a closure member that is a segment of a sphere wherein the centre of the spherical surface is coincident with the axis of the shaft

3.1.1.2.3**butterfly valve**

valve with a circular body and a rotary motion disk closure member, pivotally supported by its shaft

Note 1 to entry: The shaft and/or closure member may be centred or offset.

3.1.1.2.3.1**fluted vane butterfly valve**

butterfly valve which has flutes (grooves) on the face(s) of the disk

Note 1 to entry: These flutes are intended to shape the flow stream without altering the seating line or seating surface.

3.1.1.2.4**plug valve**

valve with a closure member that is cylindrical or conical, with an internal passage

3.1.1.2.5**eccentric plug valve**

valve with an eccentric closure member that may be in the shape of a spherical or conical segment

Note 1 to entry: Not every control valve can be exclusively categorized as linear or rotary as defined above.

3.2**valve**

assembly forming a pressure retaining envelope containing a closure member for changing the flow rate of the process fluid

3.2.1.1**valve body**

part of the valve which is the main pressure retaining boundary and provides the fluid-flow passageways and the pipe-connecting ends

3.2.1.2**bonnet**

portion of the valve which closes an opening in the body and through which passes the stem connecting the closure member to the actuator

3.2.1.3 end connection

valve body configuration provided to make a pressure tight joint to the pipe carrying the fluid to be controlled

3.2.1.3.1 flanged ends

end connections incorporating flanges which allow pressure seals by mating with corresponding flanges on the piping

3.2.1.3.2 flangeless ends

end connections where no flanges are incorporated on the valve body and installation is accomplished by clamping the valve between the pipe flanges

Note 1 to entry: Valve body ends incorporate facings which mate with corresponding facings on flanges attached to the connecting piping.

3.2.1.3.3 threaded ends

end connections incorporating threads, either male or female

3.2.1.3.4 welded ends

end connections where valve body ends have been prepared for welding to the line pipe or other fittings

Note 1 to entry: Such connections may be of the butt-weld or socket-weld types

3.2.1.4 valve trim

functional components of the valve, excluding the body, bonnet and blind head (if present), which are in contact with the fluid

3.2.1.4.1

independent flow passage

flow passage where the exiting flow is not affected by the exiting flow from adjacent flow passages

3.2.1.4.2

valve seats

corresponding sealing surfaces within a control valve which make full contact when the control valve is in the closed position

3.2.1.4.3

seat ring

part assembled in the valve body to provide a removable valve seat

3.2.1.4.4

closure member

movable part of the valve which is positioned in the flow path to restrict the flow through the valve

Note 1 to entry: A closure member may be a plug, ball, disk, vane, gate, diaphragm, etc.

3.2.1.4.5

valve stem (or shaft)

component extending through the bonnet which connects the actuator to, and positions, the closure member

Note 1 to entry: For rotary valves, the word shaft should be used in place of stem.

3.2.2

actuator

device or mechanism which transforms a signal into a corresponding movement controlling the position of the internal regulating mechanism (closure member) of the control valve

Note 1 to entry: The signal or energizing force may be pneumatic, electric, hydraulic, or any combination thereof.

3.2.2.1

actuator power unit

that part of the actuator which converts fluid, electrical, thermal or mechanical energy into actuator stem motion to develop thrust or torque

3.2.2.2

yoke

structure which rigidly connects the actuator power unit to the valve. It can be an integral part of the bonnet or actuator

3.2.2.3

actuator stem

component which transmits motion from the actuator power unit to the valve stem (or shaft)

3.2.3

fitting

any device such as a reducer, expander, elbow, T-piece, or bend which is either close-coupled or attached direct to an end connection of a control valve

3.3 Functional terminology

3.3.1

nominal size

DN

alphanumeric designation of size for components of a pipework system, which is used for reference purposes, comprised of the letters DN followed by a dimensionless whole number which is related direct to physical size, in millimetres, of the bore or outside diameter of the end connections

Note 1 to entry: It is designated by the letters DN followed by a number from the following series: 10; 15; 20; 25; 32; 40; 50; 65; 80; 100; 125; 150; 200; 250; 300; 350; 400; etc.

Note 2 to entry: The number following the letters DN does not represent a measurable value and should not be used for calculation purposes except where specified in the relevant standard.

Note 3 to entry: The definition of nominal size is in accordance with ISO 6708.

3.3.2

nominal pressure

PN

alphanumerical designation of pressure which is a convenient rounded number for reference purposes

Note 1 to entry: All equipment of the same nominal size (DN) designated by the same PN number shall have compatible mating dimensions

Note 2 to entry: The maximum allowable pressure depends upon materials, design and working temperatures and should be selected from the pressure/temperature rating tables in the appropriate standards.

Note 3 to entry: It is designated by the letters PN followed by the appropriate reference number from the following series: 2,5; 6; 10; 16; 20; 25; 40; 50; etc. (see ISO 7268 and EN 1333).

Note 4 to entry: The definition of nominal pressure is in accordance with ISO 7268.

**3.3.3
NPS**

numeric designation of size for components of a pipework system, which is used for reference purposes, comprised of the letters NPS followed by a dimensionless number and related to nominal size DN as follows:

DN	10	15	20	25	32	40	50	65	80	100
NPS	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4

Note 1 to entry: For NPS greater than 4, the equivalence is DN = 25 times NPS.

**3.3.4
class**

convenient round number used to designate pressure-temperature ratings according to appropriate standards

Note 1 to entry: It is designated by the word Class followed by the appropriate reference number from the following series: 125; 150; 250; 300; 600; 900; 1500; 2500.

**3.3.5
closure member position**

**3.3.5.1
closed position**

position of the closure member when a continuous surface or line of contact is established with the valve seat

Note 1 to entry: For non-seating valves, the closed position is obtained when the flow passageway is minimum.

**3.3.5.2
travel**

displacement of the closure member from the closed position

**3.3.5.3
rated travel**

displacement of the closure member from the closed position to the designated full open position

**3.3.5.4
relative travel, *h***

ratio of the travel at a given opening to the rated travel

**3.3.5.5
over-travel**

displacement of the actuator stem, or shaft, beyond the closed position

Note 1 to entry: For some valve designs, over-travel may occur as the closure member moves to a mechanical stop position after full exposure of the flow restricting orifice(s).

**3.3.6
flow coefficient**

basic coefficient used to state the flow capacity of a control valve under specified conditions

Note 1 to entry: Flow coefficients in current use are K_v and C_v depending upon the system of units

Note 2 to entry: It will be noted that the dimensions and units on each of the following defined flow coefficients are different. However, it is possible to relate these flow coefficients numerically. This relationship is as follows:

$$\frac{K_v}{C_v} = 0,865 \tag{1}$$