



SLOVENSKI STANDARD

SIST EN 14917:2009

01-april-2009

Kompensatorji s kovinskimi mehovi v tlačnih cevovodih

Metal bellows expansion joints for pressure applications

Kompensatoren mit Metellischen Bälgen für Druckanwendungen

Compensateurs de dilatation a soufflets métalliques pour tuyauteurs et appareils a pression

iteh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN 14917:2009**

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

ICS:

23.040.99	Drugi sestavni deli za cevovode	Other pipeline components
-----------	---------------------------------	---------------------------

SIST EN 14917:2009

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 14917

January 2009

ICS 23.040.99

English Version

Metal bellows expansion joints for pressure applications

Compensateurs de dilatation à soufflets métalliques pour
appareils à pression

Kompensatoren mit metallischen Bälgen für
Druckanwendungen

This European Standard was approved by CEN on 6 September 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	10
4 Classification.....	11
4.1 Classification of expansion joints.....	11
4.1.1 Axial	11
4.1.2 Angular	11
4.1.3 Lateral	11
4.1.4 Universal	11
4.2 Classification of the parts of expansion joints.....	16
4.2.1 Main pressure bearing parts (A).....	16
4.2.2 Pressure parts other than main pressure-bearing parts (B)	16
4.2.3 Attachments to main pressure-bearing parts and to pressure parts (C).....	16
4.2.4 Other parts (D).....	16
5 Materials	18
5.1 General.....	18
5.1.1 Materials for pressure-bearing parts	18
5.1.2 Materials for parts attached to pressure-bearing parts	18
5.1.3 Documentation.....	18
5.2 Pressure-bearing parts	18
5.2.1 Bellows	18
5.2.2 Other pressure-bearing parts	19
5.2.3 Ductility	19
5.2.4 Brittle fracture	19
5.3 Material documentation	20
6 Design	23
6.1 General.....	23
6.1.1 Symbols and general factors.....	23
6.1.2 Basic design criteria.....	30
6.1.3 Additional loadings.....	31
6.2 Bellows	32
6.2.1 Purpose.....	32
6.2.2 Conditions of applicability.....	32
6.2.3 U-shaped unreinforced bellows	37
6.2.3.1 General.....	37
6.2.4 U-shaped reinforced bellows.....	51
6.2.5 Toroidal bellows.....	58
6.2.6 Specific design fatigue curves	66
6.2.7 Axial, lateral or angular displacement of bellows	66
6.2.8 Equivalent axial displacement per corrugation	72
6.2.9 Forces and moments on pressurised expansion joints	76
6.2.10 Torsion acting on bellows (unreinforced or reinforced).....	86
6.3 Hardware.....	86
6.3.1 General.....	86
6.3.2 Design parameters.....	87
6.3.3 Design temperature	91
6.3.4 Parts	91
6.4 Internal sleeve	93
6.4.1 Scope	93
6.4.2 Additional symbols.....	93
6.4.3 Flow velocity	93

6.4.4	Design rules	95
7	Manufacturing	96
7.1	General	96
7.2	Materials	96
7.2.1	General	96
7.2.2	Material traceability	97
7.3	Permanent joints	97
7.3.1	General	97
7.3.2	Process and personal	97
7.3.3	Repair and rework during manufacturing	98
7.4	Forming of the bellows	98
7.4.1	Forming processes	98
7.4.2	Heat treatment	99
7.5	Tolerances	99
7.5.1	General	99
7.5.2	Bellows	99
7.5.3	Expansion joint	100
7.6	Production tests	101
8	Testing, inspection and documentation	101
8.1	Abbreviations	101
8.2	General	101
8.3	Documentation	101
8.4	In-process inspection and testing	102
8.4.1	General	102
8.4.2	Materials	102
8.4.3	Permanent joints	102
8.4.4	Non-destructive testing of welds	104
8.5	NDT methods	109
8.5.1	General	109
8.5.2	Acceptance criteria	110
8.5.3	Personnel qualification and approval	110
8.5.4	Reports	110
8.6	Final assessment and documentation	113
8.6.1	General	113
8.6.2	Final inspection	113
8.7	Documentation	115
8.7.1	Final documentation package	115
8.7.2	Declaration/certification	116
8.7.3	Operating instructions	116
9	Marking and labelling	116
10	Handling and installation	117
10.1	General instructions	117
10.2	Packaging and storage	117
10.3	Installation	117
10.4	Unrestrained expansion joints	118
10.5	Restrained expansions joints	118
Annex A	(informative) Categories of expansion joints	119
Annex B	(normative) Specification for materials 1.4828, 1.4876, 2.4360 and 2.4858	130
Annex C	(informative) Incorporation of expansion joints into pressure vessels and piping	135
Annex D	(informative) Calculation methods for systems of pipes containing expansion joints	153
Annex E	(informative) Overview of the design of expansion bellows	169
Annex F	(informative) Procedure for setting-up a design fatigue curve	174
Annex G	(informative) Polynomial approximations for coefficients C_p , C_f , C_d	183

EN 14917:2009 (E)

Annex H (informative) Required design data and information	186
Annex I (informative) Expansion joints risk analyses	187
Annex J (informative) Material properties and material groups	189
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC	195
Bibliography	197

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

Foreword

This document (EN 14917:2009) has been prepared by Technical Committee CEN/TC 342, "Metal hoses, hose assemblies, bellows and expansion joints", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2009, and conflicting national standards shall be withdrawn at the latest by July 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Directive 97/23/EC.

For relationship with EU Directive 97/23/EC, see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

Introduction

Metal bellows expansion joints are used as components in piping or as parts of pressure vessels.

If an expansion joint is designed and manufactured according to this European Standard, the risk analysis is already undertaken, see Annex I.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

1 Scope

This European Standard specifies the requirements for design, manufacture and installation of metal bellows expansion joints for pressure applications, i.e. maximum allowable pressure greater than 0,5 bar.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 287-1, *Qualification test of welders — Fusion welding — Part 1: Steels*

EN 473, *Non destructive testing — Qualification and certification of NDT personnel — General principles*

EN 571-1, *Non destructive testing — Penetrant testing — Part 1: General principles*

EN 764-4, *Pressure equipment — Part 4: Establishment of technical delivery conditions for metallic materials*

EN 764-5:2002, *Pressure equipment — Part 5: Compliance and inspection documentation of materials*

EN 970, *Non-destructive examination of fusion welds — Visual examination*

EN 1092-1, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges*

EN 1289:1998, *Non-destructive examination of welds — Penetrant testing of welds — Acceptance levels*

EN 1290, *Non-destructive examination of welds — Magnetic particle examination of welds*

EN 1291:1998, *Non-destructive examination of welds — Magnetic particle testing of welds — Acceptance levels*

EN 1418, *Welding personnel — Approval testing of welding operators for fusion welding and resistance weld setters for fully mechanized and automatic welding of metallic materials*

EN 1435:1997, *Non-destructive examination of welds — Radiographic examination of welded joints*

EN 1593, *Non-destructive testing — Leak testing — Bubble emission techniques*

EN 1712:1997, *Non-destructive examination of welds — Ultrasonic examination of welded joints — Acceptance levels*

EN 1713, *Non-destructive examination of welds — Ultrasonic examination — Characterization of indications in welds*

EN 1714:1997, *Non-destructive examination of welds — Ultrasonic examination of welded joints*

EN 1779:1999, *Non-destructive testing — Leak testing — Criteria for method and technique selection*

EN 10002-1, *Metallic materials — Tensile testing — Part 1: Method of test at ambient temperature*

EN 10002-5, *Metallic materials — Tensile testing — Part 5: Method of testing at elevated temperature*

EN 10028-1, *Flat products made of steels for pressure purposes — Part 1: General requirements*

EN 14917:2009 (E)

EN 10028-2, *Flat products made of steels for pressure purposes — Part 2: Non-alloy and alloy steels with specified elevated temperature properties*

EN 10028-3, *Flat products made of steels for pressure purposes — Part 3: Weldable fine grain steels, normalized*

EN 10028-4, *Flat products made of steels for pressure purposes — Part 4: Nickel alloy steels with specified low temperature properties*

EN 10028-7:2007, *Flat products made of steels for pressure purposes — Part 7: Stainless steels*

EN 10045-1, *Metallic materials — Charpy impact test — Part 1: Test method*

EN 10204:2004, *Metallic products — Types of inspection documents*

EN 10216-1, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 1: Non-alloy steel tubes with specified room temperature properties*

EN 10216-2, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 2: Non-alloy and alloy steel tubes with specified elevated temperature properties*

EN 10216-3, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 3: Alloy fine grain steel tubes*

EN 10216-4, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 4: Non-alloy and alloy steel tubes with specified low temperature properties*

EN 10217-1, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 1: Non-alloy steel tubes with specified room temperature properties*

EN 10217-2, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 2: Electric welded non-alloy and alloy steel tubes with specified elevated temperature properties*

EN 10217-3, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 3: Alloy fine grain steel tubes*

EN 10217-4, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 4: Electric welded non-alloy steel tubes with specified low temperature properties*

EN 10217-5, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 5: Submerged arc welded non-alloy and alloy steel tubes with specified elevated temperature properties*

EN 10217-6, *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 6: Submerged arc welded non-alloy steel tubes with specified low temperature properties*

EN 10222-2, *Steel forgings for pressure purposes — Part 2: Ferritic and martensitic steels with specified elevated temperature properties*

EN 10222-3, *Steel forgings for pressure purposes — Part 3: Nickel steels with specified low temperature properties*

EN 10222-4, *Steel forgings for pressure purposes — Part 4: Weldable fine grain steels with high proof strength*

EN 10253-2, *Butt-welding pipe fittings — Part 2: Non alloy and ferritic alloy steels with specific inspection requirements*

EN 10269, *Steels and nickel alloys for fasteners with specified elevated and/or low temperature properties*

EN 10272, *Stainless steel bars for pressure purposes*

EN 10273, *Hot rolled weldable steel bars for pressure purposes with specified elevated temperature properties*

EN 12517-1:2006, *Non-destructive testing of welds — Part 1: Evaluation of welded joints in steel, nickel, titanium and their alloys by radiography — Acceptance levels*

EN 13184, *Non-destructive testing — Leak testing — Pressure change method*

EN 13185, *Non-destructive testing — Leak testing — Tracer gas method*

EN 13445-2:2002, *Unfired pressure vessels — Part 2: Materials*

EN 13445-3, *Unfired pressure vessels — Part 3: Design*

EN 13480-2:2002, *Metallic industrial piping — Part 2: Materials*

EN 13480-3, *Metallic industrial piping — Part 3: Design and calculation*

EN 13480-4, *Metallic industrial piping — Part 4: Fabrication and installation*

EN ISO 643, *Steels — Micrographic determination of the apparent grain size (ISO 643:2003)*

EN ISO 3651-2, *Determination of resistance to intergranular corrosion of stainless steels — Part 2: Ferritic, austenitic and ferritic-austenitic (duplex) stainless steels — Corrosion test in media containing sulfuric acid (ISO 3651-2:1998)*

EN ISO 5817, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections (ISO 5817:2003, corrected version: 2005, including Technical Corrigendum 1:2006)*

EN ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method (ISO 6506-1:2005)*

EN ISO 6520-1, *Welding and allied processes — Classification of geometric imperfections in metallic materials — Part 1: Fusion welding (ISO 6520-1:2007)*

EN ISO 9445:2006, *Continuously cold-rolled stainless steel narrow strip, wide strip, plate/sheet and cut lengths — Tolerances on dimensions and form (ISO 9445:2002)*

EN ISO 9606-4, *Approval testing of welders — Fusion welding — Part 4: Nickel and nickel alloys (ISO 9606-4:1999)*

EN ISO 15609-1, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 1: Arc welding (ISO 15609-1:2004)*

EN ISO 15610, *Specification and qualification of welding procedures for metallic materials — Qualification based on tested welding consumables (ISO 15610:2003)*

EN ISO 15613, *Specification and qualification of welding procedures for metallic materials — Qualification based on pre-production welding test (ISO 15613:2004)*

EN ISO 15614-1, *Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 1: Arc and gas welding of steels and arc welding of nickel and nickel alloys (ISO 15614-1:2004)*

ISO 15348:2002, *Pipework — Metal bellows expansion joints — General*

EAM-0526-18 NiMo16Cr15W (2.4819) — Nickel-Molybdenum-chromium alloy — Flat products

EAM-0526-28 NiMo16Cr16Ti (2.4610) — Nickel-Chromium-Molybdenum alloy — Flat products

EAM-0526-40 NiCr22Mo9Nb-gr.1 (2.4856) — Nickel-Chromium-Molybdenum alloy — Flat products

EN 14917:2009 (E)

EAM-0526-43-1 NiCr15Fe (2.4816) — Nickel-Chromium-Iron alloy — Hot and cold rolled flat products

EAM-0526-43-2 NiCr15Fe (2.4816) — Nickel-Chromium-Iron alloy — Bars and rods

3 Terms and definitions

For the purposes of this document, the basic terms and definitions given in ISO 15348:2002 and the following apply.

3.1**bellows**

flexible element consisting of one or more corrugation and the end tangents

3.2**corrugation (convolution)**

flexible unit of a bellows

3.3**end tangents**

straight un-corrugated portions at the ends of a bellows

3.4**reinforcing collar**

reinforcing sleeve or ring attached to the end tangent for reinforcement

3.5**assisting collar**

ring placed around the end tangents to facilitate welding

3.6**reinforcing and equalizing rings**

devices fitting snugly in the roots of the corrugations in order to reinforce the bellows against internal pressure and/or to limit the total equivalent axial displacement range

3.7**classification**

classifying expansion joints according to the type of movement they are capable of absorbing and their parts according to their pressure bearing capacity

3.7**classification**

classifying expansion joints according to the type of movement they are capable of absorbing and their parts according to their pressure bearing capacity

3.8**maximum allowable pressure, PS**

maximum pressure for which the equipment is designed, as specified by the equipment manufacturer

3.9**maximum/minimum allowable temperature, TS**

maximum temperature for which the equipment is designed, as specified by the equipment manufacturer

3.10**nominal pressure PN**

designation commonly used for reference purposes for piping components and stock parts, and which represents in this European Standard the maximum allowable pressure at 20 °C

NOTE Normally defined as a dimensionless alphanumeric number.

3.11

pressure thrust, F_p

axial force due to the effect of pressure

3.12

neutral position

bellows length in a “stress-free” state

3.13

squirm

column or in-plane instability of the bellows under the effect of internal pressure

3.14

category

classification of pressure equipment according to ascending level of hazard

NOTE See Annex A.

3.15

equipment manufacturer

person responsible for the values of the parameters PS and TS

NOTE This may be the manufacturer or planner of the piping or the pressure vessel for which the expansion joint is designed or the expansion joint manufacturer if free to set these values.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

4 Classification

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-02c9d522e92/sist-en-14917-2009>

4.1 Classification of expansion joints

There are four types of expansion joints which are designed according to the type of movements absorbed; common examples are shown in Table 4.1:

4.1.1 Axial

Absorbs mainly axial movement. When non-pressure balanced, it does not restrain pressure thrust. When pressure balanced, it restrains thrust. It can be internally or externally pressurized.

4.1.2 Angular

Absorbs angular movement. When fitted with hinges, it allows movement in a single plane. When fitted with gimbal rings, it allows multi-plane movements. It restrains pressure thrust.

4.1.3 Lateral

Absorbs lateral movement. An angular movement is also permissible when the expansion joint is fitted with two spherical tie bars, the movement being perpendicular to the plane containing the tie bars, or fitted with double hinges or fitted with double gimbals. It restrains pressure thrust.

4.1.4 Universal

4.1.4.1 Non-pressure balanced

Absorbs several movements. It does not restrain pressure thrust.

EN 14917:2009 (E)**4.1.4.2 Pressure balanced**






A pressure balanced expansion joint accommodates axial and lateral movements and counteracts the bellows pressure thrust. An additional bellows is incorporated into the unit and is subject to the line pressure to generate a force equal and opposite to that on the main bellows. Tying these bellows together neutralises the pressure load on the unit. These joints are often installed at changes of direction in piping but in-line designs are also available.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14917:2009

<https://standards.iteh.ai/catalog/standards/sist/a3568d1d-e1ee-4b51-bb43-d62c9d322e92/sist-en-14917-2009>

Table 4.1 — Types of expansion joints

Type	Design		Pressure thrust restraint	Movement				
				Axial	Angular		Lateral	
					Single plane	Multi-plane	Single plane	Multi-plane
Axial	Non-pressure balanced internally pressurized		No	X	(X)	(X)	(X)	(X)
	Non-pressure balanced externally pressurized		No	X	(X)	(X)	(X)	(X)
	In-line pressure balanced		Yes	X				
Angular	Hinge		Yes		X			
	Gimbal		Yes		X	X		