

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Luminaire – **STANDARD PREVIEW**
Part 2-4: Particular requirements – Portable general purpose luminaire
(standards.iteh.ai)

Luminaire –
Partie 2-4: Exigences particulières – Luminaire portatif à usage général
IEC 60598-2-4:2017
<https://standards.iteh.ai/catalog/standards/sist/d5629d26-4f44-4dad-86c7-7a938494cc87/iec-60598-2-4-2017>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms, containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Luminaire – iTeh STANDARD PREVIEW
Part 2-4: Particular requirements – Portable general purpose luminaire
(standards.iteh.ai)

Luminaire – IEC 60598-2-4:2017
Partie 2-4: Exigences particulières – Luminaire portatifs à usage général
7a938494cc87/iec-60598-2-4-2017

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.40

ISBN 978-2-8322-5819-4

<p>Warning! Make sure that you obtained this publication from an authorized distributor.</p> <p>Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.</p>
--

CONTENTS

FOREWORD.....	3
4.1 Scope.....	5
4.2 Normative references	5
4.3 Terms and definitions	5
4.4 General test requirements	5
4.5 Classification of luminaires	5
4.6 Marking	6
4.7 Construction	6
4.8 Creepage distances and clearances	8
4.9 Provision for earthing	8
4.10 Terminals	8
4.11 External and internal wiring	8
4.12 Protection against electric shock	8
4.13 Endurance tests and thermal tests.....	9
4.14 Resistance to dust and moisture	9
4.15 Insulation resistance and electric strength	9
4.16 Resistance to heat, fire and tracking.....	9
Bibliography.....	10
Figure 1 – Luminaires “For indoor use only”.....	6

IEC STANDARD PREVIEW
 (standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f44-4faa-8bc7-7a938494cc87/iec-60598-2-4-2017>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LUMINAIRES –

**Part 2-4: Particular requirements –
Portable general purpose luminaires**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60598-2-4 has been prepared by subcommittee 34D: Luminaires, of IEC technical committee 34: Lamps and related equipment.

This bilingual version (2018-07) corresponds to the English version, published in 2017-04.

This third edition cancels and replaces the second edition published in 1997. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with IEC 60598-1;

- b) modification of the scope, classification and requirements to cover portable luminaires for both indoor and outdoor applications, by introducing the requirements already listed in IEC 60598-2-7;

NOTE In this edition of IEC 60598-2-4 all requirements listed in IEC 60598-2-7 have been incorporated. As a consequence, IEC 60598-2-7 will be withdrawn after publication of this standard.

- c) modification of the scope to cover all electrical light sources (it was previously limited to tungsten filament, tubular fluorescent and other discharge lamps);
- d) introduction of the symbol for luminaires which are other than ordinary, but suitable for indoor applications only (e.g. luminaire using PVC cable);
- e) modification in the detail of test to clarify that the stability test on an inclined plane (see 4.7.3) shall be carried out with the light source(s) in place;
- f) modification of the minimum degree of protection against dust and moisture for portable luminaires for outdoor use from IPX3 to IPX4 (see 4.5.2); as a consequence, the requirements for cable entry position, as given in IEC 60598-2-7:1982, 7.6.3 were deleted as they are covered by IPX4;
- g) modification of the requirements for the acceptance criteria of plug and socket outlet;
- h) modification of the IP test requiring the most unfavourable of the overturned positions to cover all classes (and not only class II luminaires as in 7.13.1 of IEC 60598-2-7:1982).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
34D/1257/FDIS	34D/1271/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

[IEC 60598-2-4:2017](https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f44-4faa-8bc7-7a938494cc87/iec-60598-2-4-2017)

The French version of this standard has not been voted upon.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This publication is to be read in conjunction with IEC 60598-1: *Luminaires – Part 1: General requirements and tests*. It was established on the basis of the eighth edition (2014) of that standard.

A list of all parts in the IEC 60598 series, published under the general title *Luminaires* can be found on the IEC website.

NOTE In this standard, the following print type is used:

– *compliance statements: in italic type*

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

LUMINAIRES –

Part 2-4: Particular requirements – Portable general purpose luminaires

4.1 Scope

This part of IEC 60598-2 specifies requirements for portable general purpose luminaires for indoor and/or outdoor use (e.g. garden use), other than handlamps, designed to be used with or incorporating electrical light sources on supply voltages not exceeding 250 V.

4.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 60598-1, *Luminaires – Part 1: General requirements and tests*

4.3 Terms and definitions

<https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f14-4faa-8bc7-fa938494cc8/iec-60598-2-4-2017>

For the purposes of this document, the terms and definitions given in IEC 60598-1 as well as the following apply. ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4.3.1

candlestick luminaire

portable luminaire having series connected lamps permanently mounted and separated on a free-standing frame

Note 1 to entry: Candlestick luminaires can incorporate E5 or E10 lampholders.

4.4 General test requirements

The provisions of Section 0 of IEC 60598-1 apply. The tests described in each appropriate section of Part 1 shall be carried out in the order listed in this part of IEC 60598-2.

4.5 Classification of luminaires

Luminaires shall be classified in accordance with the provisions of Section 2 of IEC 60598-1 together with the following additions.

NOTE In Australia and New Zealand, AS/NZS 60598.2.4 introduces Appendix A "Simple Portable Luminaires".

4.5.1 According to the intended use:

- ordinary luminaires are classified for indoor use only;
- luminaires which are other than ordinary are classified “for indoor use only”, if they are marked according to 4.6.1;
- luminaires which are other than ordinary (see also 4.5.2) are classified for outdoor use. As the requirements for outdoor use are more severe than those for indoor use, these luminaires are also suitable for indoor use.

4.5.2 According to the degree of protection against dust and moisture, portable luminaires for outdoor use shall be classified IPX4 or higher.


4.5.3 According to the material of the supporting surface, portable luminaires designed for standing on a floor or table shall be classified as suitable for direct mounting on normally flammable surfaces.

4.6 Marking

The provisions of Section 3 of IEC 60598-1 apply, together with the following requirements.

4.6.1 The provisions of 3.3.18 of IEC 60598-1 apply with the following addition.

Luminaires which are other than ordinary, and not suitable for outdoor application (e.g. provided with a PVC supply cord), shall be marked with the appropriate symbol as shown in Figure 1. The symbol shall be explained in the instructions.



[SOURCE: IEC 60417-5957:2004-12]

Figure 1 – Luminaires “For indoor use only”

4.6.2 In addition to the provisions of 3.3.15 of IEC 60598-1, for luminaires for outdoor use, the maximum power calculated from the maximum current rating of the supply cable shall be marked in close proximity to the mains socket-outlet(s) incorporated in the luminaire.

4.7 Construction

The provisions of Section 4 of IEC 60598-1 apply, together with the following requirements.

4.7.1 Portable luminaires shall be designed so that the insulation of flexible cables and cords is unlikely to be damaged when moving or adjusting the luminaire or when placing it on its support.

Compliance shall be checked by inspection.

4.7.2 Wiring shall be fixed by means of wire carriers, clips or similar devices of insulating material, at all places where it might otherwise rub against metal parts in the normal movement of the luminaire, if such rubbing will impair safety. Carriers and clips for flexible

cords shall be of insulating material, or shall be provided with a fixed insulating lining if they are accessible or are in contact with accessible metal parts.

Compliance shall be checked by inspection.

4.7.3 Portable luminaires shall have adequate stability. *Compliance shall be checked by placing the luminaire in the most unfavourable adjustment position of normal use on a plane inclined at an angle of:*

- 6° to the horizontal for luminaires for indoor use;
- 15° to the horizontal for luminaires for outdoor use, the surface of the plane being such that the luminaire does not slide.

Any instructions supplied by the manufacturer with the luminaire shall receive due consideration in respect of the stability test. For the test, the luminaire shall be provided with appropriate light source according to the intended use. The luminaire shall not overturn.

Luminaires which are fastened by clamps or similar devices are not subjected to this test.

4.7.4 Candlestick luminaires shall be provided with a switch.

This switch shall, in candlestick luminaires with E5 or E10 lampholders, switch all lamps on and off simultaneously. The switch shall be part of the luminaire or, if in the cord, shall be within 300 mm of the luminaire.

Compliance is checked by inspection.

4.7.5 E5 lampholders shall be used only if the rated voltage does not exceed 25 V per lampholder and the rated voltage of E10 lampholders (60 V for series connection or 250 V for parallel connection) shall be respected. The maximum rated wattage of the luminaire shall not exceed 100 W.

Compliance is checked by inspection.

4.7.6 Portable luminaires for outdoor use shall not be provided with tails. Subclause 4.6 of Section 4 of IEC 60598-1 does not apply.

4.7.7 Portable luminaires for outdoor use shall not have more than two cable entries.

Compliance shall be checked by inspection.

4.7.8 In portable luminaires for outdoor use, the connection between the socket-outlet for providing power to other luminaires and the associated plug shall be in accordance with at least the same degree of protection as the luminaires but not less than IPX4. This degree of protection shall be maintained with or without a plug inserted into the socket-outlet.

Mains socket-outlets mounted on Class II luminaires shall comply with IEC, national or regional standards so as to allow connection only to these outlets of other Class II luminaires.

NOTE It is the intention of this document to disallow the connection of equipment using standard plugs on Class II luminaires as the earthing connection will be lost when connecting Class I luminaires to an outlet on a Class II luminaire.

Mains socket-outlets mounted on Class I luminaires shall allow connection only of Class I or Class II luminaires and shall conform to IEC, national or regional standards:

Compliance shall be checked by inspection.

4.7.9 In portable luminaires for outdoor use, lampholders and plugs shall be of material resistant to tracking.

Compliance shall be checked by the test described in Clause 13.4 of Section 13 of IEC 60598-1.

4.8 Creepage distances and clearances

The provisions of Section 11 of IEC 60598-1 apply.

4.9 Provision for earthing

The provisions of Section 7 of IEC 60598-1 apply.

4.10 Terminals

The provisions of Sections 14 and 15 of IEC 60598-1 apply.

4.11 External and internal wiring

The provisions of Section 5 of IEC 60598-1 apply with the following modifications.

4.11.1 The requirement whereby at least one part of the cord anchorage shall be fixed to or be integral with the luminaire does not apply to table lamps for indoor use of glass or ceramic material.

<https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f44-4faa-8bc7-7425b494cc87/iec-60598-2-4-2017>

4.11.2 For class I and class II portable luminaires for indoor use with a mass less than 1 kg, a rated current not exceeding 2,5 A and provided with a flexible cable of length not greater than 2 m, the cable shall have a nominal cross-sectional area of copper conductor not less than 0,5 mm².

4.11.3 Portable luminaires for outdoor use delivered without a flexible cable or cord and a plug shall be provided with terminals, a cord anchorage and an inlet opening for the proper connection of the flexible cable or cord.

NOTE National wiring rules can require Class II portable luminaires for outdoor use to be provided with a non-detachable flexible cable or cord and a plug.

Compliance shall be checked by inspection and, if necessary, by the pull and torque test required in Section 5 of IEC 60598-1.

4.11.4 For class I and class II portable luminaires for outdoor use, non-detachable flexible cables or cords shall be not lighter than cords of the type 245 IEC 57.

NOTE In Australia and New Zealand, PVC insulated cables are acceptable for outdoor use.

Compliance shall be checked by inspection.

4.12 Protection against electric shock

The provisions of Section 8 of IEC 60598-1 apply, together with the following requirements.

Portable Class I luminaires incorporating lampholders for bayonet cap lamps shall either

- 1) be so designed that the lamp cap is not accessible to the standard test finger when the luminaire is assembled as in normal use, or
- 2) be provided with a metal lampholder which is earthed.

Compliance shall be checked by inspection and, in addition, for item 1) by a jointed test finger shown in figure 2 of IEC 61032:1997.

4.13 Endurance tests and thermal tests

The provisions of Section 12 of IEC 60598-1 apply.

Luminaires with an IP classification greater than IP20 shall be subjected to the relevant tests of Clauses 12.4, 12.5, 12.6 and 12.7 of Section 12 of IEC 60598-1, after the test(s) of Clause 9.2, but before the test(s) of Clause 9.3 of Section 9 of IEC 60598-1, as specified in Clause 4.14 of this document.

Portable luminaires designed for standing on a floor, and pendants, are supported during the test as in normal use.

Portable luminaires designed for standing on a table, and adjustable luminaires, are tested on or above a dull black painted board similar to that described in Annex D of IEC 60598-1.

In addition, for portable luminaires for indoor use designed for standing on a floor or table which overturn when placed in their normal position of use on a plane inclined at an angle of 15° to the horizontal, the test of 12.5.1 of Section 12 of IEC 60598-1 is made with the luminaire on a horizontal surface, in the most unfavourable of the overturned positions that may reasonably be expected in practice.

[IEC 60598-2-4:2017](https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f44-4faa-8bc7-7a956494cc67/iec-60598-2-4-2017)

<https://standards.iteh.ai/catalog/standards/sist/d3b29a26-4f44-4faa-8bc7-7a956494cc67/iec-60598-2-4-2017>

4.14 Resistance to dust and moisture

The provisions of Section 9 of IEC 60598-1 apply.

For luminaires with an IP classification greater than IP20, the order of the tests specified in Section 9 of IEC 60598-1 shall be as specified in Clause 4.13 of this document.

Portable luminaires for outdoor use shall be tested in the most unfavourable of the overturned positions likely to occur.

4.15 Insulation resistance and electric strength

The provisions of Section 10 of IEC 60598-1 apply.

4.16 Resistance to heat, fire and tracking

The provisions of Section 13 of IEC 60598-1 apply.