

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 4-11: Data-link layer protocol specification – Type 11 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-11: Spécification du protocole de la couche liaison de données –
Éléments de type 11**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61158-4-11

Edition 3.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial communication networks – Fieldbus specifications –
Part 4-11: Data-link layer protocol specification – Type 11 elements
(standards.iteh.ai)

Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-11: Spécification du protocole de la couche liaison de données –
Éléments de type 11

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE XH
CODE PRIX

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-1723-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	11
1.1 General.....	11
1.2 Specifications.....	11
1.3 Procedures.....	11
1.4 Applicability.....	12
1.5 Conformance.....	12
2 Normative references.....	12
3 Terms, definitions, symbols and abbreviations.....	12
3.1 Reference model terms and definitions.....	12
3.2 Service convention terms and definitions.....	14
3.3 Terms and definitions.....	15
3.4 Symbols and abbreviations.....	19
4 Overview of the DL-protocol.....	20
4.1 General.....	20
4.2 Overview of the medium access control.....	21
4.3 Service assumed from the PHY.....	22
4.4 DLL architecture.....	23
4.5 Access control machine and schedule support functions.....	27
4.6 Local parameters, variables, counters, timers and queues.....	28
5 General structure and encoding of PHIDU and DLPDU and related elements of procedure.....	47
5.1 Overview.....	47
5.2 PHIDU structure and encoding.....	47
5.3 Common MAC frame structure, encoding and elements of procedure.....	48
5.4 Elements of the MAC frame.....	48
5.5 Order of bit transmission.....	53
5.6 Invalid DLPDU.....	53
6 DLPDU-specific structure, encoding and elements of procedure.....	54
6.1 General.....	54
6.2 Synchronization DLPDU (SYN).....	54
6.3 Transmission complete DLPDU (CMP).....	60
6.4 In-ring request DLPDU (REQ).....	61
6.5 Claim DLPDU (CLM).....	63
6.6 Command DLPDU (COM).....	64
6.7 Cyclic data and cyclic data with transmission complete DLPDU (DT) and (DT-CMP).....	65
6.8 RAS DLPDU (RAS).....	67
6.9 Loop repeat request DLPDU (LRR).....	68
6.10 Loop diagnosis DLPDU (LPD).....	72
7 DLE elements of procedure.....	72
7.1 DLE elements of procedure for star-architecture.....	72
7.2 DLE elements of procedure for loop-architecture.....	96
7.3 Serializer and deserializer.....	150
7.4 DLL management protocol.....	150

Bibliography.....	161
Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	16
Figure 2 – Basic principle of medium access control	21
Figure 3 – Interaction of PhS primitives to DLE	23
Figure 4 – Data-link layer internal architecture of star-architecture	25
Figure 5 – Data-link layer internal architecture of loop-architecture	27
Figure 6 – Common MAC frame format for DLPDUs.....	48
Figure 7 – Structure of FC field	49
Figure 8 – Structure of SYN DLPDU	55
Figure 9 – Structure of CMP DLPDU	60
Figure 10 – Structure of REQ DLPDU	61
Figure 11 – Structure of CLM DLPDU	63
Figure 12 – Structure of COM DLPDU.....	65
Figure 13 – Structure of DT DLPDU	66
Figure 14 – Structure of RAS DLPDU.....	67
Figure 15 – Structure of User data of loop-architecture	67
Figure 16 – Structure of LRR DLPDU.....	68
Figure 17 – Open-ring under control	70
Figure 18 – Structure of LPD DLPDU.....	72
Figure 19 – Overall structure of DLL	73
Figure 20 – DLE state transition.....	74
Figure 21 – State transition diagram of CTCRC.....	76
Figure 22 – State transition diagram of STRC.....	79
Figure 23 – State transition diagram of ACM.....	83
Figure 24 – State transition diagram of RMC sending and send arbitration	91
Figure 25 – State transition diagram of RMC receiving.....	94
Figure 26 – Overall structure of DLL	97
Figure 27 – DLE state transition.....	98
Figure 28 – State transition diagram of CTCRC.....	100
Figure 29 – State transition diagram of STRC.....	104
Figure 30 – State transition diagram of ACM for 100 Mbps operation	108
Figure 31 – State transition diagram of ACM for 1 000 Mbps operation	109
Figure 32 – State transition diagram of RMC for 100 Mbps operation.....	129
Figure 33 – State transition diagram of RMC for 1 000 Mbps operation.....	130
Figure 34 – State transition diagram of DLM	153
Figure 35 – State transition diagram of DLM	157

Table 1 – Data-link layer components of star-architecture	24
Table 2 – Data-link layer components of loop-architecture	26
Table 3 – DLE-variables and permissible values of star-architecture	29
Table 4 – Observable variables and their value ranges of star-architecture	31
Table 5 – DLE variables and permissible values of loop-architecture	32
Table 6 – Observable variables and their value ranges of loop-architecture	35
Table 7 – F-type: DLPDU type	50
Table 8 – FCS length, polynomials and constants	51
Table 9 – PN-parameter: 3rd octet	55
Table 10 – Structure of CW: 4th octet	56
Table 11 – PM parameter	56
Table 12 – RMSEL parameter	56
Table 13 – Structure of CW: 4th octet	57
Table 14 – ST-parameter: 5th octet.....	57
Table 15 – Th-parameter: 6th, 7th and 8th octets	57
Table 16 – Tm-parameter: 9th and 10th octets	58
Table 17 – Ts-parameter: 11th and 12th octet.....	58
Table 18 – TI parameter: 13th and 14th octets	58
Table 19 – LL parameters: 15th to 46th octets	59
Table 20 – NM parameter	61
Table 21 – RN parameter.....	62
Table 22 – CLM parameter: 4th octet	63
Table 23 – DT parameter: 3rd and 4th octets	66
Table 24 – RAS parameter: 3rd and 4th octets.....	67
Table 25 – Format of the PS parameter: 3rd octet.....	69
Table 26 – The value of the PP parameter	69
Table 27 – The value of the send-enable-A/B	69
Table 28 – The value of the receive-enable-A/B.....	69
Table 29 – The value of the forward-enable-A/B	70
Table 30 – RN parameter: 4th octet	70
Table 31 – Operational condition of the node.....	71
Table 32 – Primitives exchanged between DLS-user and CTRC.....	75
Table 33 – Primitives exchanged between CTRC and ACM.....	75
Table 34 – Parameters used with primitives exchanged between DLS-user and CTRC	76
Table 35 – CTRC state table.....	77
Table 36 – CTRC functions table	78
Table 37 – Primitives exchanged between DLS-user and STRC.....	78
Table 38 – Primitives exchanged between STRC and ACM.....	79
Table 39 – Parameters used with primitives exchanged between DLS-user and STRC	79
Table 40 – STRC state table.....	80
Table 41 – STRC functions table	81
Table 42 – Primitives exchanged between ACM and RMC	82
Table 43 – Parameters used with primitives exchanged between ACM and RMC	82



 iteh STANDARD PREVIEW
 (standards.iteh.ai)
 IEC 61158-4-11:2014
<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-3670125003ec/iec-61158-4-11-2014>

Table 44 – Primitives exchanged between ACM and CTRC.....	82
Table 45 – Parameters used with primitives exchanged between ACM and CTRC	82
Table 46 – Primitives exchanged between ACM and STRC.....	83
Table 47 – Parameters used with primitives exchanged between ACM and STRC.....	83
Table 48 – ACM state table.....	84
Table 49 – ACM function table	89
Table 50 – Primitives exchanged between ACM and RMC	90
Table 51 – Primitives exchanged between RMC and serializer / deserializer.....	90
Table 52 – Primitives exchanged between RMC and Ph-layer	90
Table 53 – Parameters between RMC and ACM	90
Table 54 – Parameters between RMC and Ph-layer	91
Table 55 – State table of RMC sending.....	92
Table 56 – State table of RMC send arbitration.....	93
Table 57 – State table for RMC receiving.....	94
Table 58 – RMC function table.....	96
Table 59 – Primitives exchanged between DLS-user and CTRC.....	99
Table 60 – Primitives exchanged between CTRC and ACM.....	100
Table 61 – Parameters used with primitives exchanged between DLS-user and CTRC	100
Table 62 – CTRC state table.....	101
Table 63 – CTRC functions table.....	102
Table 64 – Primitives exchanged between DLS-user and STRC.....	103
Table 65 – Primitives exchanged between STRC and ACM.....	103
Table 66 – Parameters used with primitives exchanged between DLS-user and STRC	103
Table 67 – STRC state table.....	104
Table 68 – STRC functions table	105
Table 69 – Primitives exchanged between ACM and RMC	106
Table 70 – Parameters used with primitives exchanged between ACM and RMC	106
Table 71 – Primitives exchanged between ACM and CTRC.....	106
Table 72 – Parameters used with primitives exchanged between ACM and CTRC	106
Table 73 – Primitives exchanged between ACM and STRC.....	107
Table 74 – Parameters used with primitives exchanged between ACM and STRC.....	107
Table 75 – ACM state table for 100 Mbps operation.....	110
Table 76 – ACM state table for 1 000 Mbps operation.....	117
Table 77 – ACM function table	126
Table 78 – Primitives exchanged between ACM and RMC	127
Table 79 – Primitives exchanged between RMC and Serializer / Deserializer.....	127
Table 80 – Primitives exchanged between RMS and Ph-layer	127
Table 81 – Parameters between RMC and ACM	128
Table 82 – Parameters between RMC and Serializer / Deserializer, Ph-layer.....	128
Table 83 – State table of RMC for 100 Mbps operation	130
Table 84 – State table of RMC for 1 000 Mbps operation	140
Table 85 – The RMC function table.....	150
Table 86 – Primitives exchanged between DLMS-user and DLM.....	151

Table 87 – Parameters used with primitives exchanged between DL-user and DLM..... 151
Table 88 – Event-related state change variables..... 152
Table 89 – DLM state table..... 153
Table 90 – DLM function table..... 155
Table 91 – Primitives exchanged between DLMS-user and DLM..... 156
Table 92 – Parameters used with primitives exchanged between DL-user and DLM..... 156
Table 93 – Event-related state change variables..... 157
Table 94 – DLM state table..... 158
Table 95 – DLM function table..... 160

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61158-4-11:2014](https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 4-11: Data-link layer protocol specification –
Type 11 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-4-11 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are addition in the loop (ring)-architecture. More details:

- Subclauses 4.6.1, 4.6.4 and 5.4.6, Clause 6 and 7.2 for the loop-architecture are modified to cover the additional specifications for the higher data rate in the loop-architecture;
- specifications for existing star-architecture are maintained as they are.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/762/FDIS	65C/772/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61158-4-11:2014](https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014>

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

Attention is drawn to the fact that use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014>

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning Type 11 elements and possibly other types given in 4.2, 4.4, 4.5, 5.4, 6.2 to 6.10, 7.1 and 7.2 as follows:

- | | | |
|-------------------|------|--|
| AU 2007320662(B2) | [TO] | Double ring network system, communication control method thereof, transmission station, and communication control program of double ring network system |
| ZL 200780042584.7 | [TO] | Double ring network system, communication control method thereof, transmission station, and communication control program of double ring network system |
| JP 4991254(B2) | [TO] | Control method for double-ring network, initializing method for double-ring network, transmission station of double-ring network, restructuring method for abnormality occurrence of double-ring network, network system, control method for network system, transmission station, and program of transmission station |
| KR 101149837(B1) | [TO] | Double ring network system, communication control method thereof, transmission station, and communication control program of double ring network system |
| RU 2420899(C2) | [TO] | Double-ring network system and method of controlling communication in said network, transmission station and programme for transmission stations |
| US 8411559(B2) | [TO] | Double ring network system and communication control method thereof, and transmission station, and program for transmission stations |

EP 2093942(A1) [TO] Double ring network system, communication control method thereof, transmission station, and communication control program of double ring network system

US 6711131(B1) [TO] Data transmitting apparatus, network interface apparatus, and data transmitting system

JP 3461954(B2) [TO] Data transmitter

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured the IEC that they are willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights is registered with IEC. Information may be obtained from:

[TO] Toshiba Corporation
1, Toshiba -cho
Fuchu-shi
Tokyo 183-8511, Japan
Attention: Intellectual Property Rights Section

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

(standards.iteh.ai)

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

STANDARD PREVIEW
IEC 61158-4-11:2014
http://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-11: Data-link layer protocol specification – Type 11 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to all participating data-link entities

- a) in a synchronously-starting cyclic manner, according to a pre-established schedule, and
- b) in a cyclic or acyclic asynchronous manner, as requested each cycle by each of those data-link entities.

Thus this protocol can be characterized as one which provides cyclic and acyclic access asynchronously but with a synchronous restart of each cycle.

1.2 Specifications

This standard specifies

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider;
- b) procedures for giving communications opportunities to all participating DL-entities, sequentially and in a cyclic manner for deterministic and synchronized transfer at cyclic intervals up to one millisecond;
- c) procedures for giving communication opportunities available for time-critical data transmission together with non-time-critical data transmission without prejudice to the time-critical data transmission;
- d) procedures for giving cyclic and acyclic communication opportunities for time-critical data transmission with prioritized access;
- e) procedures for giving communication opportunities based on standard ISO/IEC 8802-3 medium access control, with provisions for nodes to be added or removed during normal operation;
- f) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.

1.5 Conformance

This standard also specifies conformance requirements for systems implementing these procedures. This standard does not contain tests to demonstrate compliance with such requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

(standards.iteh.ai)

IEC 61158-3-11:2007, *Industrial communication networks – Fieldbus specifications – Part 3-11: Data-link layer service definition – Type 11 elements*

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-67c0775110e1>

IEC 61158-5-11:2007, *Industrial communication networks – Fieldbus specifications – Part 5-11: Application layer service definition – Type 11 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the following terms, definitions, symbols and abbreviations apply.

3.1 Reference model terms and definitions

This standard is based in part on the concepts developed in ISO/IEC 7498-1 and ISO/IEC 7498-3, and makes use of the following terms defined therein.

3.1.1	called-DL-address	[ISO/IEC 7498-3]
3.1.2	calling-DL-address	[ISO/IEC 7498-3]
3.1.3	centralized multi-end-point-connection	[ISO/IEC 7498-1]
3.1.4	correspondent (N)-entities correspondent DL-entities (N=2) correspondent Ph-entities (N=1)	[ISO/IEC 7498-1]
3.1.5	demultiplexing	[ISO/IEC 7498-1]
3.1.6	DL-address	[ISO/IEC 7498-3]
3.1.7	DL-address-mapping	[ISO/IEC 7498-1]
3.1.8	DL-connection	[ISO/IEC 7498-1]
3.1.9	DL-connection-end-point	[ISO/IEC 7498-1]
3.1.10	DL-connection-end-point-identifier	[ISO/IEC 7498-1]
3.1.11	DL-connection-mode transmission	[ISO/IEC 7498-1]
3.1.12	DL-connectionless-mode transmission	[ISO/IEC 7498-1]
3.1.13	DL-data-sink	[ISO/IEC 7498-1]
3.1.14	DL-data-source	[ISO/IEC 7498-1]
3.1.15	DL-duplex-transmission	[ISO/IEC 7498-1]
3.1.16	DL-facility	[ISO/IEC 7498-1]
3.1.17	DL-local-view	[ISO/IEC 7498-3]
3.1.18	DL-name	[ISO/IEC 7498-3]
3.1.19	DL-protocol	[ISO/IEC 7498-1]
3.1.20	DL-protocol-connection-identifier	[ISO/IEC 7498-1]
3.1.21	DL-protocol-control-information	[ISO/IEC 7498-1]
3.1.22	DL-protocol-data-unit	[ISO/IEC 7498-1]
3.1.23	DL-protocol-version-identifier	[ISO/IEC 7498-1]
3.1.24	DL-relay	[ISO/IEC 7498-1]
3.1.25	DL-service-connection-identifier	[ISO/IEC 7498-1]
3.1.26	DL-service-data-unit	[ISO/IEC 7498-1]
3.1.27	DL-simplex-transmission	[ISO/IEC 7498-1]
3.1.28	DL-subsystem	[ISO/IEC 7498-1]
3.1.29	DL-user-data	[ISO/IEC 7498-1]
3.1.30	flow control	[ISO/IEC 7498-1]
3.1.31	layer-management	[ISO/IEC 7498-1]
3.1.32	multiplexing	[ISO/IEC 7498-3]

ITeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014>

<https://standards.iteh.ai/catalog/standards/sist/c82332c6-e761-4a35-a07d-367b9ff256e5/iec-61158-4-11-2014>