



# SLOVENSKI STANDARD

## SIST EN 61508-6:2011

01-maj-2011

Nadomešča:  
SIST EN 61508-6:2007

---

**Funkcijska varnost električnih/elektronskih/elektronsko programirljivih varnostnih sistemov - 6. del: Smernice za uporabo IEC 61508-2 in IEC 61508-3 (IEC 61508-6:2010)**

Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3 (IEC 61508-6:2010)

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Funktionale Sicherheit sicherheitsbezogener elektrischer/elektronischer/programmierbarer elektronischer Systeme - Teil 6: Anwendungsrichtlinie für IEC 61508-2 und IEC 61508-3 (IEC 61508-6:2010)

<https://standards.iteh.ai/catalog/standards/sist/2217c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>

Sécurité fonctionnelle des systèmes électriques/électroniques/électroniques programmables relatifs à la sécurité - Partie 6: Lignes directrices pour l'application de la CEI 61508-2 et de la CEI 61508-3 (CEI 61508-6:2010)

**Ta slovenski standard je istoveten z: EN 61508-6:2010**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
-----------	--	--

**SIST EN 61508-6:2011**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61508-6:2011

<https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61508-6**

May 2010

ICS 25.040.40

Supersedes EN 61508-6:2001

English version

**Functional safety of electrical/electronic/programmable electronic safety-related systems -**

**Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3  
(IEC 61508-6:2010)**

Sécurité fonctionnelle des systèmes  
électriques/électroniques/électroniques  
programmables relatifs à la sécurité -  
Partie 6: Lignes directrices  
pour l'application de la CEI 61508-2  
et de la CEI 61508-3  
(CEI 61508-6:2010)

Funktionale Sicherheit sicherheitsbezogener  
elektrischer/elektronischer/programmierbarer  
elektronischer Systeme -  
Teil 6: Anwendungsrichtlinie für IEC 61508-2  
und IEC 61508-3  
(IEC 61508-6:2010)

**ITeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

This European Standard was approved by CENELEC on 2010-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 65A/553/FDIS, future edition 2 of IEC 61508-6, prepared by SC 65A, System aspects, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61508-6 on 2010-05-01.

This European Standard supersedes EN 61508-6:2001.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2011-02-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2013-05-01

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 61508-6:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- |                       |      |   |
|-----------------------|------|---|
| [1] IEC 61511 series  | NOTE | Harmonized in EN 61511 series (not modified).       |
| [2] IEC 62061         | NOTE | Harmonized as EN 62061.                             |
| [3] IEC 61800-5-2     | NOTE | Harmonized as EN 61800-5-2.                         |
| [4] IEC 61078:2006    | NOTE | Harmonized as EN 61078:2006 (not modified).         |
| [5] IEC 61165:2006    | NOTE | Harmonized as EN 61165:2006 (not modified).         |
| [16] IEC 61131-3:2003 | NOTE | Harmonized as EN 61131-3:2003 (not modified).       |
| [18] IEC 61025:2006   | NOTE | Harmonized as EN 61025:2007 (not modified).         |
| [26] IEC 60601 series | NOTE | Harmonized in EN 60601 series (partially modified). |
| [27] IEC 61508-1:2010 | NOTE | Harmonized as EN 61508-1:2010 (not modified).       |
| [28] IEC 61508-5:2010 | NOTE | Harmonized as EN 61508-5:2010 (not modified).       |
| [29] IEC 61508-7:2010 | NOTE | Harmonized as EN 61508-7:2010 (not modified).       |
-

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61508-2	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems	EN 61508-2	2010
IEC 61508-3	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 3: Software requirements	EN 61508-3	2010
IEC 61508-4	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 4: Definitions and abbreviations	EN 61508-4	2010

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61508-6:2011

<https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>



IEC 61508-6

Edition 2.0 2010-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Functional safety of electrical/electronic/programmable electronic safety-related systems –  
Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3**

**Sécurité fonctionnelle des systèmes électriques/électroniques/électroniques programmables relatifs à la sécurité –  
Partie 6: Lignes directrices pour l'application de la CEI 61508-2 et de la CEI 61508-3**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**XE**

ICS 25.040.40

ISBN 978-2-88910-529-8

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references.....	12
3 Definitions and abbreviations.....	12
Annex A (informative) Application of IEC 61508-2 and of IEC 61508-3.....	13
Annex B (informative) Example of technique for evaluating probabilities of hardware failure.....	21
Annex C (informative) Calculation of diagnostic coverage and safe failure fraction – worked example.....	76
Annex D (informative) A methodology for quantifying the effect of hardware-related common cause failures in E/E/PE systems.....	80
Annex E (informative) Example applications of software safety integrity tables of IEC 61508-3.....	95
Bibliography.....	110
Figure 1 – Overall framework of the IEC 61508 series.....	11
Figure A.1 – Application of IEC 61508-2.....	17
Figure A.2 – Application of IEC 61508-2 (Figure A.1 <i>continued</i> ).....	18
Figure A.3 – Application of IEC 61508-3.....	20
Figure B.1 – Reliability Block Diagram of a whole safety loop.....	22
Figure B.2 – Example configuration for two sensor channels.....	26
Figure B.3 – Subsystem structure.....	29
Figure B.4 – 1oo1 physical block diagram.....	30
Figure B.5 – 1oo1 reliability block diagram.....	31
Figure B.6 – 1oo2 physical block diagram.....	32
Figure B.7 – 1oo2 reliability block diagram.....	32
Figure B.8 – 2oo2 physical block diagram.....	33
Figure B.9 – 2oo2 reliability block diagram.....	33
Figure B.10 – 1oo2D physical block diagram.....	33
Figure B.11 – 1oo2D reliability block diagram.....	34
Figure B.12 – 2oo3 physical block diagram.....	34
Figure B.13 – 2oo3 reliability block diagram.....	35
Figure B.14 – Architecture of an example for low demand mode of operation.....	40
Figure B.15 – Architecture of an example for high demand or continuous mode of operation.....	49
Figure B.16 – Reliability block diagram of a simple whole loop with sensors organised into 2oo3 logic.....	51
Figure B.17 – Simple fault tree equivalent to the reliability block diagram presented on Figure B.1.....	52
Figure B.18 – Equivalence fault tree / reliability block diagram.....	52
Figure B.19 – Instantaneous unavailability $U(t)$ of single periodically tested components.....	54
Figure B.20 – Principle of $PF_{D_{avg}}$ calculations when using fault trees.....	55



Figure B.21 – Effect of staggering the tests .....	56
Figure B.22 – Example of complex testing pattern .....	56
Figure B.23 – Markov graph modelling the behaviour of a two component system .....	58
Figure B.24 – Principle of the multiphase Markovian modelling .....	59
Figure B.25 – Saw-tooth curve obtained by multiphase Markovian approach.....	60
Figure B.26 – Approximated Markovian model .....	60
Figure B.27 – Impact of failures due to the demand itself.....	61
Figure B.28 – Modelling of the impact of test duration.....	61
Figure B.29 – Multiphase Markovian model with both DD and DU failures .....	62
Figure B.30 – Changing logic (2oo3 to 1oo2) instead of repairing first failure .....	63
Figure B.31 – "Reliability" Markov graphs with an absorbing state .....	63
Figure B.32 – "Availability" Markov graphs without absorbing states .....	65
Figure B.33 – Petri net for modelling a single periodically tested component.....	66
Figure B.34 – Petri net to model common cause failure and repair resources.....	69
Figure B.35 – Using reliability block diagrams to build Petri net and auxiliary Petri net for <i>PF</i> D and <i>PF</i> H calculations .....	70
Figure B.36 – Simple Petri net for a single component with revealed failures and repairs .....	71
Figure B.37 – Example of functional and dysfunctional modelling with a formal language.....	72
Figure B.38 – Uncertainty propagation principle.....	73
Figure D.1 – Relationship of common cause failures to the failures of individual channels .....	82
Figure D.2 – Implementing shock model with fault trees.....	93
ITC STANDARD PREVIEW (standards.iteh.ai) SIST EN 61508-6:2011 <a href="https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011">https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011</a>	
Table B.1 – Terms and their ranges used in this annex (applies to 1oo1, 1oo2, 2oo2, 1oo2D, 1oo3 and 2oo3) .....	27
Table B.2 – Average probability of failure on demand for a proof test interval of six months and a mean time to restoration of 8 h .....	36
Table B.3 – Average probability of failure on demand for a proof test interval of one year and mean time to restoration of 8 h.....	37
Table B.4 – Average probability of failure on demand for a proof test interval of two years and a mean time to restoration of 8 h .....	38
Table B.5 – Average probability of failure on demand for a proof test interval of ten years and a mean time to restoration of 8 h .....	39
Table B.6 – Average probability of failure on demand for the sensor subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i> ) .....	40
Table B.7 – Average probability of failure on demand for the logic subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i> ) .....	41
Table B.8 – Average probability of failure on demand for the final element subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i> ) .....	41
Table B.9 – Example for a non-perfect proof test .....	42
Table B.10 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of one month and a mean time to restoration of 8 h .....	45

Table B.11 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of three month and a mean time to restoration of 8 h .....	46
Table B.12 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of six month and a mean time to restoration of 8 h .....	<b>Error! Bookmark not defined.</b>
Table B.13 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of one year and a mean time to restoration of 8 h .....	<b>Error! Bookmark not defined.</b>
Table B.14 – Average frequency of a dangerous failure for the sensor subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i> ) .....	49
Table B.15 – Average frequency of a dangerous failure for the logic subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i> ) .....	50
Table B.16 – Average frequency of a dangerous failure for the final element subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i> ) .....	50
Table C.1 – Example calculations for diagnostic coverage and safe failure fraction .....	78
Table C.2 – Diagnostic coverage and effectiveness for different elements .....	79
Table D.1 – Scoring programmable electronics or sensors/final elements .....	88
Table D.2 – Value of $Z$ – programmable electronics .....	89
Table D.3 – Value of $Z$ – sensors or final elements .....	89
Table D.4 – Calculation of $\beta_{\text{int}}$ or $\beta_{\text{D int}}$ .....	90
Table D.5 – Calculation of $\beta$ for systems with levels of redundancy greater than 1oo2 .....	91
Table D.6 – Example values for programmable electronics .....	92
Table E.1 – Software safety requirements specification .....	96
Table E.2 – Software design and development – software architecture design .....	97
Table E.3 – Software design and development – support tools and programming language .....	98
Table E.4 – Software design and development – detailed design .....	99
Table E.5 – Software design and development – software module testing and integration .....	100
Table E.6 – Programmable electronics integration (hardware and software) .....	100
Table E.7 – Software aspects of system safety validation .....	101
Table E.8 – Modification .....	101
Table E.9 – Software verification .....	102
Table E.10 – Functional safety assessment .....	102
Table E.11 – Software safety requirements specification .....	104
Table E.12 – Software design and development – software architecture design .....	104
Table E.13 – Software design and development – support tools and programming language .....	105
Table E.14 – Software design and development – detailed design .....	106
Table E.15 – Software design and development – software module testing and integration .....	106
Table E.16 – Programmable electronics integration (hardware and software) .....	107
Table E.17 – Software aspects of system safety validation .....	108
Table E.18 – Modification .....	108

Table E.19 – Software verification .....	109
Table E.20 – Functional safety assessment .....	109

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61508-6:2011

<https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**FUNCTIONAL SAFETY OF ELECTRICAL/ELECTRONIC/  
PROGRAMMABLE ELECTRONIC SAFETY-RELATED SYSTEMS –**
**Part 6: Guidelines on the application  
of IEC 61508-2 and IEC 61508-3**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61508-6 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2000. This edition constitutes a technical revision.

This edition has been subject to a thorough review and incorporates many comments received at the various revision stages.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/553/FDIS	65A/577/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61508 series, published under the general title *Functional safety of electrical / electronic / programmable electronic safety-related systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61508-6:2011

<https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>

## INTRODUCTION

Systems comprised of electrical and/or electronic elements have been used for many years to perform safety functions in most application sectors. Computer-based systems (generically referred to as programmable electronic systems) are being used in all application sectors to perform non-safety functions and, increasingly, to perform safety functions. If computer system technology is to be effectively and safely exploited, it is essential that those responsible for making decisions have sufficient guidance on the safety aspects on which to make these decisions.

This International Standard sets out a generic approach for all safety lifecycle activities for systems comprised of electrical and/or electronic and/or programmable electronic (E/E/PE) elements that are used to perform safety functions. This unified approach has been adopted in order that a rational and consistent technical policy be developed for all electrically-based safety-related systems. A major objective is to facilitate the development of product and application sector international standards based on the IEC 61508 series.

In most situations, safety is achieved by a number of systems which rely on many technologies (for example mechanical, hydraulic, pneumatic, electrical, electronic, programmable electronic). Any safety strategy must therefore consider not only all the elements within an individual system (for example sensors, controlling devices and actuators) but also all the safety-related systems making up the total combination of safety-related systems. Therefore, while this International Standard is concerned with E/E/PE safety-related systems, it may also provide a framework within which safety-related systems based on other technologies may be considered.

It is recognized that there is a great variety of applications using E/E/PE safety-related systems in a variety of application sectors and covering a wide range of complexity, hazard and risk potentials. In any particular application, the required safety measures will be dependent on many factors specific to the application. This International Standard, by being generic, will enable such measures to be formulated in future product and application sector international standards and in revisions of those that already exist.

This International Standard

- considers all relevant overall, E/E/PE system and software safety lifecycle phases (for example, from initial concept, through design, implementation, operation and maintenance to decommissioning) when E/E/PE systems are used to perform safety functions;
- has been conceived with a rapidly developing technology in mind; the framework is sufficiently robust and comprehensive to cater for future developments;
- enables product and application sector international standards, dealing with E/E/PE safety-related systems, to be developed; the development of product and application sector international standards, within the framework of this standard, should lead to a high level of consistency (for example, of underlying principles, terminology etc.) both within application sectors and across application sectors; this will have both safety and economic benefits;
- provides a method for the development of the safety requirements specification necessary to achieve the required functional safety for E/E/PE safety-related systems;
- adopts a risk-based approach by which the safety integrity requirements can be determined;
- introduces safety integrity levels for specifying the target level of safety integrity for the safety functions to be implemented by the E/E/PE safety-related systems;

NOTE 2 The standard does not specify the safety integrity level requirements for any safety function, nor does it mandate how the safety integrity level is determined. Instead it provides a risk-based conceptual framework and example techniques.

- sets target failure measures for safety functions carried out by E/E/PE safety-related systems, which are linked to the safety integrity levels;

- sets a lower limit on the target failure measures for a safety function carried out by a single E/E/PE safety-related system. For E/E/PE safety-related systems operating in
  - a low demand mode of operation, the lower limit is set at an average probability of a dangerous failure on demand of  $10^{-5}$ ;
  - a high demand or a continuous mode of operation, the lower limit is set at an average frequency of a dangerous failure of  $10^{-9}$  [ $\text{h}^{-1}$ ];

NOTE 3 A single E/E/PE safety-related system does not necessarily mean a single-channel architecture.

NOTE 4 It may be possible to achieve designs of safety-related systems with lower values for the target safety integrity for non-complex systems, but these limits are considered to represent what can be achieved for relatively complex systems (for example programmable electronic safety-related systems) at the present time.

- sets requirements for the avoidance and control of systematic faults, which are based on experience and judgement from practical experience gained in industry. Even though the probability of occurrence of systematic failures cannot in general be quantified the standard does, however, allow a claim to be made, for a specified safety function, that the target failure measure associated with the safety function can be considered to be achieved if all the requirements in the standard have been met;
- introduces systematic capability which applies to an element with respect to its confidence that the systematic safety integrity meets the requirements of the specified safety integrity level;
- adopts a broad range of principles, techniques and measures to achieve functional safety for E/E/PE safety-related systems, but does not explicitly use the concept of fail safe. However, the concepts of “fail safe” and “inherently safe” principles may be applicable and adoption of such concepts is acceptable providing the requirements of the relevant clauses in the standard are met.

iteh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 61508-6:2011

<https://standards.iteh.ai/catalog/standards/sist/22f7c969-d492-4058-8d5d-d792bc2ea181/sist-en-61508-6-2011>