

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 5-10: Application layer service definition – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-10: Définition des services de la couche application – Eléments
de type 10**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 5-10: Application layer service definition – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-10: Définition des services de la couche application – Eléments
de type 10**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1736-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	13
INTRODUCTION.....	15
1 Scope.....	16
1.1 General.....	16
1.2 Specifications.....	17
1.3 Conformance.....	17
2 Normative references.....	17
3 Terms, definitions, abbreviations, symbols and conventions.....	19
3.1 Referenced terms and definitions.....	20
3.2 Additional terms and definitions for decentralized periphery.....	20
3.3 Additional terms and definitions for media redundancy.....	28
3.4 Abbreviations and symbols.....	29
3.5 Conventions.....	31
4 Concepts.....	37
5 Data type ASE.....	38
5.1 General.....	38
5.2 Formal definition of data type objects.....	43
5.3 FAL defined data types.....	44
5.4 Data type ASE service specification.....	66
6 Communication model for common services.....	66
6.1 Concepts.....	66
6.2 ASE data types.....	67
6.3 Application Service Elements.....	68
7 Communication model for decentralized periphery.....	189
7.1 Concepts.....	189
7.2 ASE data types.....	207
7.3 ASEs.....	207
7.4 Behavior of an IO device.....	524
7.5 Behavior of an IO controller.....	583
7.6 Application characteristics.....	588
7.7 Summary of FAL services.....	589
Annex A (informative) Device instances.....	592
Annex B (informative) Components of an Ethernet interface.....	594
Annex C (informative) Scheme of MAC address assignment.....	598
Annex D (informative) Collection of objects.....	599
Annex E (informative) Measurement of the fast startup time.....	600
Annex F (informative) Dynamic Frame Packing.....	601
Annex G (informative) Building IR Data.....	609
Bibliography.....	614
Figure 1 – Data type class hierarchy example.....	38
Figure 2 – NetworkTime date relation.....	59
Figure 3 – FAL ASEs communication architecture.....	67
Figure 4 – PTCP applications.....	87
Figure 5 – Clock drift measurement.....	100

Figure 6 – Multiple synchronization	101
Figure 7 – Media redundancy diagnosis dependencies	107
Figure 8 – Example of periods at a local port	173
Figure 9 – Example of communication between controlling devices and field devices.....	190
Figure 10 – Example of communication between an engineering station and several controlling and field devices.....	191
Figure 11 – Example of communication between field devices and a server station	191
Figure 12 – Example of communication between field devices	191
Figure 13 – Structural units of one arbitrary API of an IO device (general)	193
Figure 14 – Example 1 structural units for interfaces and ports within API 0	194
Figure 15 – Example 2 structural units for interfaces and ports within API 0	195
Figure 16 – Identification hierarchy	197
Figure 17 – Overview of application processes	200
Figure 18 – IO device with APs, slots and subslots	200
Figure 19 – Application Process with application process objects (APOs).....	203
Figure 20 – Access to a remote APO	204
Figure 21 – Access to a remote APO for provider/consumer association.....	205
Figure 22 – Example of one AR with two AREPs	206
Figure 23 – FAL ASEs communication architecture	207
Figure 24 – Relation of a record data object to one real object.....	209
Figure 25 – Relation of a record data object to two real objects	209
Figure 26 – Overview IO ASE service interactions	230
Figure 27 – Severity classification of diagnosis and maintenance	261
Figure 28 – State transition diagram DIAG_DIAG.....	296
Figure 29 – State transition diagram DIAG_MR.....	300
Figure 30 – State transition diagram DIAG_MD.....	304
Figure 31 – State transition diagram DIAG_QUALIFIED.....	307
Figure 32 – Example of a resource model at the alarm source	328
Figure 33 – Basic model for isochronous applications	397
Figure 34 – General isochronous application model (example CACF == 1)	398
Figure 35 – General isochronous application model (example CACF == 2)	399
Figure 36 – ASE relations in an IO device operating in isochronous mode for a submodule.....	406
Figure 37 – State transition diagram of ISOM_SYNC	408
Figure 38 – State transition diagram ISOM_OUT	411
Figure 39 – State transition diagram ISOM_IN	416
Figure 40 – Assignment of communication relationship to application relationship	491
Figure 41 – Implicit application relationship	495
Figure 42 – Example IO application relationship (one-to-one)	496
Figure 43 – Example IO application relationship one-to-many	497
Figure 44 – Overview ASE state machines for IO device.....	524
Figure 45 – State transition diagram DEVSM	527
Figure 46 – State transition diagram REM_CHK.....	534
Figure 47 – State transition diagram LOC_LNK.....	541

Figure 48 – State transition diagram FOMR	547
Figure 49 – State transition diagram FOMD	549
Figure 50 – State transition diagram FODIAG	552
Figure 51 – State transition diagram RSMSM.....	556
Figure 52 – Ownership handling.....	560
Figure 53 – State transition diagram OWNSM.....	563
Figure 54 – State transition diagram ASSSM	563
Figure 55 – State transition diagram PLUGSM.....	575
Figure 56 – State transition diagram PULLSM.....	578
Figure 57 – State transition diagram SYNC_DIAG.....	580
Figure 58 – State diagram CTLSM	585
Figure 59 – Example of network topology including slower wireless segments	589
Figure 60 – Example of media redundancy including wireless segments	589
Figure A.1 – Instance model	592
Figure B.1 – Scheme of an Ethernet interface	594
Figure B.2 – Scheme of an Ethernet interface with bridging ability	595
Figure B.3 – Scheme of an Ethernet interface with optical ports.....	596
Figure B.4 – Scheme of an Ethernet interface with bridging ability using radio communication.....	597
Figure B.5 – Scheme of an Ethernet interface with radio communication.....	597
Figure C.1 – Scheme of MAC address assignment.....	598
Figure D.1 – Example for an intersection of IO device, slot, and AR.....	599
Figure E.1 – Measurement of the fast startup time	600
Figure F.1 – Frame Layout.....	601
Figure F.2 – Sub frame Layout.....	602
Figure F.3 – End to End.....	603
Figure F.4 – Dynamic frame packing.....	603
Figure F.5 – Dynamic frame packing – Truncation of outputs	604
Figure F.6 – Dynamic frame packing – Outbound Pack.....	604
Figure F.7 – Dynamic frame packing – Concatenation of inputs	605
Figure F.8 – Dynamic frame packing – Inbound Pack.....	606
Figure F.9 – Dynamic frame packing – Distributed watchdog	607
Figure F.10 – Interrelation between IO CR and dynamically packed frame	608
Figure G.1 – Bridge- and LineDelay	610
Figure G.2 – Sample Topology.....	610
Figure G.3 – Slip Stream Effect downstream.....	611
Figure G.4 – Using the slip stream effect in a comb topology downstream	612
Table 1 – State machine description elements	35
Table 2 – Description of state machine elements	35
Table 3 – Conventions used in state machines	35
Table 4 – Conventions for services used in state machines	36
Table 5 – Data type overview.....	41
Table 6 – V2 octets.....	45

Table 7 – L2 octets	45
Table 8 – E2 octets	48
Table 9 – E2 value range	48
Table 10 – Unipolar2.16 octets	48
Table 11 – Unipolar2.16 value range	49
Table 12 – N2 value range	50
Table 13 – N4 value range	51
Table 14 – X2 value range	52
Table 15 – X4 value range	53
Table 16 – C4 value range	53
Table 17 – T2 value range	55
Table 18 – T2 value range	56
Table 19 – D2 value range	56
Table 20 – R2 value range	57
Table 21 – UUID for decentralized peripherals	58
Table 22 – Status least significant Bit of the fractional portion (2^0)	59
Table 23 – Status value range	60
Table 24 – OctetString2+Unsigned8	62
Table 25 – Float32+Unsigned8 octets	62
Table 26 – Unsigned8+Unsigned8 octets	63
Table 27 – Unsigned16_S octets	63
Table 28 – Unsigned16_S meaning	63
Table 29 – Integer16_S octets	64
Table 30 – Integer16_S meaning	64
Table 31 – Unsigned8_S octets	64
Table 32 – Unsigned8_S meaning	65
Table 33 – OctetString_S octets	65
Table 34 – OctetString_S status bits	65
Table 35 – F message trailer with 4 octets	66
Table 36 – F message trailer with 5 octets	66
Table 37 – Get	74
Table 38 – Set	77
Table 39 – Local Set Command	81
Table 40 – Identify	83
Table 41 – Hello	85
Table 42 – Start bridge	93
Table 43 – Start slave	94
Table 44 – Start master	95
Table 45 – Stop bridge	96
Table 46 – Stop slave	97
Table 47 – Stop master	98
Table 48 – Sync state change	99
Table 49 – Line Delay change	99

Table 50 – PPM Set Prov Data	113
Table 51 – PPM Set Prov Status	113
Table 52 – PPM Activate	114
Table 53 – PPM Close	117
Table 54 – PPM Start	117
Table 55 – PPM Error	117
Table 56 – Get Cons Data	118
Table 57 – CPM Get cons status	119
Table 58 – CPM Set RedRole	120
Table 59 – CPM Activate	120
Table 60 – CPM NoData	122
Table 61 – CPM Stop	123
Table 62 – APMS Activate	126
Table 63 – APMR Activate	128
Table 64 – APMS A Data	129
Table 65 – APMR A Data	130
Table 66 – APMR Ack	130
Table 67 – APMS Error	131
Table 68 – APMS Error ERRCLS/ERRCODE	132
Table 69 – APMR Error	132
Table 70 – APMR Error ERRCLS/ERRCODE	132
Table 71 – APMS_Close	133
Table 72 – APMR_Close	133
Table 73 – Connect	135
Table 74 – Release	137
Table 75 – Read	138
Table 76 – Write	139
Table 77 – Control	140
Table 78 – System capabilities	145
Table 79 – Auto negotiation support and status	147
Table 80 – MDI Power Support	147
Table 81 – Link aggregation status	148
Table 82 – Remote systems data change	151
Table 83 – Local Get Time	154
Table 84 – Local Set Time	154
Table 85 – Local time changed event	155
Table 86 – Allowed values of Forwarding Mode	158
Table 87 – Allowed values of Fast Forwarding Multicast MAC Add	159
Table 88 – Allowed values of Reduction Ratio	160
Table 89 – Frame ID	160
Table 90 – Tx Port Entry	162
Table 91 – Dependencies of RedOrangePeriodBegin, OrangePeriodBegin, and GreenPeriodBegin	165

Table 92 – Port state change	169
Table 93 – Set port state	169
Table 94 – Flush filtering data base	170
Table 95 – MAU Type change	175
Table 96 – Set MAU Type	175
Table 97 – IP Multicast address	179
Table 98 – Set ARP Cache	179
Table 99 – Enterprise number	182
Table 100 – Vendor OUI	183
Table 101 – P Data	184
Table 102 – N Data	186
Table 103 – A Data	187
Table 104 – C Data	188
Table 105 – Requirements and features	189
Table 106 – Binding Record Data services	208
Table 107 – Persistence behavior for record data objects	211
Table 108 – Read	214
Table 109 – Read Services	215
Table 110 – Read Query	218
Table 111 – Write	220
Table 112 – Write Services	222
Table 113 – Data elements of Write Combined Object Container	224
Table 114 – Local Write Multiple	225
Table 115 – Local New Write Multiple	227
Table 116 – Local Set Input	240
Table 117 – Local Set Input IOCS	241
Table 118 – Local Get Input	242
Table 119 – Local Get Input IOCS	243
Table 120 – Local New Input	244
Table 121 – Local Set Redundancy	244
Table 122 – Local Set State	245
Table 123 – Local Data State Changed	246
Table 124 – Data elements of Read Record Input Data Object Element	247
Table 125 – Local Set Output	248
Table 126 – Local Set Output IOCS	249
Table 127 – Local Get Output	250
Table 128 – Local Get Output IOCS	251
Table 129 – Local New Output	252
Table 130 – Local Set Provider State	253
Table 131 – Data elements of Read Record Output Data Object Element	254
Table 132 – Data elements of Read Substitute Value	256
Table 133 – Data elements of Write Substitute Value	257
Table 134 – Data elements of Read LogBook Data	259

Table 135 – Local Create LogBook Entry	260
Table 136 – Channel Error Type	267
Table 137 – Ext Channel Error type	268
Table 138 – Allowed combinations of Channel Error Type and Ext Channel Error Type.....	272
Table 139 – Ext Channel Add Value for Accumulative Info	273
Table 140 – Local Add Diagnosis Entry.....	274
Table 141 – Local Remove Diagnosis Entry	276
Table 142 – Local Diagnosis Event	278
Table 143 – General Data definition for Diagnosis services.....	279
Table 144 – Data elements of Read Nested Diagnosis Information	295
Table 145 – Remote primitives issued or received by DIAG_DIAG	296
Table 146 – Local primitives issued or received by DIAG_DIAG	296
Table 147 – State table DIAG_DIAG	297
Table 148 – Functions, Macros, Timers and Variables used by DIAG_DIAG	298
Table 149 – Remote primitives issued or received by DIAG_MR	299
Table 150 – Local primitives issued or received by DIAG_MR	299
Table 151 – State table DIAG_MR	300
Table 152 – Functions, Macros, Timers and Variables used by DIAG_MR.....	302
Table 153 – Remote primitives issued or received by DIAG_MD	303
Table 154 – Local primitives issued or received by DIAG_MD	303
Table 155 – State table DIAG_MD	304
Table 156 – Functions, Macros, Timers and Variables used by the maintenance demanded entry.....	305
Table 157 – Remote primitives issued or received by DIAG_QUALIFIED	307
Table 158 – Local primitives issued or received by DIAG_QUALIFIED	307
Table 159 – State table DIAG_QUALIFIED	308
Table 160 – Functions, Macros, Timers and Variables used by DIAG_QUALIFIED	308
Table 161 – Alarm type	311
Table 162 – Alarm Notification	314
Table 163 – Channel Diagnosis	317
Table 164 – Manufacturer Specific Diagnosis.....	318
Table 165 – Submodule Diagnosis State.....	318
Table 166 – AR Diagnosis State	318
Table 167 – User Structure Identifier	320
Table 168 – Semantics of Specifier	321
Table 169 – Module State	336
Table 170 – Usage with respect to CR type	337
Table 171 – Detail	338
Table 172 – AR Info	339
Table 173 – Ident Info	340
Table 174 – Binding Context services	351
Table 175 – Connect.....	352
Table 176 – Connect Device Access	364

Table 177 – Release	367
Table 178 – Abort	368
Table 179 – Local AR Abort	369
Table 180 – Prm Begin	370
Table 181 – Prm End	373
Table 182 – Application Ready	374
Table 183 – General Data definition for identification services	377
Table 184 – Data elements of Read Module Diff Block	381
Table 185 – Data elements of Read API Data	382
Table 186 – Data elements of Read I&M0 Filter Data	383
Table 187 – Data elements of Read I&M0 Data	385
Table 188 – Data elements of Write I&M1 Data	387
Table 189 – Data elements of Read I&M1 Data	387
Table 190 – Data elements of Write I&M2 Data	388
Table 191 – Data elements of Read I&M2 Data	388
Table 192 – Data elements of Write I&M3 Data	389
Table 193 – Data elements of Read I&M3 Data	389
Table 194 – Data elements of Write I&M4 Data	389
Table 195 – Data elements of Read I&M4 Data	390
Table 196 – Data elements of Read Autoconfiguration Data	390
Table 197 – Data elements of Write Expected Fast Startup Data	393
Table 198 – Data elements of Read Expected Fast Startup Data	394
Table 199 – Data elements of Read GSD Data	395
Table 200 – Data elements of Read GSD Data	396
Table 201 – Data elements of Write Isochronous Mode Data	404
Table 202 – Data elements of Read Isochronous Mode Data	404
Table 203 – Local SYNCH Event	405
Table 204 – Remote primitives issued or received by ISOM_SYNC	408
Table 205 – Local primitives issued or received by ISOM_SYNC	408
Table 206 – State table ISOM_SYNC	409
Table 207 – Functions, Macros, Timers and Variables used by the ISOM_SYNC	409
Table 208 – Remote primitives issued or received for ISOM_OUT	410
Table 209 – Local primitives issued or received for ISOM_OUT	410
Table 210 – State table ISOM_OUT	412
Table 211 – Functions, Macros, Timers and Variables used by the ISOM_OUT	414
Table 212 – Remote primitives issued or received for ISOM_IN	415
Table 213 – Local primitives issued or received for ISOM_IN	415
Table 214 – State table ISOM_IN	417
Table 215 – Functions, Macros, Timers and Variables used by the ISOM_IN	418
Table 216 – Subslot number for interface submodules	424
Table 217 – Sync Properties Role	428
Table 218 – Sync Class	428
Table 219 – Distributed Watchdog Factor	429

Table 220 – Restart Factor For Distributed Watchdog	430
Table 221 – DFP Mode	430
Table 222 – SFIOCRProperties.DFPRedundantPathLayout.....	430
Table 223 – SFCRC16	431
Table 224 – Subslot number for port submodules	434
Table 225 – Fiber Optic Types	434
Table 226 – Fiber Optic Cable Types	435
Table 227 – TimePLLWindow.....	439
Table 228 – Data elements of Read PDev Data	439
Table 229 – Data elements of Read PD Real Data	446
Table 230 – Data elements of Read PD Expected Data.....	450
Table 231 – Read PD Interface Data Real	454
Table 232 – Data elements of Write PD Interface Adjust.....	455
Table 233 – Data elements of Read PD Interface Adjust.....	455
Table 234 – Data elements of Write PD IR Data	456
Table 235 – Data elements of Read PD IR Data	460
Table 236 – Data elements of Write PD Sync Data.....	464
Table 237 – Data elements of Read PD Sync Data	465
Table 238 – Local Sync State Info	467
Table 239 – Data elements of Write PD IR Subframe Data.....	468
Table 240 – Data elements of Read PD IR Subframe Data	470
Table 241 – Data elements of Write PD Time Data	471
Table 242 – Data elements of Read PD Time Data	471
Table 243 – Data elements of Read PD Interface MRP Data Real.....	472
Table 244 –Data elements of Write PD Interface MRP Data Check	473
Table 245 – Data elements of Read PD Interface MRP Data Check	473
Table 246 – Data elements of Write PD Interface MRP Data Adjust	474
Table 247 – Data elements of Read PD Interface MRP Data Adjust	475
Table 248 – Data elements of Write PD Interface FSU Data Adjust	475
Table 249 – Data elements of Read PD Interface FSU Data Adjust.....	476
Table 250 – Data elements of Write PD NC Data Check	477
Table 251 – Data elements of Read PD NC Data Check	478
Table 252 – Data elements of Read PD Port Data Real	478
Table 253 – Data elements of Write PD Port Data Check	480
Table 254 – Data elements of Read PD Port Data Check.....	481
Table 255 – Data elements of Write PD Port Data Adjust.....	482
Table 256 – Data elements of Read PD Port Data Adjust.....	482
Table 257 – Data elements of Read Port FO Data Real	483
Table 258 – Data elements of Write PD Port FO Data Check	484
Table 259 – Data elements of Read PD Port FO Data Check	485
Table 260 – Data elements of Write PD Port FO Data Adjust	486
Table 261 – Data elements of Read PD Port FO Data Adjust	486
Table 262 – Data elements of Read PD Port MRP Data Real.....	487

Table 263 – Data elements of Write PD Port MRP Data Adjust	487
Table 264 – Data elements of Read PD Port MRP Data Adjust	488
Table 265 – Data elements of Read PD Port Statistic	488
Table 266 – Device Access	501
Table 267 – Companion AR	501
Table 268 – Acknowledge Companion AR	501
Table 269 – Startup Mode	501
Table 270 – Pull Module Alarm Allowed	502
Table 271 – Input Valid on Backup AR	505
Table 272 – Activate Redundancy Alarm	505
Table 273 – APStructureIdentifier with API := 0	506
Table 274 – APStructureIdentifier with API != 0	506
Table 275 – Traffic Classes versus RT Class	510
Table 276 – Frame ID	511
Table 277 – Reduction Ratios	512
Table 278 – Data elements of Read AR Data	518
Table 279 – Local Set AR State	523
Table 280 – Local AR In Data	523
Table 281 – Remote primitives issued or received by DEVSM	525
Table 282 – Local primitives issued or received by DEVSM	525
Table 283 – State table DEVSM	528
Table 284 – Functions, Macros, Timers and Variables by DEVSM	532
Table 285 – Remote primitives issued or received by REM_CHK	533
Table 286 – Local primitives issued or received by REM_CHK	534
Table 287 – State table REM_CHK	535
Table 288 – Functions, Macros, Timers and Variables by REM_CHK	540
Table 289 – Remote primitives issued or received LOC_LNK	540
Table 290 – Local primitives issued or received LOC_LNK	541
Table 291 – State table LOC_LNK	542
Table 292 – Functions, Macros, Timers and Variables used by LOC_LNK	545
Table 293 – Remote primitives issued or received by FOMR	546
Table 294 – Local primitives issued or received by FOMR	546
Table 295 – State table FOMR	547
Table 296 – Functions, Macros, Timers and Variables used by FOMR	548
Table 297 – Remote primitives issued or received by FOMD	549
Table 298 – Local primitives issued or received by FOMD	549
Table 299 – State table FOMD	550
Table 300 – Functions, Macros, Timers and Variables by FOMD	551
Table 301 – Remote primitives issued or received by FODIAG	551
Table 302 – Local primitives issued or received by FODIAG	551
Table 303 – State table FODIAG	552
Table 304 – Functions, Macros, Timers and Variables by FODIAG	553
Table 305 – Remote primitives issued or received by RSMSM	555

Table 306 – Local primitives issued or received by RSMSM.....	556
Table 307 – State table RSMSM	556
Table 308 – Functions, Macros, Timers and Variables used by RSMSM	557
Table 309 – Rules for Submodule State.Ident Info	558
Table 310 – Remote primitives issued or received by OWNSM and ASSSM.....	562
Table 311 – Local primitives issued or received by OWNSM	563
Table 312 – State table OWNSM	564
Table 313 – State table ASSSM.....	570
Table 314 – Functions, Macros, Timers and Variables used by OWNSM.....	571
Table 315 – Functions, Macros, Timers and Variables used by ASSSM	572
Table 316 – Rules for Submodule State.AR Info	572
Table 317 – Remote primitives issued or received by PLUGSM	573
Table 318 – Local primitives issued or received by PLUGSM	574
Table 319 – State table PLUGSM	576
Table 320 – Functions, Macros, Timers and Variables used by PLUGSM.....	577
Table 321 – Remote primitives issued or received by PULLSM.....	577
Table 322 – Local primitives issued or received by PULLSM.....	578
Table 323 – State table PULLSM	579
Table 324 – Functions, Macros, Timers and Variables used by PULLSM	579
Table 325 – Remote primitives issued or received by SYNC_DIAG	580
Table 326 – Local primitives issued or received by SYNC_DIAG.....	580
Table 327 – State table SYNC_DIAG	581
Table 328 – Functions, Macros, Timers and Variables used by SYNC_DIAG	582
Table 329 – Remote primitives issued or received by CTLSM	584
Table 330 – Local primitives issued or received by CTLSM.....	584
Table 331 – State table CTLSM	586
Table 332 – Functions, Macros, Timers and Variables used by CTLSM.....	588
Table 333 – FAL services of the IO device.....	590
Table 334 – FAL services of the IO controller	590

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELD BUS SPECIFICATIONS –****Part 5-10: Application layer service definition –
Type 10 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-5-10 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below: