



IEC 61400-25-4

Edition 2.0 2016-11
REDLINE VERSION

INTERNATIONAL STANDARD



Wind turbines energy generation systems –
Part 25-4: Communications for monitoring and control of wind power plants –
Mapping to communication profile
<http://standards.iteh.ai>)
Document Preview

[IEC 61400-25-4:2016](#)

<https://standards.iteh.ai/catalog/standards/iec/8a23ff1b-518b-4ce3-9581-d8adc05d578f/iec-61400-25-4-2016>





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC 61400-25-4:2016

<https://standards.iteh.ai/catalog/standards/iec/8a23ff1b-518b-4ce3-9581-d8adc05d578f/iec-61400-25-4-2016>



IEC 61400-25-4

Edition 2.0 2016-11
REDLINE VERSION

INTERNATIONAL STANDARD



Wind turbines energy generation systems –
Part 25-4: Communications for monitoring and control of wind power plants –
Mapping to communication profile
Document Preview

[IEC 61400-25-4:2016](#)

<https://standards.iteh.ai/catalog/standards/iec/8a23ff1b-518b-4ce3-9581-d8adc05d578f/iec-61400-25-4-2016>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.180

ISBN 978-2-8322-3668-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	12
INTRODUCTION	15
1 Scope	16
2 Normative references	17
3 Terms and definitions	20
4 Abbreviated terms	21
5 General overview	22
5.1 General	22
5.2 Mapping to protocol stacks	23
5.3 Services of IEC 61400-25-3 mapped to protocol stacks	24
Annex A (normative) Specific communication service mapping – Definition and mapping to Web Services	27
A.1 General	27
A.1.1 Introduction to definition and mapping to Web Services	27
A.1.2 Scope of the definition and mapping to Web Services	27
A.1.3 The mapping architecture	27
A.2 Reference specific to Web services	27
A.2.1 Mapping of the IEC 61400-25 Information Model to Web Services	30
A.2.1.1 General introduction to Annex A mapping to web services	30
A.2.1.2 SERVER class	30
A.2.1.3 LOGICAL-DEVICE class	30
A.2.1.4 LOGICAL-NODE class	30
A.2.1.5 DATA class	30
A.2.1.6 DATA-SET class	30
A.2.1.7 DATA-OBJECT class	33
A.2.1.8 DATA-ATTRIBUTE definition	34
A.2.1.9 DAType class	34
A.2.1.10 REPORT-CONTROL-BLOCK class	34
A.2.1.11 BUFFERED-REPORT-CONTROL-BLOCK class (BRCB)	34
A.2.1.12 UNBUFFERED-REPORT-CONTROL-BLOCK class (URCB)	34
A.2.1.13 LOG-CONTROL-BLOCK class (LCB)	34
A.2.1.14 LOG class	34
A.3 Abbreviated terms	34
A.3.1 Mapping of the Information Exchange Model to Web Services	34
A.3.1.1 General	34
A.3.1.2 SERVER class service mapping	34
A.3.1.3 LOGICAL-DEVICE class service mapping	41
A.3.1.4 LOGICAL-NODE class services mapping	42
A.3.1.5 DATA class services mapping	45
A.3.1.6 DATA-SET class services mapping	56
A.3.1.7 REPORT-CONTROL-BLOCK (RCB) class services mapping	63
A.3.1.8 LOG-CONTROL-BLOCK (LCB) class services mapping	81
A.3.1.9 LOG class services mapping	84
A.3.1.10 CONTROL class services mapping	89
A.4 Protocol stack details	102
A.5 The WSDL specification for the definition and mapping to Web Services	103

Annex B (normative) Specific communication service mapping – Mapping to OPC XML-DA	138
B.1 General	138
B.1.1 Introduction to mapping to OPC XML-DA	138
B.1.2 Scope for the mapping to OPC XML-DA	138
B.1.3 The mapping architecture	138
B.2 Reference specific to OPC XML-DA mapping	
B.2 Mapping of the IEC 61400-25 Information Model to OPC XML-DA	142
B.2.1 Mapping of IEC 61400-25-2 Information Model classes to OPC XML-DA	142
B.2.2 Server	142
B.2.3 Logical Device	143
B.2.4 Logical Node	143
B.2.5 Data Object	143
B.2.6 Data Attribute	145
B.3 Abbreviated terms	
B.3 Mapping of the Information Exchange Model to OPC XML-DA services	151
B.3.1 General	151
B.3.2 Association model (<i>informative</i>)	151
B.5.3 Server class model	
B.3.3 Server class services – GetServerDirectory	155
B.5.4 Logical device class model	
B.3.4 Logical device class services – GetLogicalDeviceDirectory	157
B.3.5 Logical node class models services	159
B.3.6 Data class models services	161
B.3.7 Data set class model (<i>informative</i>)	169
B.3.8 Report class model	173
B.3.9 Control model	178
B.4 Protocol stack details	188
Annex C (normative) Specific communication service mapping – Mapping to ISO 9506 specified in IEC 61850-8-1	190
C.1 General	190
C.1.1 Introduction to mapping to ISO 9506 specified in IEC 61850-8-1	190
C.1.2 Scope of the mapping to ISO 9506 specified in IEC 61850-8-1	190
C.1.3 The mapping architecture	190
C.2 Reference specific to Annex C	
C.2 Mapping of the IEC 61400-25 Information Model to ISO 9506 as specified in IEC 61850-8-1	193
C.2.1 General	193
C.2.2 Extended Logging services	195
C.3 Abbreviated terms for Annex C	
C.3 Protocol stack details	196
C.3.1 General	196
C.3.2 A-Profile	196
C.3.3 TCP/IP T-Profile	197
C.5 Mapping of the extended Information Exchange Model to ISO 9506	
Annex D (normative) Specific communication service mapping – Mapping to IEC 60870-5-104 specified in IEC TS 61850-80-1	198
D.1 General	198
D.1.1 Introduction to mapping to IEC 60870-5-104 specified in IEC TS 61850-80-1	198

D.1.2	Scope of the mapping to IEC 60870-5-104 specified in IEC TS 61850-80-1.....	198
D.1.3	The mapping architecture	198
D.2 References specific to the mapping to IEC 60870-5-104		
D.2	Mapping of the IEC 61400-25 Information Model to IEC 60870-5-104 as specified in IEC TS 61850-80-1.....	202
D.2.1	General	202
D.2.2	Logical Device IM class mapping	203
D.2.3	Logical Node IM class mapping	204
D.3 Abbreviated terms		
D.3	Mapping of IEC 61400-25 Information Model data to IEC 60870-5-104	204
D.3.1	Mapping of the Common Data Classes (CDC)	204
D.4	Mapping of the Information Exchange Model to IEC 60870-5-104 services	215
D.4.1	List of service models and corresponding mappings	215
D.4.2	Control class mapping	216
D.5	Protocol stack selections for IEC 60870-5-104 (Protocol stack details)	229
D.5.1	General	229
D.5.2	Structure of application data	229
D.5.3	IEC 60870-5-104 Interoperability	229
D.6	Use of SCL (Substation Configuration Language) extension to include IEC 60870-5-101/104 information (informative)	242
D.6.1	General	242
D.6.2	SCL information model hierarchy	242
D.6.3	IEC 60870-5-101/104 Private section syntax	242
D.6.4	IEC 60870-5-104 communication parameters configuration using SCL.....	242
Annex E (normative)	Specific communication service mapping – Mapping to DNP3	243
E.1	General.....	243
E.1.1	Introduction to mapping to DNP3	243
E.1.2	Scope for the mapping to DNP3.....	243
E.1.3	Mapping architecture	243
E.2 References specific to DNP3 services		
E.2	Mapping of the IEC 61400-25 Information Model to DNP3	247
E.4.1 Relationship of Common Data Class and Data Set Prototypes		
E.4.2 Relationship of Quality Mapping to SQ2		
E.4.3 CDC Measured Value (MV)		
E.2.1	Mapping of IEC 61850-7-3 inherited common Data Classes	247
E.2.2	CDC Setpoint Parameter Value (SPV)	247
E.2.3	CDC Status Value (STV).....	249
E.2.4	CDC Alarm (ALM).....	251
E.2.5	CDC Command (CMD).....	252
E.2.6	CDC Event Counting (CTE)	254
E.2.7	CDC State Timing (TMS)	255
E.4.10 CDC Single Point Status (SPS)		
E.4.11 CDC Integer Status (INS)		
E.4.12 CDC Controllable Single Point (SPS)		
E.4.13 CDC Controllable Integer Status (INC)		
E.4.14 CDC Binary Counter Reading (BCR)		
E.4.15 CDC Controllable Analogue set point (APC)		
E.4.16 CDC Phase to ground related to measured value of a three phase system (WYE)		

E.4.17 CDC Phase to phase related measured value of a three phase system (DEL)	
E.2.8 CDC Device Name Plate (WDPL).....	259
E.4.19 CDC Logical Node Name Plate (LPL)	
E.2.9 CDC Alarm Set Status (ASS AST)	260
E.4.21 Relationship of Data Class Attributes and Data Set Descriptors	
E.4.22 Role of the DNP Users Group	
E.3 Abbreviated terms	
E.3 Mapping of the Information Exchange Model to DNP3 services	262
E.6 Protocol stack details	
E.6.1 DNP DEVICE PROFILE DOCUMENT	
Annex F (normative) Time synchronization	264
F.1 General.....	264
F.2 A-Profile	264
F.3 T-Profile.....	264
Annex G (informative) Interfaces – Implementation considerations	265
G.1 General.....	265
G.2 Example interfaces of a real system.....	265
Bibliography.....	267

Figure 1 – Conceptual communication model of IEC 61400-25 series	17
Figure 2 – Communication profiles	24
Figure A.1 – Mapping architecture (conceptual)	28
Figure A.2 – Naming structure applied in the IEC 61400-25 series (conceptual).....	31
Figure A.3 – Client behavior in the reporting service (conceptual).....	64
Figure A.4 – Server behavior in the reporting service (conceptual).....	66
Figure A.5 – Reporting Services mechanism (conceptual).....	67
Figure B.1 – Mapping architecture (conceptual)	139
Figure B.2 – Differences between OPC XML-DA and IEC Information Model timestamp.....	149
Figure B.3 – Sequence of services to establish an association.....	154
Figure B.4 – CreateDataSet sequence of services	171
Figure C.1 – Mapping architecture (conceptual)	191
Figure D.1 – Mapping architecture (conceptual)	199
Figure D.2 – Direct Control with Normal Security with status update – positive case	217
Figure D.3 – Direct Control with Normal Security in general – negative case a)	218
Figure D.4 – Direct Control with Normal Security in general – negative case b)	218
Figure D.5 – Direct Control with Normal Security with status update – negative case c).....	219
Figure D.6 – Direct Control with Normal Security without status update – positive case	220
Figure D.7 – Direct Control with Enhanced Security – positive case.....	221
Figure D.8 – Direct Control with Enhanced Security – negative case c).....	222
Figure D.9 – Direct Control with Enhanced Security – negative case d)	223
Figure D.10 – SBOw control – positive case	224
Figure D.11 – SBOw control – negative case a)	224
Figure D.12 – SBOw control – negative case b)	225
Figure D.13 – SBOw control – negative case c)	226

Figure D.14 – SBO with Enhanced Security – positive case	227
Figure D.15 – SBO with Enhanced Security – negative case a).....	228
Figure D.16 – SBO with Enhanced Security – negative case b).....	229
Figure E.1 – Mapping architecture (conceptual)	244
Figure G.1 – Implementation issues (example)	266
 Table 1 – Mapping overview of IEC 61400-25-3 services	25
Table A.1 – Web Services mapping overview of IEC 61400-25 IM and IEM	29
Table A.2 – Mapping the IEC 61400-25 IM to Web Services.....	30
<u>Table A.3 – Mapping of IEC 61400-25 data attribute basic types</u>	
Table A.3 – XML schema for wind power information model.....	33
Table A.4 – Server class services mapped to Web Services	34
Table A.5 – GetServerDirectoryRequest	35
Table A.6 – GetServerDirectoryResponse	36
Table A.7 – AssociateRequest	37
Table A.8 – AssociateResponse	38
Table A.9 – ReleaseRequest.....	39
Table A.10 – ReleaseResponse	39
Table A.11 – AbortRequest.....	40
Table A.12 – AbortResponse	40
Table A.13 – LOGICAL-DEVICE service mapping	41
Table A.14 – GetLogicalDeviceDirectoryRequest	41
Table A.15 – GetLogicalDeviceDirectoryResponse	42
Table A.16 – LOGICAL-NODE mapping	42
Table A.17 – GetLogicalNodeDirectoryRequest	43
Table A.18 – GetLogicalNodeDirectoryResponse	44
Table A.19 – GetAllDataValuesRequest	44
Table A.20 – GetAllDataValuesResponse	45
Table A.21 – Data mapping	45
Table A.22 – GetDataValuesRequest	46
Table A.23 – GetDataValuesResponse	47
Table A.24 – SetDataValuesRequest	50
Table A.25 – SetDataValuesResponse.....	50
Table A.26 – GetDataDirectoryRequest	51
Table A.27 – GetDataDirectoryResponse	52
Table A.28 – GetDataDefinitionRequest	53
Table A.29 – GetDataDefinitionResponse	53
Table A.30 – DATA-SET mapping	56
Table A.31 – GetDataSetValuesRequest.....	57
Table A.32 – GetDataSetValuesResponse	57
Table A.33 – SetDataSetValuesRequest	59
Table A.34 – SetDataSetValuesResponse	59
Table A.35 – CreateDataSetRequest	60

Table A.36 – CreateDataSetResponse	61
Table A.37 – DeleteDataSetRequest	61
Table A.38 – DeleteDataSetResponse	62
Table A.39 – GetDataSetDirectoryRequest	62
Table A.40 – GetDataSetDirectoryResponse	63
Table A.41 – AddSubscriptionRequest	
Table A.41 – Report control block services mapping	64
Table A.42 – AddSubscriptionResponse	
Table A.42 – ReportFormat	68
Table A.43 – RemoveSubscriptionRequest	
Table A.43 – GetBRCBValuesRequest	69
Table A.44 – RemoveSubscriptionResponse	
Table A.44 – GetBRCBValuesResponse	70
Table A.45 – SetBRCBValuesRequest	73
Table A.46 – SetBRCBValuesResponse	74
Table A.47 – GetURCBValuesRequest	75
Table A.48 – GetURCBValuesResponse	76
Table A.49 – SetURCBValuesRequest	78
Table A.50 – SetURCBValuesResponse	79
Table A.51 – ReportRequest	80
Table A.52 – ReportResponse	81
Table A.53 – LOG-CONTROL-BLOCK services mapping	81
Table A.54 – GetLCBValuesRequest	82
Table A.55 – GetLCBValuesResponse	82
Table A.56 – SetLCBValuesRequest	83
Table A.57 – SetLCBValuesResponse	84
Table A.58 – Log class services mapping	84
Table A.59 – GetLogStatusValuesRequest	85
Table A.60 – GetLogStatusValuesResponse	85
Table A.61 – QueryLogByTimeRequest	86
Table A.62 – QueryLogByTimeResponse	87
Table A.63 – QueryLogAfterRequest	87
Table A.64 – QueryLogAfterResponse	88
Table A.65 – Control class services mapping	90
Table A.66 – SelectRequest	90
Table A.67 – SelectResponse	91
Table A.68 – SelectWithValueRequest	92
Table A.69 – SelectWithValueResponse	93
Table A.70 – CancelRequest	94
Table A.71 – CancelResponse	95
Table A.72 – OperateRequest	96
Table A.73 – OperateResponse	97
Table A.74 – CommandTerminationRequest	98

Table A.75 – CommandTerminationResponse.....	98
Table A.76 – TimeActivatedOperateRequest.....	99
Table A.77 – TimeActivatedOperateResponse	100
Table A.78 – TimeActivatedOperateTerminationRequest	101
Table A.79 – TimeActivatedOperateTerminationResponse	101
Table A.80 – AddCause parameter response	102
Table A.81 – Protocol stack selections.....	103
Table B.1 – Mapping of IEC 61400-25-3 IEM service into OPC XML-DA services	139
Table B.2 – Mapping of IEC 61400-25-2 IM classes to OPC XML-DA.....	142
Table B.3 – Server class attributes	142
Table B.4 – Logical Device Class attributes	143
Table B.5 – Logical Node Class attributes.....	143
Table B.6 – Data Object Class attributes	145
Table B.7 – Data Attribute Type (DAType) Class attributes	146
Table B.8 – Mapping of the attribute BasicTypes	146
Table B.9 – New OPC XML-DA Error codes	148
Table B.10 – Timestamp mapping	149
Table B.11 – Mapping of the Quality attribute	150
Table B.12 – Cookie parameter explanation.....	153
Table B.13 – IEM GetServerDirectory mapping	155
Table B.14 – IEM GetServerDirectory mapping detailed.....	156
Table B.15 – IEM GetLogicalDeviceDirectory mapping.....	157
Table B.16 – IEM GetLogicalDeviceDirectory mapping detailed	157
Table B.17 – GetLogicalDeviceDirectory GetLogicalDeviceDirectory negative response mapping to IEM ServiceError	159
Table B.18 – IEM GetLogicalNodeDirectory mapping	159
Table B.19 – IEM GetLogicalNodeDirectory mapping detailed.....	160
Table B.20 – GetLogicalNodeDirectory negative response mapping to IEM ServiceError	161
Table B.21 – IEM GetDataValues mapping	162
Table B.22 – IEM GetDataValues mapping detailed	162
Table B.23 – GetDataValues negative response mapping to IEM ServiceError.....	164
Table B.24 – IEM SetDataValues mapping.....	164
Table B.25 – IEM SetDataValues mapping detailed	164
Table B.26 – SetDataValues negative response mapping to IEM ServiceError	166
Table B.27 – IEM GetDataDirectory mapping	167
Table B.28 – IEM GetDataDirectory mapping detailed.....	168
Table B.29 – GetDataDirectory negative response mapping to IEM ServiceError	169
Table B.30 – Mapping of CreateDataSet service parameters	171
Table B.31 – CreateDataSet negative response mapping to IEM ServiceError	171
Table B.32 – GetDataSetValues negative response mapping to IEM ServiceError	172
Table B.33 – SetDataSetValues negative response mapping to IEM ServiceError	172
Table B.34 – OPC Subscription attributes' constrained value	173
Table B.35 – AddSubscription service parameter constraints	

Table B.35 – Subscribe.....	175
Table B.36 – Mapping of AddSubscription service parameters Subscription Cancel	177
Table B.37 – AddSubscription negative response mapping to IEM ServiceError.....	
Table B.37 – Fault mapping to IEM ServiceError.....	177
Table B.38 – Mapping of RemoveSubscription service parameters	
Table B.38 – Mapping of Report service parameters	177
Table B.39 – Control models supported in this mapping.....	178
Table B.40 – Report service parameters	
Table B.40 – Control services supported.....	178
Table B.41 – Control model writable custom item properties	180
Table B.42 – AddCause mapping to OPC Error Code.....	181
Table B.43 – Select request service mapping.....	182
Table B.44 – Control model writable custom item properties	165
Table B.44 – SelectWithValue service parameter mapping.....	183
Table B.45 – AddCause mapping to OPC Error Code	166
Table B.45 – Cancel service parameter mapping	184
Table B.46 – Cancel negative response mapping to IEM ServiceError	184
Table B.47 – Operate service parameter mapping.....	185
Table B.48 – Operate negative response mapping to IEM ServiceError.....	185
Table B.49 – TimeActivatedOperate service parameter mapping.....	186
Table B.50 – TimeActivatedOperate negative response mapping to IEM ServiceError.....	187
Table B.51 – Protocol stack details	188
Table B.54 – CommandTermination + service parameter mapping	
Table B.55 – CommandTermination – service parameter mapping	
Table C.1 – Mapping of IEC 61400-25-3 IEM to ISO 9506 according to IEC 61850-8-1.....	192
Table C.2 – Mapping of AddSubscription service (Step 1).....	
Table C.2 – QueryLogByTime mapping	195
Table C.3 – Mapping of AddSubscription service (Step 2).....	
Table C.3 – QueryLogAfter mapping	196
Table C.4 – Mapping of AddSubscription service (Step 3).....	
Table C.4 – Service and protocols for client/server communication A-Profile.....	196
Table C.5 – AddSubscription Negative response.....	
Table C.5 – Service and protocols for client/server TCP/IP T-Profile	197
Table C.6 – Mapping of RemoveSubscription service – First MMS service	
Table C.7 – Mapping of RemoveSubscription service – second MMS service	
Table C.8 – RemoveSubscription Negative response	
Table D.1 – Services Mapping overview of IEC 61400-25 IM and IEM.....	200
Table D.2 – Example for mapping of LD and LN to CASDU and IOA	203
Table D.3 – Logical device mapping.....	203
Table D.4 – Logical node mapping	204
Table D.5 – CDCs defined in IEC 61400-25-2	205
Table D.6 – CDC: Status Value, STV class	205
Table D.7 – CDC: Setpoint Value, SPV class	205

Table D.8 – CDC: Alarm, ALM class	206
Table D.9 – CDC: Command CMD class	206
Table D.10 – CDC: Event Counting, CTE class	206
Table D.11 – CDC: State Timing, TMS class	207
Table D.12 – Mapping structure basic CDC.....	207
Table D.13 – CDC: Controllable Analog set point, APC class	209
Table D.14 – CDC: Controllable analogue set point information (APC) mapping of data attributes of the Functional Constraint MX	209
Table D.15 – CDC: Controllable Analog set point, APC class mapping of data and attributes of the Functional Constraint CO	210
Table D.16 – Relationship between complex CDCs and IEC 60870-5-104 ASDUs	
Table D.16 – CDC: Enumerated status, ENS class.....	210
Table D.17 – CDC: Enumerated status, ENS class mapping of data and attributes of the Functional Constraint ST.....	211
Table D.18 – CDC: ENC Controllable enumerated status, class ENC	212
Table D.19 – CDC: Controllable enumerated status, ENC class mapping of data and attributes of the Functional Constraint CO	212
Table D.20 – CDC: ENG Enumerated status setting, class ENG	214
Table D.21 – Relationship between complex CDCs and IEC 60870-5-104 ASDUs	214
Table D.22 – Mapping of IEC 61400-25 ACSI service into IEC 60870-5-104 services	215
Table E.1 – Services requiring Client/Server Communication Profile	245
Table E.2 – Quality mapping	
Table E.2 – CDC: Setpoint Parameter Value (SPV) mapping	248
Table E.3 – CDC: Measured Value (MV) mapping	
Table E.3 – CDC: Status Value (STV) mapping	250
Table E.4 – CDC: Alarm (ALM) mapping	251
Table E.5 – CDC: Command (CMD) mapping.....	253
Table E.6 – CDC: Event Counting (CTE) mapping.....	254
Table E.7 – CDC: State Timing (TMS) mapping	256
Table E.8 – CDC: Device Name Plate (WDPL) mapping.....	259
Table E.9 – CDC: Alarm Set Status (ASS AST) mapping	260
Table E.10 – CDC: Single Point Status (SPS) mapping	
Table E.11 – CDC: Integer Status (INS) mapping	
Table E.12 – CDC: Controllable single point (SPC) mapping	
Table E.13 – CDC: Controllable integer status (INC) mapping	
Table E.14 – CDC: Binary Counter Reading (BCR) mapping	
Table E.15 – CDC: Controllable analogue set point (APC) mapping	
Table E.16 – CDC: Phase to ground (WYE) mapping	
Table E.17 – CDC: Phase to phase (DEL) mapping	
Table E.18 – CDC: Device Name Plate (WDPL) mapping	
Table E.19 – CDC: Logical Node Name Plate (LPL) mapping	
Table E.20 – CDC: Alarm Set Status (ASS) mapping	
Table E.21 – Sample Data Class Attribute mapping	
Table E.22 – Sample Data Class mapping	

~~Table E.23 — Sample partial Data Class mapping~~ |

**iTeh Standards
(<https://standards.iteh.ai>)
Document Preview**

[IEC 61400-25-4:2016](#)

<https://standards.iteh.ai/catalog/standards/iec/8a23ff1b-518b-4ce3-9581-d8adc05d578f/iec-61400-25-4-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ~~TURBINES~~ ENERGY GENERATION SYSTEMS –

Part 25-4: Communications for monitoring and control of wind power plants – Mapping to communication profile

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.