

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 6-10: Application layer protocol specification – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-10: Spécification du protocole de la couche application – Eléments
de type 10**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 6-10: Application layer protocol specification – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-10: Spécification du protocole de la couche application – Eléments
de type 10**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1761-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	28
INTRODUCTION.....	31
1 Scope.....	33
1.1 General.....	33
1.2 Specifications.....	33
1.3 Conformance.....	34
2 Normative references.....	34
3 Terms, definitions, abbreviations, symbols and conventions.....	36
3.1 Referenced terms and definitions.....	36
3.2 Additional terms and definitions for decentralized periphery.....	37
3.3 Abbreviations and symbols.....	45
3.4 Conventions.....	48
4 Application layer protocol specification for common protocols.....	56
4.1 FAL syntax description.....	56
4.2 Transfer syntax.....	59
4.3 Discovery and basic configuration.....	71
4.4 Precision working time control.....	110
4.5 Time synchronization.....	185
4.6 Media redundancy.....	185
4.7 Real time cyclic.....	185
4.8 Real time acyclic.....	213
4.9 Fragmentation.....	231
4.10 Remote procedure call.....	247
4.11 Link layer discovery.....	265
4.12 MAC Bridges.....	276
4.13 Virtual bridges.....	305
4.14 IP suite.....	314
4.15 Domain name system.....	317
4.16 Dynamic host configuration.....	318
4.17 Simple network management.....	319
4.18 Common DLL Mapping Protocol Machines.....	320
5 Application layer protocol specification for decentralized periphery.....	325
5.1 FAL syntax description.....	325
5.2 Transfer syntax.....	343
5.3 FAL protocol state machines.....	522
5.4 AP-Context state machine.....	524
5.5 FAL Service Protocol Machines.....	524
5.6 Application Relationship Protocol Machines.....	544
5.7 DLL Mapping Protocol Machines.....	663
Annex A (normative) Unified establishing of an AR for all RT classes.....	664
Annex B (normative) Compatible establishing of an AR.....	670
Annex C (informative) Establishing of a device access AR.....	673
Annex D (informative) Establishing of an AR (accelerated procedure).....	674
Annex E (informative) Establishing of an AR (fast startup procedure).....	677
Annex F (informative) Example of the upload, storage and retrieval procedure.....	679

Annex G (informative) OSI reference model layers.....	682
Annex H (informative) Overview of the IO controller and the IO device state machines	683
Annex I (informative) Priority regeneration	685
Annex J (informative) Overview of the PTCP synchronization master hierarchy	687
Annex K (informative) Optimization of bandwidth usage.....	689
Annex L (informative) Time constraints for bandwidth allocation	691
Annex M (informative) Time constraints for the forwarding of a frame	693
Annex N (informative) Principle of dynamic frame packing	694
Annex O (informative) Principle of Fragmentation	697
Annex P (informative) MRPD – Principle of seamless media redundancy.....	700
Annex Q (normative) Principle of a RED_RELAY without forwarding information in PDIRFrameData	702
Annex R (informative) Optimization for fast startup without autonegotiation	704
Annex S (informative) TX-error handling	706
Annex T (informative) Example of a PrmBegin, PrmEnd and ApplRdy sequence	707
Annex U (informative) List of supported MIBs	708
Annex V (informative) Structure and content of BLOB.....	709
Annex W (normative) LLDP EXT MIB.....	710
Bibliography.....	727
Figure 1 – Common structure of specific fields.....	49
Figure 2 – Common structure of specific fields for octet 1 (high)	50
Figure 3 – Common structure of specific fields for octet 2 (low)	50
Figure 4 – Common structure of specific fields for octet 1 (high)	51
Figure 5 – Common structure of specific fields for octet 2	51
Figure 6 – Common structure of specific fields for octet 3	52
Figure 7 – Common structure of specific fields for octet 4 (low)	52
Figure 8 – Coding of the data type BinaryDate.....	61
Figure 9 – Encoding of TimeOfDay with date indication value	61
Figure 10 – Encoding of TimeOfDay without date indication value	62
Figure 11 – Encoding of TimeDifference with date indication value	62
Figure 12 – Encoding of TimeDifference without date indication value	62
Figure 13 – FastForwardingMulticastMACAdd.....	66
Figure 14 – State transition diagram of DCPUCS	95
Figure 15 – State transition diagram of DCPUCR.....	99
Figure 16 – State transition diagram of DCPMCS.....	102
Figure 17 – State transition diagram of DCPMCR	105
Figure 18 – State transition diagram of DCPHMCS	108
Figure 19 – State transition diagram of DCPHMCR	109
Figure 20 – PTCP_SequenceID value range	115
Figure 21 – Timescale correspondence between PTCP_Time and CycleCounter	118
Figure 22 – Message timestamp point.....	123

Figure 23 – Timer model	123
Figure 24 – Four message timestamps	124
Figure 25 – Line delay protocol with follow up	125
Figure 26 – Line delay protocol without follow up	125
Figure 27 – Line delay measurement	127
Figure 28 – Model parameter for GSDML usage	129
Figure 29 – Bridge delay measurement	130
Figure 30 – Delay accumulation	131
Figure 31 – Worst case accumulated time deviation of synchronization	132
Figure 32 – Scheme for measurement of deviation	132
Figure 33 – Measurement of deviation	132
Figure 34 – PTCP master sending Sync-Frame without Follow Up-Frame	133
Figure 35 – PTCP master sending Sync-Frame with FollowUp-Frame	134
Figure 36 – !FU Sync Slave Forwarding Sync-Frame	135
Figure 37 – FU Sync Slave Forwarding Sync- and FollowUp-Frame	136
Figure 38 – FU Sync Slave Forwarding Sync- and Generating FollowUp-Frame	137
Figure 39 – Principle of the monitoring of the line delay measurement	138
Figure 40 – State transition diagram of DELAY_REQ	140
Figure 41 – State transition diagram of DELAY_RSP	147
Figure 42 – Overview of PTCP	151
Figure 43 – State transition diagram of SYN_BMA	153
Figure 44 – State transition diagram of SYN_MPSM	163
Figure 45 – State transition diagram of SYN_SPSM	169
Figure 46 – State transition diagram of SYNC_RELAY	175
Figure 47 – State transition diagram of SCHEDULER	182
Figure 48 – CycleCounter value range	187
Figure 49 – Structure of the CycleCounter	188
Figure 50 – Optimized CycleCounter setting	189
Figure 51 – SFCRC16 generation rule	192
Figure 52 – SFCycleCounter value range	194
Figure 53 – Basic structure of a PPM with frame structure	196
Figure 54 – Basic structure of a PPM with subframe structure	197
Figure 55 – State transition diagram of PPM	199
Figure 56 – Basic structure of a CPM	203
Figure 57 – State transition diagram of CPM	205
Figure 58 – Addressing scheme of RTA	215
Figure 59 – Structure of the APM	218
Figure 60 – Structure of the APMS	219
Figure 61 – State transition diagram of APMS	221
Figure 62 – Structure of the APMR	226
Figure 63 – State transition diagram of APMR	228
Figure 64 – State transition diagram of FRAG_D	238
Figure 65 – State transition diagram of FRAG_S	241

Figure 66 – State transition diagram of DEFRAG	244
Figure 67 – State transition diagram of RTC3PSM	280
Figure 68 – State transition diagram for generating events	284
Figure 69 – State transition diagram of RED_RELAY	285
Figure 70 – Scheme of the DFP_RELAY	289
Figure 71 – Scheme of the DFP_INBOUND and DFP_STORAGE	290
Figure 72 – Scheme of the DFP_OUTBOUND	290
Figure 73 – State transition diagram of DFP_RELAY	291
Figure 74 – State transition diagram of DFP_RELAY_INBOUND	294
Figure 75 – State transition diagram of DFP_RELAY_IN_STORAGE	298
Figure 76 – State transition diagram of DFP_RELAY_OUTBOUND	302
Figure 77 – State transition diagram of MUX	306
Figure 78 – State transition diagram of DEMUX	311
Figure 79 – Structuring of the protocol machines within the DMPM (bridge)	321
Figure 80 – State transition diagram of LMPM	323
Figure 81 – AlarmSpecifier.SequenceNumber value range	357
Figure 82 – FrameSendOffset vs. duration of a cycle	393
Figure 83 – Severity classification of diagnosis, maintenance and qualified	436
Figure 84 – Calculation principle for a cycle	455
Figure 85 – Calculation principle for the minimum YellowTime	456
Figure 86 – Definition of the reserved interval	462
Figure 87 – Toplevel view to the PLL window	466
Figure 88 – Definition of PLL window	466
Figure 89 – Toplevel view to the time PLL window	469
Figure 90 – Definition of time PLL window	470
Figure 91 – Detection of dropped frames — appear	478
Figure 92 – Detection of dropped frames — disappear	478
Figure 93 – Detection of DFP late error — appear and disappear	485
Figure 94 – MediaRedundancyWatchDog expired — appear and disappear	486
Figure 95 – Relationship among Protocol Machines	523
Figure 96 – State transition diagram of ALPMI	546
Figure 97 – State transition diagram of ALPMR	550
Figure 98 – Scheme of the IO device CM	553
Figure 99 – State transition diagram of the IO device CM	555
Figure 100 – State transition diagram of CMDEV	559
Figure 101 – Scheme of the IO device CM – device access	563
Figure 102 – State transition diagram of CMDEV_DA	565
Figure 103 – State transition diagram of CMSU	569
Figure 104 – State transition diagram of CMIO	574
Figure 105 – State transition diagram of CMWRR	578
Figure 106 – State transition diagram of CMRDR	582
Figure 107 – State transition diagram of CMSM	584
Figure 108 – State transition diagram of CMPBE	588

Figure 109 – State transition diagram of CMDMC	593
Figure 110 – State transition diagram of CMINA	597
Figure 111 – State transition diagram of CMRPC	606
Figure 112 – Scheme of the IO controller CM	612
Figure 113 – State transition diagram of the IO controller CM	613
Figure 114 – State transition diagram of CMCTL	617
Figure 115 – State transition diagram of CTLISM	623
Figure 116 – State transition diagram of CTLIO	626
Figure 117 – State transition diagram of CTRLDI	629
Figure 118 – State transition diagram of CTRLDR	632
Figure 119 – State transition diagram of CTRLPC	636
Figure 120 – State transition diagram of CTLSU	641
Figure 121 – State transition diagram of CTLWRI	646
Figure 122 – State transition diagram of CTLWRR	650
Figure 123 – State transition diagram of CTLPBE	653
Figure 124 – State transition diagram of CTLDINA	658
Figure 125 – Automatic NameOfStation assignment	663
Figure A.1 – Establishing of an AR using RT_CLASS_1, RT_CLASS_2 or RT_CLASS_3 (Initial connection monitoring w/o RT)	665
Figure A.2 – Establishing of an AR using RT_CLASS_1, RT_CLASS_2 or RT_CLASS_3 (Connection monitoring with RT)	666
Figure A.3 – Principle of the data evaluation during startup (RED channel establishment delayed)	667
Figure A.4 – Principle of the data evaluation during startup (RED channel establishment early)	668
Figure A.5 – Principle of the data evaluation during startup (Special case: Isochronous mode application)	669
Figure B.1 – Establishing of an AR using RT_CLASS_3 AR with startup mode “Legacy”	671
Figure B.2 – Establishing of an AR using RT_CLASS_1, 2 or UDP AR with startup mode “Legacy”	672
Figure C.1 – Establishing of a device access AR	673
Figure D.1 – Accelerated establishing of an IOAR without error	675
Figure D.2 – Accelerated establishing of an IOAR with “late” error	676
Figure E.1 – Establishing of an IOAR using fast startup	678
Figure F.1 – Example of upload with storage	680
Figure F.2 – Example of retrieval with storage	681
Figure G.1 – Assignment of the OSI reference model layers	682
Figure H.1 – Overview of the IO controller state machines	683
Figure H.2 – Overview of the IO device state machines	683
Figure H.3 – Overview of the common state machines	684
Figure J.1 – Level model for synchronization master hierarchy	687
Figure J.2 – Two level variant of the synchronization master hierarchy	688
Figure K.1 – Devices build up in a linear structure	689
Figure K.2 – Propagation of frames in linear transmit direction	689
Figure K.3 – Propagation of a frames in receive direction	690

Figure L.1 – Overview of time constraints for bandwidth allocation.....	691
Figure L.2 – Calculation of the length of a RED period.....	691
Figure L.3 – Calculation of the length of a GREEN period.....	692
Figure M.1 – Minimization of bridge delay.....	693
Figure N.1 – Dynamic frame packing.....	694
Figure N.2 – Dynamic frame packing – truncation of outputs.....	695
Figure N.3 – Dynamic frame packing – concatenation of inputs.....	695
Figure N.4 – End node mode.....	696
Figure N.5 – DFPFeed definition.....	696
Figure O.1 – Principle of fragmentation.....	697
Figure O.2 – Protocol elements of fragments.....	697
Figure O.3 – Bandwidth allocation using fragmentation.....	698
Figure O.4 – Guardian for a fragmentation domain.....	698
Figure P.1 – Principle of seamless media redundancy – I/OCR.....	700
Figure P.2 – Principle of seamless media redundancy – MCR.....	701
Figure P.3 – Principle of seamless media redundancy – Line.....	701
Figure Q.1 – Generating the FrameSendOffset for a RED_RELAY without forwarding information in PDIRFrameData.....	702
Figure R.1 – Scheme of a 2-port switch.....	704
Figure R.2 – Scheme of 2-ports.....	704
Figure T.1 – PrmBegin, PrmEnd and ApplRdy procedure.....	707
Table 1 – State machine description elements.....	53
Table 2 – Description of state machine elements.....	53
Table 3 – Conventions used in state machines.....	53
Table 4 – Conventions for services used in state machines.....	54
Table 5 – IEEE 802.3 DLPDU syntax.....	56
Table 6 – IEEE 802.11 DLPDU syntax.....	57
Table 7 – IEEE 802.15.1 DLPDU syntax.....	58
Table 8 – SourceAddress.....	63
Table 9 – DCP_MulticastMACAdd for Identify.....	64
Table 10 – DCP_MulticastMACAdd for Hello.....	64
Table 11 – DCP_MulticastMACAdd.....	64
Table 12 – PTCP_MulticastMACAdd range 1.....	64
Table 13 – PTCP_MulticastMACAdd range 2.....	64
Table 14 – PTCP_MulticastMACAdd range 3.....	65
Table 15 – PTCP_MulticastMACAdd range 4.....	65
Table 16 – PTCP_MulticastMACAdd range 5.....	65
Table 17 – PTCP_MulticastMACAdd range 6.....	65
Table 18 – PTCP_MulticastMACAdd range 7.....	65
Table 19 – PTCP_MulticastMACAdd range 8.....	66
Table 20 – RT_CLASS_3 destination multicast address.....	67
Table 21 – RT_CLASS_3 invalid frame multicast address.....	67

Table 22 – LT (Length/Type).....	67
Table 23 – TagControllInformation.Priority.....	68
Table 24 – FrameID range 1.....	68
Table 25 – FrameID range 2.....	68
Table 26 – FrameID range 3.....	69
Table 27 – FrameID range 4.....	69
Table 28 – FrameID range 5.....	69
Table 29 – FrameID range 6.....	69
Table 30 – FrameID range 7.....	69
Table 31 – FrameID range 8.....	70
Table 32 – FrameID range 9.....	70
Table 33 – FrameID range 10.....	70
Table 34 – FrameID range 11.....	71
Table 35 – FrameID range 12.....	71
Table 36 – FrameID range 13.....	71
Table 37 – FragmentationFrameID.FragSequence.....	71
Table 38 – FragmentationFrameID.Constant.....	71
Table 39 – DCP APDU syntax.....	72
Table 40 – DCP substitutions.....	72
Table 41 – ServiceID.....	75
Table 42 – ServiceType.Selection.....	75
Table 43 – ServiceType.Reserved.....	76
Table 44 – ServiceType.Selection.....	76
Table 45 – ServiceType.Reserved_1.....	76
Table 46 – ServiceType.Response.....	76
Table 47 – ServiceType.Reserved_2.....	77
Table 48 – ResponseDelayFactor.....	77
Table 49 – List of options.....	78
Table 50 – List of suboptions for option IPOption.....	79
Table 51 – List of suboptions for option DevicePropertiesOption.....	79
Table 52 – List of suboptions for option DHCPOption.....	79
Table 53 – List of suboptions for option ControlOption.....	79
Table 54 – List of suboptions for option DeviceInitiativeOption.....	80
Table 55 – List of suboptions for option AllSelectorOption.....	80
Table 56 – List of suboptions for option ManufacturerSpecificOption.....	80
Table 57 – SuboptionDHCP.....	81
Table 58 – Coding of DCPBlockLength in conjunction with SuboptionStart.....	82
Table 59 – Coding of DCPBlockLength in conjunction with SuboptionStop.....	82
Table 60 – Coding of DCPBlockLength in conjunction with SuboptionSignal.....	83
Table 61 – Coding of DCPBlockLength in conjunction with SuboptionFactoryReset.....	83
Table 62 – Coding of DCPBlockLength in conjunction with SuboptionResetToFactory.....	84
Table 63 – Coding of DCPBlockLength in conjunction with SuboptionDeviceInitiative.....	84

Table 64 – BlockQualifier with options IPOption, DevicePropertiesOption, DHCPOption and ManufacturerSpecificOption	85
Table 65 – BlockQualifier with option ControlOption and suboption SuboptionResetToFactory	85
Table 66 – BlockQualifier with all other options and suboptions	86
Table 67 – BlockError	86
Table 68 – BlockInfo for SuboptionIPPParameter	87
Table 69 – Bit 1 and Bit 0 of BlockInfo for SuboptionIPPParameter	87
Table 70 – Bit 7 of BlockInfo for SuboptionIPPParameter	87
Table 71 – BlockInfo for all other suboptions	87
Table 72 – DeviceInitiativeValue	87
Table 73 – SignalValue	88
Table 74 – DeviceRoleDetails	90
Table 75 – IPAddress	90
Table 76 – Subnetmask	90
Table 77 – StandardGateway	92
Table 78 – Remote primitives issued or received by DCPUCS	94
Table 79 – Local primitives issued or received by DCPUCS	95
Table 80 – DCPUCS state table	96
Table 81 – Functions, Macros, Timers and Variables used by the DCPUCS	98
Table 82 – Remote primitives issued or received by DCPUCR	98
Table 83 – Local primitives issued or received by DCPUCR	99
Table 84 – DCPUCR state table	100
Table 85 – Functions, Macros, Timers and Variables used by the DCPUCR	101
Table 86 – Remote primitives issued or received by DCPMCS	102
Table 87 – Local primitives issued or received by DCPMCS	102
Table 88 – DCPMCS state table	103
Table 89 – Functions used by the DCPMCS	104
Table 90 – Remote primitives issued or received by DCPMCR	105
Table 91 – Local primitives issued or received by DCPMCR	105
Table 92 – DCPMCR state table	106
Table 93 – Functions, Macros, Timers and Variables used by the DCPMCR	106
Table 94 – Remote primitives issued or received by DCPHMCS	107
Table 95 – Local primitives issued or received by DCPHMCS	107
Table 96 – DCPHMCS state table	108
Table 97 – Functions, Macros, Timers and Variables used by the DCPHMCS	109
Table 98 – Remote primitives issued or received by DCPHMCR	109
Table 99 – Local primitives issued or received by DCPHMCR	109
Table 100 – DCPHMCR state table	110
Table 101 – Functions, Macros, Timers and Variables used by the DCPHMCR	110
Table 102 – PTCP APDU syntax	111
Table 103 – PTCP substitutions	111
Table 104 – PTCP_TLVHeader.Type	112
Table 105 – PTCP_Delay10ns	113

Table 106 – PTCP_Delay1ns_Byte.Value	113
Table 107 – PTCP_Delay1ns	113
Table 108 – PTCP_Delay1ns_FUP	114
Table 109 – PTCP_SequenceID.....	114
Table 110 – PTCP_SubType for OUI (=00-0E-CF)	115
Table 111 – PTCP_Seconds	116
Table 112 – PTCP_NanoSeconds	116
Table 113 – PTCP_Flags.LeapSecond.....	116
Table 114 – Timescale correspondence between MJD, UTC and PTCP_EpochNumber	117
Table 115 – Timescale correspondence between PTCP_EpochNumber, PTCP_Second, PTCP_Nanosecond, CycleCounter and SendClockFactor.....	117
Table 116 – PTCP_MasterPriority1.Priority for SyncID == 0 and SyncProperties.Role == 2.....	119
Table 117 – PTCP_MasterPriority1.Priority for SyncID == 0 and SyncProperties.Role == 1.....	119
Table 118 – PTCP_MasterPriority1.Level.....	119
Table 119 – PTCP_MasterPriority2	120
Table 120 – PTCP_ClockClass for SyncID == 0 (working clock synchronization)	120
Table 121 – PTCP_ClockAccuracy	121
Table 122 – PTCP_ClockVariance	121
Table 123 – PTCP_T2PortRxDelay	121
Table 124 – PTCP_T3PortTxDelay	122
Table 125 – PTCP_T2TimeStamp	122
Table 126 – Remote primitives issued or received by DELAY_REQ	139
Table 127 – Local primitives issued or received by DELAY_REQ	139
Table 128 – DELAY_REQ state table	141
Table 129 – Functions, macros, timers and variables used by the DELAY_REQ	144
Table 130 – Remote primitives issued or received by DELAY_RSP.....	146
Table 131 – Local primitives issued or received by DELAY_RSP	147
Table 132 – DELAY_RSP state table	148
Table 133 – Functions, Macros, Timers and Variables used by the DELAY_RSP	150
Table 134 – Remote primitives issued or received by SYN_BMA	151
Table 135 – Local primitives issued or received by SYN_BMA	152
Table 136 – SYN_BMA state table	154
Table 137 – Functions, Macros, Timers and Variables used by the SYN_BMA.....	159
Table 138 – Remote primitives issued or received by SYN_MPSM.....	161
Table 139 – Local primitives issued or received by SYN_MPSM	162
Table 140 – SYN_MPSM state table	164
Table 141 – Functions, Macros, Timers and Variables used by the SYN_MPSM	167
Table 142 – Remote primitives issued or received by SYN_SPSM	168
Table 143 – Local primitives issued or received by SYN_SPSM.....	168
Table 144 – SYN_SPSM state table.....	170
Table 145 – Functions, Macros, Timers and Variables used by the SYN_SPSM.....	173
Table 146 – Truth table for one SyncID for receiving sync and follow up frames	174

Table 147 – Remote primitives issued or received by SYNC_RELAY	175
Table 148 – Local primitives issued or received by SYNC_RELAY	175
Table 149 – SYNC_RELAY state table	176
Table 150 – Functions, Macros, Timers and Variables used by the SYNC_RELAY	178
Table 151 – Truth table for one SyncID for receiving	180
Table 152 – Truth table for one SyncID for transmitting	180
Table 153 – Remote primitives issued or received by SCHEDULER	181
Table 154 – Local primitives issued or received by SCHEDULER	181
Table 155 – SCHEDULER state table	182
Table 156 – Functions, Macros, Timers and Variables used by the SCHEDULER	184
Table 157 – Truth table for RxPeriodChecker of one port	184
Table 158 – Truth table for TxPeriodChecker of one port	184
Table 159 – RTC APDU syntax	185
Table 160 – RTC substitutions	185
Table 161 – CycleCounter Difference	187
Table 162 – DataStatus.State	189
Table 163 – DataStatus.Redundancy	190
Table 164 – DataStatus.DataValid	190
Table 165 – DataStatus.ProviderState	190
Table 166 – DataStatus.StationProblemIndicator	190
Table 167 – DataStatus.Ignore of a frame	191
Table 168 – DataStatus.Ignore of a sub frame	191
Table 169 – TransferStatus for RT_CLASS_3	191
Table 170 – SFPosition.Position	192
Table 171 – SFPosition.Reserved	193
Table 172 – SFDataLength	193
Table 173 – SFCycleCounter Difference	194
Table 174 – IOxS.Extension	195
Table 175 – IOxS.Instance	195
Table 176 – IOxS.DataState	195
Table 177 – Remote primitives issued or received by PPM	197
Table 178 – Local primitives issued or received by PPM	198
Table 179 – PPM state table	200
Table 180 – Functions, Macros, Timers and Variables used by the PPM	201
Table 181 – Truth table used by the PPM for TxOption	202
Table 182 – Remote primitives issued or received by CPM	203
Table 183 – Local primitives issued or received by CPM	204
Table 184 – CPM state table	206
Table 185 – Functions, Macros, Timers and Variables used by the CPM	209
Table 186 – Truth table used by the CPM for RxOption	210
Table 187 – Truth table for one frame using RT_CLASS_x	210
Table 188 – Truth table for one frame using RT_CLASS_UDP	211
Table 189 – Truth table for the C_SDU	211

Table 190 – Truth table for arranging Dht and data	212
Table 191 – Truth table for the subframe – frame check.....	212
Table 192 – Truth table for the subframe – sub frame check	212
Table 193 – Truth table for the subframe – sub frame data check	213
Table 194 – Truth table for the subframe – Dht and data	213
Table 195 – RTA APDU syntax	213
Table 196 – RTA substitutions	214
Table 197 – PDUType.Type	215
Table 198 – PDUType.Version	216
Table 199 – AddFlags.WindowSize	216
Table 200 – AddFlags.TACK.....	216
Table 201 – SendSeqNum	217
Table 202 – AckSeqNum	217
Table 203 – VarPartLen	217
Table 204 – Remote primitives issued or received by APMS	219
Table 205 – Local primitives issued or received by APMS.....	220
Table 206 – APMS state table.....	222
Table 207 – Functions, Macros, Timers and Variables used by the APMS	224
Table 208 – Remote primitives issued or received by APMR.....	226
Table 209 – Local primitives issued or received by APMR	227
Table 210 – APMR state table	229
Table 211 – Functions, Macros, Timers and Variables used by the APMR	231
Table 212 – TagControlInformation.Priority vs. streams	231
Table 213 – Lower limit of fragments	234
Table 214 – FRAG APDU syntax.....	235
Table 215 – FRAG substitutions.....	235
Table 216 – FragDataLength	236
Table 217 – FragStatus.FragmentNumber.....	236
Table 218 – FragStatus.Reserved.....	236
Table 219 – FragStatus.MoreFollows	237
Table 220 – Remote primitives issued or received by FRAG_D.....	237
Table 221 – Local primitives issued or received by FRAG_D	237
Table 222 – FRAG_D state table (dynamic)	238
Table 223 – Functions, Macros, Timers and Variables used by the FRAG_D (dynamic)	240
Table 224 – Remote primitives issued or received by FRAG_S	241
Table 225 – Local primitives issued or received by FRAG_S.....	241
Table 226 – FRAG_S state table (static)	242
Table 227 – Functions, Macros, Timers and Variables used by the FRAG_S (static)	243
Table 228 – Remote primitives issued or received by DEFRAG	244
Table 229 – Local primitives issued or received by DEFRAG	244
Table 230 – DEFRAG state table	245
Table 231 – Functions, Macros, Timers and Variables used by the DEFRAG	246
Table 232 – Truth table for the DefragGuard – first fragment	246

Table 233 – Truth table for the DefragGuard – next fragment.....	246
Table 234 – Truth table for the DefragGuard – last fragment.....	247
Table 235 – RPC APDU syntax.....	247
Table 236 – RPC substitutions.....	247
Table 237 – RPCVersion.....	248
Table 238 – RPCPacketType.....	249
Table 239 – RPCFlags.....	249
Table 240 – RPCFlags2.....	249
Table 241 – RPCDRep.Character- and IntegerEncoding.....	250
Table 242 – RPCDRep Octet 2 – Floating Point Representation.....	250
Table 243 – RPCObjectUUID.Data4.....	251
Table 244 – RPCObjectUUID for PNIO.....	251
Table 245 – RPCObjectUUID for PNIO with multiple interfaces.....	252
Table 246 – RPCInterfaceUUID for PNIO.....	252
Table 247 – RPCInterfaceUUID for the RPC end point mapper.....	253
Table 248 – RPCInterfaceVersion.Major.....	253
Table 249 – RPCInterfaceVersion.Minor.....	254
Table 250 – RPCOperationNmb (IO device, controller and supervisor).....	254
Table 251 – RPCOperationNmb for endpoint mapper.....	254
Table 252 – RPCDataRepresentationUUID – defined values.....	257
Table 253 – RPCInquiryType.....	258
Table 254 – RPCEPMapStatus.....	260
Table 255 – Values of NCAFaultStatus.....	262
Table 256 – Values of NCAResjectStatus.....	263
Table 257 – Remote primitives issued or received by RPC.....	264
Table 258 – Local primitives issued or received by RPC.....	264
Table 259 – LLDP APDU syntax.....	265
Table 260 – LLDP substitutions.....	266
Table 261 – LLDP_ChassisID in conjunction with MultipleInterfaceMode.NameOfDevice and NameOfStation.....	267
Table 262 – LLDP_PortID in conjunction with MultipleInterfaceMode.NameOfDevice.....	267
Table 263 – LLDP_PNIO_SubType.....	268
Table 264 – PTCP_PortRxDelayLocal.....	268
Table 265 – PTCP_PortRxDelayRemote.....	268
Table 266 – PTCP_PortTxDelayLocal.....	268
Table 267 – PTCP_PortTxDelayRemote.....	269
Table 268 – CableDelayLocal.....	269
Table 269 – RTClass2_PortStatus.State with ARProperties.StartupMode == Legacy.....	269
Table 270 – RTClass2_PortStatus.State with ARProperties.StartupMode == Advanced.....	269
Table 271 – RTClass3_PortStatus.State.....	270
Table 272 – RTClass3_PortStatus.Fragmentation.....	270
Table 273 – RTClass3_PortStatus.PreambleLength.....	270
Table 274 – Truth table for shortening of the preamble.....	271