

INTERNATIONAL
STANDARD

ISO/IEC
13522-1

First edition
1997-05-15

**Information technology — Coding of
multimedia and hypermedia information —**

Part 1:

MHEG object representation — Base notation
(ASN.1)

*Technologies de l'information — Codage de l'information multimédia et
hypermédia —*
Partie 1: Représentation d'objet MHEG — Notation de base (ASN.1)



Reference number
ISO/IEC 13522-1:1997(E)

Contents

0 INTRODUCTION	xi
0.1 Application domains for requirements analysis	xli
0.2 Multimedia/Hypermedia application requirements	xliv
0.3 Rationale for standardisation of multimedia and hypermedia information	xlv
0.4 This part of ISO/IEC 13522 objectives	xlv
0.4.1 Interchange	xlv
0.4.2 Presentation	xlv
0.4.3 Minimal resources	xlv
0.4.4 Real time	xlvi
0.5 Concepts of this part of ISO/IEC 13522	xlvi
0.5.1 Object orientation	xlvi
0.5.2 Encoding	xlvi
0.5.3 Overview of the MHEG classes	xlvi
0.5.3.1 Content class	xlvi
0.5.3.2 Multiplexed content class	xlvi
0.5.3.3 Composite class	xlvi
0.5.3.4 Action class	xlvi
0.5.3.5 Elementary actions	xlix
0.5.3.6 Get actions	xlix
0.5.3.7 Link class	xlix
0.5.3.8 Script class	xlix
0.5.3.9 Descriptor class	l
0.5.3.10 Container class	l
0.5.4 Run-time objects (rt-objects)	l
0.5.5 Channels	l

iTech STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 13522-1:1997](https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-f895-43e6-846c-33f9519ddde9/iso-iec-13522-1-1997)

<https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-f895-43e6-846c-33f9519ddde9/iso-iec-13522-1-1997>

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

0.6 The MHEG application interface..... 1

0.7 Extensibility of this part of ISO/IEC 13522 1

0.8 Liaisons li

1 SCOPE..... 1

 1.1 Specificity of the scope 1

 1.2 Issues outside the scope of this part of ISO/IEC 13522 1

2 CONFORMANCE..... 2

 2.1 Profiles 2

 2.2 Syntax 2

 2.3 Semantics..... 2

3 NORMATIVE REFERENCES..... 2

4 DEFINITIONS 3

5 SYMBOLS AND ABBREVIATIONS 10

SECTION 1: OVERVIEW..... 13

6 MAIN FEATURES OF THIS PART OF ISO/IEC 13522..... 13

 6.1 Interchanging multimedia objects 13

 6.2 The object-oriented approach..... 13

 6.2.1 Object classes 13

 6.2.2 Subclasses and inheritance 13

 6.2.3 Polymorphism..... 13

 6.2.4 Objects and object life cycles..... 13

 6.3 Technical features..... 14

 6.3.1 Object composition for interchange and presentation 14

 6.3.2 Run-time objects..... 15

 6.3.3 Individual behaviour common to all rt-objects created from a given model object 16

 6.3.4 Synchronisation 16

 6.3.5 Links..... 16

 6.3.6 Input 17

 6.3.7 Event handling..... 17

 6.3.8 Anchor..... 17

 6.3.9 Real time 17

 6.3.10 Object management 18

 6.3.10.1 Object identification 18

 6.3.10.2 Object reference..... 18

 6.3.10.3 Object content 18

 6.3.10.4 Uniform objects 18

iTech STANDARD PREVIEW
 (standards.iteh.ai)
 ISO/IEC 13522-1:1997
<https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-1895-43e6-846c-33f9519ddde9/iso-iec-13522-1-1997>

6.3.11 Minimal resources.....	18
6.3.12 Presentation and structuring dynamism	19
6.3.13 Macro action and link.....	19
6.3.14 Static and dynamic assignment of generic value	19
7 MHEG ENGINE ASSUMPTIONS.....	19
7.1 Handling and Interchange of objects	19
7.2 The MHEG application interface.....	20
7.3 Exception handling.....	20
8 METHODOLOGY.....	20
8.1 Modularity	21
8.2 Methodology of representation of MHEG objects.....	21
8.2.1 Level A: Description of representation.....	22
8.2.2 Level B: Precise object-oriented definition.....	22
8.2.3 Level C: Isomorphic notations for the structure of MHEG objects.....	23
8.2.3.1 ASN.1 techniques used in level C.....	23
8.2.3.2 Copyright protection	25
8.2.4 Level D: Coded representation of MHEG objects.....	25
SECTION 2: GENERIC UTILITY AND USEFUL DEFINITION MECHANISMS.....	26
9 PRESENTATION MECHANISM.....	26
9.1 Presentation space (PS)	27
9.1.1 Temporal axis.....	27
9.1.2 Spatial axes.....	28
9.1.3 Audible volume range (AVR).....	29
9.2 Original presentation space (OPS)	30
9.2.1 Initialisation of OS and OD.....	30
9.2.2 Initialisation of GF.....	30
9.2.3 Initialisation of attributes for rt-components	31
9.2.4 Initialisation of attributes for rt-contents.....	31
9.3 Channel presentation space (CPS)	31
9.4 Relative presentation space (RPS).....	32
9.5 CPS mapping.....	33
10 GENERIC IDENTIFICATION MECHANISM.....	33
10.1 External identification	34
10.1.1 Public identifier	34
10.1.2 System identifier	35
10.2 Internal identification	36

10.2.1 MHEG Identifier	36
10.2.2 Root Rt ID	37
10.2.3 Channel identifier	37
10.2.4 Composition element index	37
10.2.5 Container element identification	38
10.2.6 Socket identifier	39
10.2.7 Stream identifier	40
10.3 Symbolic identification	40
11 GENERIC REFERENCE MECHANISM	41
11.1 Generic reference using generic identification	41
11.2 Predefined references	43
11.3 ? reference	44
12 GENERIC VALUE	46
12.1 Generic boolean	47
12.2 Generic numeric	47
12.3 Generic integer	47
12.4 Generic ratio	47
12.5 Generic string	47
12.6 Generic reference	48
12.7 Generic list	48
13 MACRO MECHANISM	48
14 HOOKS	50
15 EXTENSIBILITY	51
15.1 Catalogues	51
15.2 Incorporation of New MHEG object classes	52
15.3 Provision for extensibility	52
SECTION 3: OVERVIEW OF MHEG CLASSES	54
16 MHEG OBJECT CLASSES OVERVIEW	53
17 STRUCTURE OF MH-OBJECT CLASS	53
17.1 Class identification	53
17.2 MHEG ID	54
17.3 General object information	54
18 STRUCTURE OF ACTION CLASS	54
18.1 Elementary actions	55
18.2 Basic action object	55
18.3 Nested action object	56
18.4 Macro action object	56

19 STRUCTURE OF LINK CLASS	56
19.1 Link Condition	57
19.1.1 Trigger condition	58
19.1.2 Constraint condition	59
19.1.3 Source value	60
19.1.4 Comparison value.....	60
19.1.5 Previous condition	60
19.1.6 Current condition	61
19.1.7 Comparison operator	61
19.1.8 Logical combination	64
19.1.9 Logical operator.....	65
19.2 Link Effect.....	66
19.3 Basic link object	66
19.4 Nested link object.....	66
19.5 Macro link object	67
20 STRUCTURE OF MODEL CLASS	67
21 STRUCTURE OF SCRIPT CLASS	67
22 STRUCTURE OF COMPONENT CLASS	68
23 STRUCTURE OF CONTENT CLASS	68
24 STRUCTURE OF MULTIPLEXED CONTENT CLASS	69
25 STRUCTURE OF COMPOSITE CLASS	69
25.1 Availability Start-up	71
25.2 Availability Close-down.....	71
25.3 Rt-Availability Start-up.....	72
25.4 Rt-Availability Close-down.....	72
25.5 Composition Element	72
25.6 Composition example.....	73
26 STRUCTURE OF CONTAINER CLASS	73
26.1 Container Start-up.....	73
26.2 Container Close-down.....	74
26.3 Container Element	74
27 STRUCTURE OF DESCRIPTOR CLASS	74
27.1 Related Object	75
27.1.1 Script Class Information.....	75
27.1.2 Content Class Information	76
27.1.3 Mux Content Class Info	76
27.1.4 Alternative Object	76

27.1.5 Offset 76

27.2 Other Descriptor..... 77

27.3 Readme 77

27.4 System Readable Material 77

27.5 Channel Information..... 77

27.6 Catalogued Style Information 78

27.7 Cat Ext elementary action Info 78

27.8 Cat Ext Attribute Info..... 78

SECTION 4: COMMON BEHAVIOUR OF MHEG ENTITIES..... 82

28 MHEG ENTITY BEHAVIOUR..... 79

29 MHEG ENTITY STATE DEFINITION 79

29.1 MHEG object availability 80

29.2 Link activation 81

29.3 Channel availability 82

29.4 Rt-object availability 83

29.5 Rt-Component running behaviour..... 84

29.6 Rt-Component presentation behaviour..... 85

30 LIFE CYCLE OF MHEG ENTITIES..... 89

31 GENERAL ACTION MECHANISMS..... 89

31.1 Action handling 89

31.2 Processing of link effect 90

31.2.1 Serial action processing..... 90

31.2.2 Parallel action processing 91

31.3 Basic processing of an elementary action..... 92

31.4 Resolution of target set 92

31.5 Arithmetic precision..... 93

32 COMMON ACTION EFFECTS AND HANDLING..... 93

32.1 Elementary actions..... 93

32.2 Get actions 94

32.3 Recommended exception handling..... 94

33 POSTPONE BEHAVIOUR..... 95

33.1 Behaviour attributes and statuses 95

33.2 Actions to change the behaviour 95

33.2.1 Delay action..... 95

33.2.1.1 Delay action effect..... 95

33.2.1.2 Delay additional error conditions..... 95

STANDARD PREVIEW
 (standards.itech.ai)

ISO/IEC 13522-1:1997
<https://standards.itech.ai/catalog/standards/sist/5ca4b01a-f895-43e6-846c-339519d1de9/iso-iec-13522-1-1997>

34 RETURNABILITY BEHAVIOUR.....	95
34.1 Behaviour attributes and statuses	96
34.2 Actions to change the behaviour	96
34.2.1 Return action.....	96
34.2.1.1 Return action effect	96
34.2.1.2 Return additional error conditions	97
35 ALIAS BEHAVIOUR	96
35.1 Behaviour attributes and statuses	97
35.2 Actions to change the behaviour	96
35.2.1 Set Alias action.....	96
35.2.1.1 Set Alias action effect.....	97
35.2.1.2 Set Alias additional error conditions	97
36 EXTENSIBILITY BEHAVIOUR.....	97
36.1 Behaviour attributes and statuses	97
36.2 Catalogued Attribute	97
36.3 Actions to change the behaviour	97
36.3.1 Catalogued Elementary Action action.....	98
36.3.1.1 Catalogued Elementary action effect.....	98
36.3.1.2 Catalogued Elementary Action additional error conditions.....	98
36.3.2 Set Catalogued Attribute action.....	98
36.3.2.1 Set Catalogued Attribute action effect.....	98
36.3.2.2 Set Catalogued Attribute additional error conditions.....	98
36.4 Actions to retrieve the behaviour	98
36.4.1 Get Catalogued Attribute action	98
36.4.1.1 Get Catalogued Attribute action effect	99
36.4.1.2 Get Catalogued Attribute additional error conditions	99
SECTION 5: BEHAVIOUR OF MHEG OBJECTS.....	103
37 AVAILABILITY BEHAVIOUR OF MHEG OBJECTS.....	100
37.1 Behaviour attributes and statuses	100
37.2 Preparation Status	100
37.3 Actions to change the behaviour	100
37.3.1 Prepare action	100
37.3.1.1 Prepare action effect	101
37.3.1.2 Prepare additional error conditions	102
37.3.2 Destroy action	102
37.3.2.1 Destroy action effect.....	102

37.3.2.2 Destroy additional error conditions	103
37.4 Actions to retrieve the behaviour	103
37.4.1 Get Preparation Status action	103
37.4.1.1 MHEG effect	104
37.4.1.2 Get Preparation Status additional error conditions	104
38 LINK OBJECT ACTIVATION BEHAVIOUR	104
38.1 Behaviour attributes and statuses	104
38.2 Activation Status	104
38.3 Actions to change the behaviour	104
38.3.1 Activate action	104
38.3.1.1 Activate action targeted to a single link object	105
38.3.1.2 Activate additional error conditions	105
38.3.2 Deactivate action	105
38.3.2.1 Deactivate action effect	105
38.3.2.2 Deactivate additional error conditions	105
38.4 Actions to retrieve the behaviour	105
38.4.1 Get Activation Status action	105
38.4.1.1 Get activation status targeted to a link object	105
38.4.1.2 Get Activation Status additional error conditions	106
39 LINK OBJECT ABORT BEHAVIOUR	106
39.1 Behaviour attributes and statuses	106
39.2 Actions to change the behaviour	106
39.2.1 Link Abort action	106
39.2.1.1 Link Abort action effect	106
39.2.1.2 Link Abort additional error conditions	107
40 CONTENT CLASS GENERIC VALUE STORAGE BEHAVIOUR	107
40.1 Behaviour attributes and statuses	107
40.2 Data	107
40.3 Actions to change the behaviour	107
40.3.1 Set Data action	107
40.3.1.1 Set Data targeted to a single content object	108
40.3.1.2 Set Data additional error conditions	110
40.3.2 Add action	110
40.3.2.1 Add action effect	110
40.3.2.2 Add additional error conditions	110
40.3.3 Subtract action	111
40.3.3.1 Subtract targeted to a single content object	111

40.3.3.2	Substract additional error conditions	111
40.4	Actions to retrieve the behaviour	112
40.4.1	Get Data action	112
40.4.1.1	Get Data targeted to a content object	112
40.4.1.2	Get Data additional error conditions.....	112
41	CONTENT CLASS COPY BEHAVIOUR.....	112
41.1	Behaviour attributes and statuses	112
41.2	Actions to change the behaviour	113
41.2.1	Copy action	113
41.2.1.1	Copy action effect	113
41.2.1.2	Copy additional error conditions.....	113
	SECTION 6: RT-OBJECTS BEHAVIOUR.....	119
42	RT-OBJECTS AVAILABILITY BEHAVIOUR.....	114
42.1	Behaviour attributes and statuses	114
42.2	Rt-Availability Status	114
42.3	Actions to change the behaviour	114
42.3.1	New action.....	114
42.3.1.1	New action effect.....	114
42.3.1.2	New additional error conditions.....	115
42.3.2	Delete action	115
42.3.2.1	Delete action effect.....	116
42.3.2.2	Delete additional error conditions.....	116
42.4	Actions to retrieve the behaviour	116
42.4.1	Get Rt-Availability Status action.....	116
42.4.1.1	Get Rt-availability Status targeted to rt-object.....	117
42.4.1.2	Get Rt-Availability Status additional error conditions	117
43	RT-OBJECTS RUNNING BEHAVIOUR.....	117
43.1	Behaviour attributes and statuses	117
43.2	Running Status	117
43.3	Actions to change the behaviour	117
43.3.1	Run action	118
43.3.1.1	MHEG effect of Run targeted to a single rt-object.....	118
43.3.1.2	User effect of Run targeted to a single rt-object	118
43.3.1.3	Run additional error conditions	119
43.3.2	Stop action	119
43.3.2.1	Stop targeted to a single rt-object	119

43.3.2.2 Stop additional error conditions.....	120
43.4 Actions to retrieve the behaviour	120
43.4.1 Get Running Status action	120
43.4.1.1 MHEG effect	120
43.4.1.2 Get Running Status additional error conditions	120
44 RT-SCRIPT PASSING PARAMETER BEHAVIOUR.....	121
44.1 Behaviour attributes and statuses	120
44.2 Actions to change the behaviour	121
44.2.1 Set Parameters action	121
44.2.1.1 Set Parameter action effect	121
44.2.1.2 Set Parameters additional error conditions	122
45 RT-SCRIPTS TERMINATION BEHAVIOUR	122
45.1 Behaviour attributes and statuses	122
45.2 Termination Status.....	122
45.3 Actions to retrieve the behaviour	122
45.3.1 Get Termination Status action.....	122
45.3.1.1 Get Termination Status action effect.....	123
45.3.1.2 Get Termination Status additional error conditions.....	123
46 SOCKETS PRESENTATION AND STRUCTURAL DYNAMISM BEHAVIOUR.....	123
46.1 Behaviour attributes and statuses.....	123
46.2 Actions to change the behaviour	123
46.2.1 Plug action.....	124
46.2.1.1 Plug action effect.....	124
46.2.1.2 Plug additional error conditions.....	125
47 RT-COMPOSITE NAVIGATION BEHAVIOUR.....	125
47.1 Behaviour attributes and statuses	125
47.2 Rt-Composite Address	126
47.3 Navigation Command.....	126
47.4 Child	126
47.5 EmptyChild	126
47.6 Sibling.....	126
47.7 Ancestor	126
47.8 Actions to retrieve the behaviour	126
47.8.1 Get Rt-Composite Address action.....	126
47.8.1.1 Get Rt-Composite Address effect	126
47.8.1.2 Get Rt-Composite Address additional error conditions	127

48 RT-COMPONENTS RPS ASSIGNMENT BEHAVIOUR.....	127
48.1 Behaviour attributes and statuses	127
48.2 RPS Assignment.....	127
48.3 Actions to change the behaviour	127
48.3.1 Set RPS Assignment action.....	127
48.3.1.1 Set RPS Assignment action effect.....	127
48.3.1.2 Set RPS Assignment additional error conditions	128
48.4 Actions to retrieve the behaviour	128
48.4.1 Get RPS Assignment action	128
48.4.1.1 Get RPS Assignment action effect.....	128
48.4.1.2 Get RPS Assignment additional error conditions.....	128
49 RT-COMPONENTS PERCEPTABILITY BEHAVIOUR	128
49.1 Behaviour attributes and statuses	129
49.2 Perceptability	129
49.3 Presentation Priority.....	129
49.4 Actions to change the behaviour.....	130
49.4.1 Set Perceptability action	131
49.4.1.1 Set Perceptability action effect	131
49.4.1.2 Set Perceptability additional error conditions.....	131
49.4.2 Set Presentation Priority action.....	131
49.4.2.1 Set Presentation Priority action effect.....	131
49.4.2.2 Set Presentation Priority additional error conditions	132
49.5 Actions to retrieve the behaviour	132
49.5.1 Get Perceptability action	132
49.5.1.1 Get Perceptability action effect	132
49.5.1.2 Get Perceptability additional error conditions	132
49.5.2 Get Presentation Priority action	132
49.5.2.1 Get Presentation Priority action effect.....	132
49.5.2.2 Get Presentation Priority additional error conditions.....	133
50 RT-COMPONENTS TEMPORAL BEHAVIOUR.....	133
50.1 Behaviour attributes and statuses	133
50.2 OD.....	133
50.3 POD.....	133
50.4 OVD.....	133
50.5 PVD	134
50.6 Temporal Termination	134
50.7 PVD Position.....	134

iteh STANDARD PREVIEW
 (standards.iteh.ai)
 ISO/IEC 13522-1:1997
 On sale only at standards.iteh.ai/catalog/standards/sist/5ca4b01e-895-43e6-846e-339519ddde9/iso-iec-13522-1-1997

50.8 CTP	135
50.9 GTF	136
50.10 Timestone Status	136
50.11 Timestone ID	137
50.12 Expected OVD Result	137
50.13 Expected PVD Result.....	137
50.14 Actions to change the behaviour.....	137
50.14.1 Set OVD action.....	137
50.14.1.1 Set OVD effect	137
50.14.1.2 Set OVD additional error conditions	138
50.14.2 Set CTP action	138
50.14.2.1 Set CTP effect.....	138
50.14.2.2 Set CTP additional error conditions.....	138
50.14.3 Set Temporal Termination action	139
50.14.3.1 Set Temporal Termination effect.....	139
50.14.3.2 Set Temporal Termination additional error conditions.....	139
50.14.4 Set PVD Position action.....	139
50.14.4.1 Set PVD Position effect.....	139
50.14.4.2 Set PVD Position additional error conditions	139
50.14.5 Set GTF action.....	140
50.14.5.1 Set GTF effect.....	140
50.14.5.2 Set GTF additional error conditions	140
50.14.6 Set Timestones action	140
50.14.6.1 Set Timestones action effect	140
50.14.6.2 Set Timestones additional error conditions.....	140
50.15 Actions to retrieve the behaviour	141
50.15.1 Get OD action.....	141
50.15.1.1 Get OD action effect.....	141
50.15.1.2 Get OD additional error conditions	141
50.15.2 Get POD action	141
50.15.2.1 Get POD action effect	141
50.15.2.2 Get POD additional error conditions.....	142
50.15.3 Get OVD action	142
50.15.3.1 Get OVD action effect	142
50.15.3.2 Get OVD additional error conditions.....	142
50.15.4 Get PVD action.....	142
50.15.4.1 Get PVD action effect.....	143

iTech STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 13522-1:1997

[https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-1895-43e6-846c-](https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-1895-43e6-846c-33f9519dde9/iso-iec-13522-1-1997)[33f9519dde9/iso-iec-13522-1-1997](https://standards.iteh.ai/catalog/standards/sist/5ca4b01a-1895-43e6-846c-33f9519dde9/iso-iec-13522-1-1997)

50.15.4.2 Get PVD additional error conditions	143
50.15.5 Get CTP action	143
50.15.5.1 Get CTP action effect	143
50.15.5.2 Get CTP additional error conditions	143
50.15.6 Get Temporal Termination action	143
50.15.6.1 Get Temporal Termination action effect	144
50.15.6.2 Get Temporal Termination additional error conditions	144
50.15.7 Get PVD Position action	144
50.15.7.1 Get PVD Position action effect	144
50.15.7.2 Get PVD Position additional error conditions	144
50.15.8 Get GTF action	144
50.15.8.1 Get GTF action effect	144
50.15.8.2 Get GTF additional error conditions	144
50.15.9 Get Timestone Status action	145
50.15.9.1 Get Timestone Status action effect	145
50.15.9.2 Get Timestone Status additional error conditions	145
51 RT-COMPONENTS SPATIAL BEHAVIOUR	145
51.1 Behaviour attributes and statuses	145
51.2 OS	146
51.3 POS	146
51.4 Aspect Ratio	146
51.5 Resizing Strategy	147
51.6 OVS	148
51.7 OAP	148
51.8 OVS Position	149
51.9 PVS	149
51.10 OVS Proj Strategy	149
51.11 PAP	150
51.12 PVS Position	150
51.13 GSF	150
51.14 Spatial Control	150
51.15 User Spatial Control	151
51.16 Expected Axis Result Param	151
51.17 Point Type Param	151
51.18 Actions to change the behaviour	151
51.18.1 Set Aspect Ratio action	151
51.18.1.1 Set Aspect Ratio action effect	151

51.18.1.2 Set Aspect Ratio additional error conditions.....	152
51.18.2 Set Resizing Strategy action	152
51.18.2.1 Set Resizing Strategy effect	152
51.18.2.2 Set Resizing Strategy additional error conditions	152
51.18.3 Set OVS Proj Strategy action.....	152
51.18.3.1 Set OVS Proj Strategy effect	152
51.18.3.2 Set OVS Proj Strategy additional error conditions	153
51.18.4 Set OVS action	153
51.18.4.1 Set OVS action effect	153
51.18.4.2 Set OVS additional error conditions	154
51.18.5 Set OAP action	154
51.18.5.1 Set OAP action effect	154
51.18.5.2 Set OAP additional error conditions	154
51.18.6 Set OVS Position action.....	154
51.18.6.1 Set OVS Position action effect.....	154
51.18.6.2 Set OVS Position additional error conditions	155
51.18.7 Set PAP action	155
51.18.7.1 Set PAP action effect	155
51.18.7.2 Set PAP additional error conditions.....	155
51.18.8 Set PVS Position action	155
51.18.8.1 Set PVS Position action effect	156
51.18.8.2 Set PVS Position additional error conditions	156
51.18.9 Set GSF action	156
51.18.9.1 Set GSF action effect	156
51.18.9.2 Set GSF additional error conditions	156
51.18.10 Set User Spatial Control action	156
51.18.10.1 Set User Spatial Control action effect	157
51.18.10.2 Set User Spatial Control additional error conditions.....	157
51.19 Actions to retrieve the behaviour	157
51.19.1 Get OS action.....	157
51.19.1.1 Get OS action effect	157
51.19.1.2 Get OS additional error conditions	158
51.19.2 Get POS action	158
51.19.2.1 Get POS action effect.....	158
51.19.2.2 Get POS additional error conditions.....	158
51.19.3 Get Aspect Ratio action	158
51.19.3.1 Get Aspect Ratio action effect	158