

TECHNICAL SPECIFICATION



Recommendations for **small** renewable energy and hybrid systems for rural electrification –
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural electrification

IEC TS 62257-9-5:2016

<https://standards.iteh.ai/catalog/standards/iec/b74fface-a6f6-46b0-8f09-5debb43c2594/iec-ts-62257-9-5-2016>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC TS 62257-9-5:2016

<https://standards.iteh.ai/catalog/standards/iec/b7/face-a6f6-46b0-8f09-5debb43c2594/iec-ts-62257-9-5-2016>

TECHNICAL SPECIFICATION



Recommendations for **small** renewable energy and hybrid systems for rural electrification –
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural electrification

IEC TS 62257-9-5:2016

<https://standards.iteh.ai/catalog/standards/iec/b74fface-a6f6-46b0-8f09-5debb43c2594/iec-ts-62257-9-5-2016>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-3514-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	16
INTRODUCTION.....	19
1 Scope.....	21
2 Normative references.....	21
3 Terms and definitions	22
4 System limits	27
4.1 System description	27
4.1.1 Components	27
4.1.2 Product Component categories.....	28
4.1.3 Lighting kit parts definitions.....	32
4.1.4 Additional system elements	33
4.2 System measurements and observations	33
4.2.1 General	33
4.2.2 Product design, manufacture, and marketing aspects.....	34
4.2.3 Product durability and workmanship aspects.....	37
4.2.4 Lighting durability aspects	40
4.2.5 Battery performance aspects.....	41
4.2.6 Solar module aspects.....	42
4.2.7 Run time aspects	43
4.2.7 Electrical characteristics.....	43
4.2.8 Performance aspects.....	44
4.2.9 Light output aspects.....	46
4.2.10 Battery-charging circuit efficiency.....	47
4.2.11 Water protection integrated assessment.....	47
4.2.11 Self-certification aspects.....	47
5 Product specification.....	48
5.1 General.....	48
5.2 Applications	49
5.3 Quality assurance principles.....	49
5.3.1 General.....	49
5.3.2 Rationale for dividing quality, warranty, and performance.....	49
5.4 Product specification framework description.....	50
5.4.1 General	50
5.4.2 Blank Product specification document template	50
5.4.3 Tolerances.....	55
5.4.4 Quality standards criteria	56
5.4.5 Warranty requirements criteria	62
5.4.6 Performance targets criteria.....	62
6 Quality test method.....	65
6.1 General.....	65
6.2 Applications	65
6.3 Sampling requirements.....	65
6.4 Laboratory requirements	66
6.5 Testing requirements.....	66
6.6 Recommended tests programme	68
6.6.1 General	68

6.6.2	Product sampling	
6.6.2	Test preparation	69
6.6.3	Batch A tests	70
6.6.4	Batch B tests	71
6.6.5	Batch C – potentially destructive tests	72
6.6.6	Report preparation	73
6.7	Reporting	73
7	Market check method	73
7.1	General	73
7.2	Applications	74
7.3	Sampling requirements	74
7.4	Laboratory requirements	74
7.5	Testing requirements	74
7.6	Recommended tests programme	77
7.7	Report requirements	77
8	Initial screening method	77
8.1	General	77
8.2	Applications	77
8.3	Sampling requirements	77
8.4	Laboratory requirements	78
8.5	Testing requirements	78
8.6	Recommended tests programme	81
8.7	Reporting	81
9	Field screening method	
9	Accelerated verification method	85
9.1	General	85
9.2	Applications	85
9.3	Sampling requirements	86
9.3.1	General	86
9.3.2	Verification entry testing	86
9.3.3	Follow-up QTM testing	86
9.4	Laboratory requirements	87
9.5	Testing requirements	87
9.5.1	General	87
9.5.2	Verification entry testing	87
9.5.3	Follow-up QTM testing	89
9.6	Recommended tests programme	90
9.7	Report requirements	90
10	Standardized specification sheets	90
10.1	General	90
10.2	Applications	90
10.2.1	General	90
10.2.2	Guidance	91
10.2.3	Framework for SSS guidelines document	91
	Annex A (informative) Recommended quality standards and performance targets for off-grid lighting market support programme qualification	98
A.1	Scope Overview	98
A.2	Test requirements	98

A.3	Product category requirements	98
A.4	Quality standards	99
A.5	Warranty and end user support requirements	101
A.6	Performance targets	101
Annex B (informative) Example quality standards, warranty requirements, and performance targets for bulk procurement qualification (“sample tender”)		
Annex B (informative)	Reserved	106
Annex C (informative)	Recommended SSS guidelines	107
C.1	Scope General	107
C.2	Qualification standards and targets	107
C.3	Test result requirements	107
C.3.1	Original testing	107
C.3.2	Retesting and updates	107
C.4	Style and format	108
C.5	Reporting precision	108
C.6	Results verification	109
C.7	Section descriptions	109
C.7.1	General	109
C.7.2	Header/overall performance	109
C.7.3	General information	110
C.7.4	Performance details	111
C.7.5	Light output	112
C.7.6	Special features	112
C.7.7	Durability	113
C.7.8	Solar module details	113
C.7.9	Battery details	114
C.7.10	Marks and certifications	114
C.7.11	SSS information	115
C.8	Example sheet	115
Annex D (normative)	Manufacturer self-reported information	116
D.1	Background	116
D.2	Outcomes	116
D.3	Solicited information	116
D.3.1	General	116
D.3.2	Confidential information (not released publicly)	116
D.3.3	Public information (may be released publicly)	117
D.4	Reporting	118
Annex E (normative)	Product sampling	120
E.1	Background	120
E.2	Test outcomes	120
E.3	Related tests	120
E.4	Procedure	120
E.4.1	Retail sampling	120
E.4.2	Warehouse sampling	121
E.5	Reporting	122
Annex F (normative)	Visual screening	123
F.1	Background	123
F.2	Test outcomes	123

F.3	Related tests.....	123
F.4	Procedure.....	123
F.4.1	Properties, features, and information.....	123
F.4.2	Specifications.....	127
F.4.3	Functionality and internal inspection.....	129
F.5	Reporting.....	131
Annex G (normative)	Sample preparation.....	136
G.1	Background.....	136
G.2	Test outcomes.....	136
G.3	Related tests.....	136
G.4	Procedure.....	136
G.4.1	General.....	136
G.4.2	Equipment requirements.....	136
G.4.3	Test prerequisites.....	137
G.4.4	Procedure.....	137
G.4.5	Calculations.....	139
G.5	Reporting.....	139
Annex H (normative)	Power supply setup procedure.....	140
H.1	Background.....	140
H.2	Test outcomes.....	140
H.3	Related tests.....	140
H.4	Equipment requirements.....	140
H.5	Setup procedure for photometric measurements and lumen maintenance tests.....	141
H.5.1	Test setup.....	141
H.5.2	DC voltage and current levels.....	141
H.5.3	Stabilization period.....	142
H.5.4	4-wire power supply measurements.....	143
H.5.5	Filtering electronic noise.....	143
H.5.6	Troubleshooting.....	143
H.6	Reporting.....	144
Annex I (normative)	Light output test.....	145
I.1	Background.....	145
I.2	Test outcomes.....	145
I.3	Related tests.....	145
I.4	Luminous flux measurement techniques.....	146
I.4.1	General.....	146
I.4.2	Luminous flux measurements with an integrating sphere or goniophotometer.....	146
I.4.3	Luminous flux measurements using the multi-plane method.....	147
I.5	Correlated colour temperature (CCT) measurement.....	149
I.6	Colour rendering index (CRI) measurement.....	149
I.7	Reporting.....	150
Annex J (normative)	Lumen maintenance test.....	151
J.1	Background.....	151
J.2	Test outcomes.....	151
J.3	Related tests.....	152
J.4	Procedure.....	152
J.4.1	General.....	152

J.4.2	Full screening	152
J.4.3	Initial screening (500 h test)	157
J.5	Calculations	158
J.6	Alternate method for testing lumen maintenance using IESNA LM-80-08	158
J.6.1	Background	158
J.6.2	Test prerequisites	159
J.6.3	Procedure	159
J.6.4	DUT preparation and LED thermocouple attachment guidelines	159
J.6.5	Calculations	160
J.7	Reporting	160
Annex K (normative)	Battery test	162
K.1	Background	162
K.2	Test outcomes	162
K.3	Related tests	162
K.4	Procedure	162
K.4.1	General	162
K.4.2	Sealed Valve-regulated lead-acid battery test	163
K.4.3	Nickel-metal hydride battery test	166
K.4.4	Lithium-ion battery test	168
K.4.5	Lithium-ion battery test	168
K.4.6	Nickel-cadmium battery test	168
K.5	Reporting	171
Annex L (informative)	Battery testing recommended practices	173
L.1	Background	173
L.2	Battery testing process flowchart	173
L.2	Deep discharge protection specifications by battery type	174
L.3	Overcharge protection specifications by battery type	175
Annex M (normative)	Full-battery run time test	177
M.1	Background	177
M.2	Test outcomes	177
M.3	Related tests	178
M.4	Procedure	178
M.4.1	Full-battery run time test	178
M.4.2	Full-battery run time test with deep discharge protection measurement	182
M.5	Reporting	184
Annex N (normative)	Full discharge preparation	185
N.1	Background	185
N.2	Test outcomes	185
N.3	Related tests	185
N.4	Procedure	185
N.4.1	General	185
N.4.2	Equipment requirements	185
N.4.3	Test prerequisites	185
N.4.4	Procedure	186
N.4.5	Calculations	187
N.5	Reporting	187
Annex O (normative)	Grid charge test	188
O.1	Background	188

O.2	Test outcomes	188
O.3	Related tests	188
O.4	Procedure	188
O.4.1	General	188
O.4.2	Equipment requirements	188
O.4.3	Test prerequisites	189
O.4.4	Apparatus	189
O.4.5	Procedure	189
O.4.6	Calculations	189
O.5	Reporting	190
Annex P (normative)	Electromechanical charge test	191
P.1	Background	191
P.2	Test outcomes	191
P.3	Related tests	191
P.4	Procedure	191
P.4.1	General	191
P.4.2	Equipment requirements	191
P.4.3	Test prerequisites	192
P.4.4	Apparatus	192
P.4.5	Procedure	192
P.4.6	Calculations	192
P.5	Reporting	192
Annex Q (normative)	Outdoor Photovoltaic module I-V characteristics test	194
Q.1	Background	194
Q.2	Test outcomes	194
Q.3	Related tests	195
Q.4	Procedure	195
Q.4.1	Test programme using indoor (simulated measurements)	195
Q.4.1	Testing using IEC 61215 (all parts)	195
Q.4.2	Test programme using a solar simulator	195
Q.4.3	Outdoor photovoltaic module I-V characteristics test	196
Q.5	Reporting	200
Annex R (normative)	Solar charge test	202
R.1	Background	202
R.2	Test outcomes	202
R.3	Related tests	202
R.4	Procedure	203
R.4.1	General	203
R.4.2	Test method using a resistor network	203
R.4.3	Test method using a solar array simulator (SAS)	208
R.4.4	Calculations	210
R.5	Reporting	217
Annex S (normative)	Charge controller behaviour test	220
S.1	Background	220
S.2	Test outcomes	220
S.3	Related tests	221
S.4	Procedure	221
S.4.1	Active deep discharge protection test	221

S.4.2	Active overcharge protection test.....	223
S.4.3	Passive deep discharge protection test.....	227
S.4.4	Passive overcharge protection test.....	228
S.4.5	Standby loss measurement	230
S.5	Reporting	232
Annex T (normative)	Light distribution test.....	234
T.1	Background.....	234
T.2	Test outcomes	234
T.3	Related tests.....	235
T.4	Recognized Approved test methods.....	235
T.4.1	General	235
T.4.2	Goniophotometer	239
T.4.3	Multi-plane method	239
T.4.4	Illuminance on a plane method.....	243
T.4.5	Rotating disk Turntable method.....	247
T.4.6	Illuminance on a desktop method	249
T.5	Reporting.....	251
Annex U (normative)	Physical and water ingress protection test.....	255
U.1	Background.....	255
U.2	Test outcomes	255
U.3	Related tests.....	256
U.4	Procedure.....	256
U.4.1	General	256
U.4.2	IP testing at an international laboratory that has been accredited to test according to IEC 60529.....	256
U.4.3	Simplified IP preliminary inspection for ingress of solid foreign objects.....	257
U.4.4	Simplified IP preliminary inspection for ingress of water with harmful effects.....	258
U.5	Reporting.....	261
Annex V (normative)	Level of water protection.....	262
V.1	Background.....	262
V.2	Test outcomes	262
V.3	Related tests.....	263
V.4	Laboratory requirements	263
V.5	Procedure.....	263
V.5.1	General	263
V.5.2	Level of water protection for enclosure only.....	264
V.5.3	Level of water protection from technical aspects.....	264
V.5.4	Overall level of water protection	267
V.6	Reporting.....	268
Annex W (normative)	Mechanical durability test.....	269
W.1	Background.....	269
W.2	Test outcomes	269
W.3	Related tests.....	270
W.4	Procedures	270
W.4.1	Drop test.....	270
W.4.2	Switch and connector test	271
W.4.3	Gooseneck and moving part test	272
W.4.4	Strain relief test	273

W.5	Reporting	274
Annex X (informative) Example test report templates		
Annex X (informative)	Reserved	304
Annex Y (informative)	Photometer box for relative luminous flux measurements	305
Y.1	Background	305
Y.2	Plans	306
Y.3	Instructions for construction	309
Annex Z (informative)	Photometer tube for relative luminous flux measurements	310
Z.1	Background	310
Z.2	Plans	310
Z.3	Instructions for construction	310
Annex AA (normative informative)	Field testing methods	311
AA.1	Background	311
AA.2	Test outcomes	311
AA.3	Related tests	311
AA.4	Laboratory requirements	312
AA.5	Procedures	312
AA.5.1	Full-battery run time test	312
AA.5.2	Solar run time test	313
AA.5.3	Luminous flux test	314
AA.5.4	Light distribution test	315
AA.6	Reporting	315
Annex BB (informative normative)	Battery durability test	317
BB.1	Background	327
BB.2	Test outcomes	327
BB.3	Related tests	327
BB.4	Procedure	328
BB.4.1	Durability storage test for valve-regulated lead-acid batteries	328
BB.4.2	Durability storage test for nickel-metal hydride batteries	329
BB.4.3	Durability storage test for lithium-ion batteries	329
BB.4.4	Durability storage test for lithium iron phosphate batteries	330
BB.5	Reporting	331
Annex CC (normative)	Equipment requirements	332
Annex DD (normative)	Protection tests	341
DD.1	Background	341
DD.2	Test outcomes	341
DD.3	Related tests	341
DD.4	Procedure	342
DD.4.1	PV overvoltage protection test	342
DD.4.2	Miswiring protection test	344
DD.4.3	Output overload protection test	346
DD.5	Reporting	349
Annex EE (normative)	Assessment of DC ports	353
EE.1	Background	353
EE.2	Test outcomes	353
EE.3	Related tests	354
EE.4	Procedure	355
EE.4.1	Preparation	355

EE.4.2	Measurement of steady-state port characteristics	355
EE.4.4	Summary calculations	365
EE.4.5	Pass/fail tests for functionality and truth in advertising	366
EE.4.3	Dynamic measurement	361
EE.5	Reporting	367
Annex FF (normative)	Appliance tests	369
FF.1	Background	369
FF.2	Test outcomes	369
FF.3	Related tests	369
FF.4	Procedure	370
FF.4.1	General	370
FF.4.3	Test procedure for television sets	371
FF.4.2	Test procedure for LED or CFL light points	370
FF.4.4	Test procedure for radios without internal batteries	371
FF.4.5	Test procedure for fans, motor-driven appliances, and other appliances without internal batteries	372
FF.4.6	Test procedure for other appliances with internal batteries	373
FF.5	Appliance operating voltage range test procedure	374
FF.5.1	General	374
FF.5.2	Equipment requirements	375
FF.5.3	Procedure for appliances without internal batteries	375
FF.5.4	Procedure for appliances with internal batteries	375
FF.6	Reporting	376
Annex GG (normative)	Energy service calculations	378
GG.1	Background	378
GG.2	Test outcomes	379
GG.3	Related tests	381
GG.4	Procedure	381
GG.4.1	Full-battery run time energy service calculations	381
GG.4.2	Solar run time energy service calculations	385
GG.5	Reporting	392
Annex HH (normative)	Generic appliances	394
HH.1	Background	394
HH.2	Test outcomes	394
HH.3	Related tests	394
HH.4	Equipment requirements	394
HH.5	Procedure	395
HH.6	Reporting	396
Bibliography	397

Figure 1 – Fixed Separate (fixed indoors) system indoor components – Example arrangement of components	29
Figure 2 – Fixed integrated (fixed outdoors) system outdoor components with an indoor light point – Example arrangement of components	30
Figure 3 – Portable separate system components – Example arrangement of components	31
Figure 4 – Portable integrated system components – Example arrangement of components	31
Figure 5 – Division of a lighting kit into subsystems – Illustrative example	33

Figure 6 – The two components of a product specification	48
Figure 7 – Recommended sequence of testing for FSM	69
Figure 7 – Recommended sequence of testing for QTM	69
Figure 8 – First portion of example SSS	95
Figure 9 – Last (second) portion of example SSS	97
Figure H.1 – 4-wire test configuration with input filter capacitors	141
Figure I.1 – Conceptual schematic of the light output test setup, including the 11 × 11 grid, Cartesian coordinate axes for rotation reference, and the DUT	148
Figure J.1 – Schematic of a photometer tube	153
Figure J.2 – Example lumen maintenance plot	161
Figure L.1 – Battery testing flowchart for the battery test (Annex K)	180
Figure M.1 – Interior view of photometer box with suspended light	180
Figure M.2 – Plot of example results from the full-battery run time test	181
Figure Q.1 – PV module I-V curve testing rack	197
Figure R.1 – Schematic of the power supply and DUT connection for the solar charge efficiency test	205
Figure R.2 – Example "true" and simulated I-V curves plotted with the deviation ratio	207
Figure R.3 – Example plots of current vs. time for four different DUT batteries	214
Figure R.4 – Example time series plot of the solar charging cycle showing the maximum power available from the PV simulator, actual power supplied by the PV simulator, and power delivered to the batteries	218
Figure R.5 – Example time series plot of the solar charging cycle showing the instantaneous battery-charging circuit efficiency and solar operation efficiency	219
Figure S.1 – Schematic of the DC power supply-DUT connection using a series protection resistor	224
Figure T.3 – Radial illuminance distributions for two example DUTs, showing the calculation of the FWHM angle	243
Figure T.2 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for a directed light point	238
Figure T.1 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for an omnidirectional light point	237
Figure T.4 – Schematic of a task light suspended 0,75 m above a photometer an illuminance meter	244
Figure T.5 – Schematic of "rotary disk" turntable setup, with the DUT shown	248
Figure T.6 – Side view of desktop light measuring setup	250
Figure T.7 – Example plot of usable area as a function of minimum illuminance	252
Figure T.8 – Example of resulting surface plot of light distribution from the brightest "face" of the multi-plane method or illuminance on a plane method	253
Figure T.9 – Example of resulting polar plot of illuminance from the multi-plane or rotating-disk turntable method	254
Figure U.1 – Side view of the apparatus for testing a DUT's external solar module for protection against water ingress	260
Figure W.1 – Three-dimensional Cartesian coordinate system for drop test reference	271
Figure W.2 – Cable strain angle (γ) schematics for a PV module junction box (left) and a separate light point (right)	274
Figure Y.1 – Interior view of completed photometer box	305
Figure Y.2 – Exterior view of completed photometer box	306

Figure Y.3 – Photometer box dimensions	307
Figure Y.4 – Photometer box assembly pieces and list of materials.....	308
Figure Z.1 – Completed photometer tube.....	310
Figure EE.1 – Schematic of the DUT with DC port and USB port and variable resistors connected for the measurement of steady-state port characteristics.....	357
Figure EE.2 – Example of the plots of port characteristics.....	361
Figure EE.3 – Schematic of the DUT with DC port and USB port and variable resistors connected for the dynamic measurement.....	363
Figure EE.4 – Illustration of stepped current waveform for procedure 2.....	365
Figure EE.5 – Example time series plot of voltage and current showing the transients.....	365
Figure EE.6 – Typical configuration of USB port for special charger.....	367
Figure GG.1 – Conceptual energy flow diagram for energy service estimates.....	379
Table 1 – Applications of product specifications.....	49
Table 2 – Qualification as separate PV module.....	51
Table 3 – Truth-in-advertising tolerance	52
Table 4 – Safety and durability standards (1 of 2).....	53
Table 5 – End user support standards.....	54
Table 6 – End user support requirements.....	55
Table 7 – Run time criteria for performance targets.....	
Table 7 – Truth-in-advertising criteria for quality standards (1 of 2).....	57
Table 8 – Lighting service criteria for performance targets.....	
Table 8 – Notes Remarks on common truth-in-advertising aspects.....	58
Table 9 – Additional features criteria for performance targets.....	
Table 9 – Safety and durability criteria for quality standards (1 of 2).....	59
Table 10 – Recommended level of water protection by product category.....	61
Table 11 – End user support criteria for quality standards.....	62
Table 12 – Criteria for warranty standards.....	62
Table 13 – Applications of product specifications.....	65
Table 14 – QTM testing requirements (1 of 3).....	66
Table 15 – Applications of product specifications MCM results	74
Table 16 – Run time criteria for performance targets.....	
Table 16 – Applications of product specifications.....	77
Table 17 – Run time benchmarks.....	
Table 17 – ISM testing requirements (1 of 2).....	79
Table 18 – Lighting service criteria for performance targets.....	
Table 18 – Applications of AVM results	86
Table 19 – Lighting service benchmarks.....	
Table 19 – AVM verification entry testing requirements (1 of 2)	88
Table 20 – Additional function criteria for performance targets.....	
Table 20 – Applications of product specifications.....	90
Table 21 – Recommended precision requirements for metrics on a continuous scale.....	93
Table 24 – Typical MCM testing guidelines.....	
Table 27 – Applications of product specifications.....	