

TECHNICAL SPECIFICATION



**Recommendations for renewable energy and hybrid systems for rural electrification –
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural electrification**

IEC TS 62257-9-5:2016

<https://standards.iteh.ai/en/standards/iec/b79dface-a6f6-46b0-8f09-5debb43c2594/iec-ts-62257-9-5-2016>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

TECHNICAL SPECIFICATION



**Recommendations for renewable energy and hybrid systems for rural
electrification –
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural
electrification**

<https://standards.iteh.ai/standards/iec/62257-9-5/face-a6f6-46b0-8f09-5debb43c2594/iec-ts-62257-9-5-2016>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-3495-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	15
INTRODUCTION.....	18
1 Scope.....	20
2 Normative references.....	20
3 Terms and definitions	21
4 System limits	25
4.1 System description	25
4.1.1 Components	25
4.1.2 Component categories	26
4.1.3 Lighting parts definitions	29
4.1.4 Additional system elements	30
4.2 System measurements and observations	30
4.2.1 General	30
4.2.2 Product design, manufacture, and marketing aspects	31
4.2.3 Product durability and workmanship aspects	34
4.2.4 Lighting durability aspects	37
4.2.5 Battery performance aspects	38
4.2.6 Solar module aspects	39
4.2.7 Electrical characteristics	39
4.2.8 Performance aspects	40
4.2.9 Light output aspects	42
4.2.10 Battery-charging circuit efficiency	43
4.2.11 Self-certification aspects	43
5 Product specification	44
5.1 General	44
5.2 Applications	45
5.3 Quality assurance principles	45
5.4 Product specification framework description.....	46
5.4.1 General	46
5.4.2 Product specification template.....	46
5.4.3 Tolerances.....	50
5.4.4 Quality standards criteria	50
5.4.5 Warranty requirements criteria	56
6 Quality test method.....	56
6.1 General.....	56
6.2 Applications	56
6.3 Sampling requirements.....	56
6.4 Laboratory requirements	57
6.5 Testing requirements.....	57
6.6 Recommended tests programme	59
6.6.1 General	59
6.6.2 Test preparation.....	60
6.6.3 Batch A tests	60
6.6.4 Batch B tests	62
6.6.5 Batch C – potentially destructive tests	63
6.6.6 Report preparation	63

6.7	Reporting	64
7	Market check method	64
7.1	General	64
7.2	Applications	64
7.3	Sampling requirements	65
7.4	Laboratory requirements	65
7.5	Testing requirements	65
7.6	Recommended tests programme	65
7.7	Report requirements	65
8	Initial screening method	66
8.1	General	66
8.2	Applications	66
8.3	Sampling requirements	66
8.4	Laboratory requirements	66
8.5	Testing requirements	66
8.6	Recommended tests programme	68
8.7	Reporting	68
9	Accelerated verification method	69
9.1	General	69
9.2	Applications	69
9.3	Sampling requirements	70
9.3.1	General	70
9.3.2	Verification entry testing	70
9.3.3	Follow-up QTM testing	70
9.4	Laboratory requirements	71
9.5	Testing requirements	71
9.5.1	General	71
9.5.2	Verification entry testing	71
9.5.3	Follow-up QTM testing	73
9.6	Recommended tests programme	74
9.7	Report requirements	74
10	Standardized specification sheets	74
10.1	General	74
10.2	Applications	74
10.2.1	General	74
10.2.2	Guidance	74
10.2.3	Framework for SSS guidelines document	75
Annex A (informative) Recommended quality standards for off-grid lighting market support programme qualification		80
A.1	Overview	80
A.2	Test requirements	80
A.3	Product category requirements	80
A.4	Quality standards	80
A.5	Warranty and end user support requirements	82
Annex B (informative) Reserved		84
Annex C (informative) Recommended SSS guidelines		85
C.1	General	85
C.2	Qualification standards	85

C.3	Test result requirements.....	85
C.3.1	Original testing	85
C.3.2	Retesting and updates	85
C.4	Style and format.....	86
C.5	Reporting precision	86
C.6	Results verification.....	87
C.7	Section descriptions	87
C.7.1	General	87
C.7.2	Header/overall performance	87
C.7.3	General information	88
C.7.4	Performance details	89
C.7.5	Light output.....	90
C.7.6	Special features	90
C.7.7	Durability	90
C.7.8	Solar module details	91
C.7.9	Battery details.....	91
C.7.10	Marks and certifications	92
C.7.11	SSS information	92
C.8	Example sheet	93
Annex D (normative)	Manufacturer self-reported information.....	94
D.1	Background.....	94
D.2	Outcomes	94
D.3	Solicited information.....	94
D.3.1	General	94
D.3.2	Confidential information (not released publicly).....	94
D.3.3	Public information (may be released publicly)	95
D.4	Reporting.....	96
Annex E (normative)	Product sampling.....	98
E.1	Background.....	98
E.2	Test outcomes	98
E.3	Related tests.....	98
E.4	Procedure	98
E.4.1	Retail sampling	98
E.4.2	Warehouse sampling.....	99
E.5	Reporting.....	100
Annex F (normative)	Visual screening	101
F.1	Background.....	101
F.2	Test outcomes	101
F.3	Related tests.....	101
F.4	Procedure	101
F.4.1	Properties, features, and information	101
F.4.2	Specifications	105
F.4.3	Functionality and internal inspection.....	107
F.5	Reporting.....	109
Annex G (normative)	Sample preparation	114
G.1	Background.....	114
G.2	Test outcomes	114
G.3	Related tests.....	114

G.4	Procedure	114
G.4.1	General	114
G.4.2	Equipment requirements	114
G.4.3	Test prerequisites	115
G.4.4	Procedure	115
G.4.5	Calculations	117
G.5	Reporting	117
Annex H (normative)	Power supply setup procedure	118
H.1	Background	118
H.2	Test outcomes	118
H.3	Related tests	118
H.4	Equipment requirements	118
H.5	Setup procedure for photometric measurements and lumen maintenance tests	119
H.5.1	Test setup	119
H.5.2	DC voltage and current levels	119
H.5.3	Stabilization period	120
H.5.4	4-wire power supply measurements	121
H.5.5	Filtering electronic noise	121
H.5.6	Troubleshooting	121
H.6	Reporting	122
Annex I (normative)	Light output test	123
I.1	Background	123
I.2	Test outcomes	123
I.3	Related tests	123
I.4	Luminous flux measurement techniques	124
I.4.1	General	124
I.4.2	Luminous flux measurements with an integrating sphere or goniophotometer	124
I.4.3	Luminous flux measurements using the multi-plane method	125
I.5	Correlated colour temperature (CCT) measurement	127
I.6	Colour rendering index (CRI) measurement	127
I.7	Reporting	127
Annex J (normative)	Lumen maintenance test	129
J.1	Background	129
J.2	Test outcomes	129
J.3	Related tests	130
J.4	Procedure	130
J.4.1	General	130
J.4.2	Full screening	130
J.4.3	Initial screening (500 h test)	135
J.5	Calculations	136
J.6	Alternate method for testing lumen maintenance using IESNA LM-80-08	136
J.6.1	Background	136
J.6.2	Test prerequisites	136
J.6.3	Procedure	137
J.6.4	DUT preparation and LED thermocouple attachment guidelines	137
J.6.5	Calculations	137
J.7	Reporting	138

Annex K (normative) Battery test.....	140
K.1 Background.....	140
K.2 Test outcomes	140
K.3 Related tests.....	140
K.4 Procedure	140
K.4.1 General	140
K.4.2 Valve-regulated lead-acid battery test.....	141
K.4.3 Nickel-metal hydride battery test	143
K.4.4 Lithium-ion battery test.....	145
K.4.5 Lithium iron phosphate battery test.....	146
K.5 Reporting.....	147
Annex L (informative) Battery testing recommended practices.....	148
L.1 Background.....	148
L.2 Deep discharge protection specifications by battery type.....	148
L.3 Overcharge protection specifications by battery type.....	149
Annex M (normative) Full-battery run time test	150
M.1 Background.....	150
M.2 Test outcomes	150
M.3 Related tests.....	151
M.4 Procedure	151
M.4.1 Full-battery run time test.....	151
M.4.2 Full-battery run time test with deep discharge protection measurement	155
M.5 Reporting.....	156
Annex N (normative) Full discharge preparation.....	158
N.1 Background.....	158
N.2 Test outcomes	158
N.3 Related tests.....	158
N.4 Procedure.....	158
N.4.1 General	158
N.4.2 Equipment requirements	158
N.4.3 Test prerequisites	158
N.4.4 Procedure.....	159
N.4.5 Calculations.....	160
N.5 Reporting.....	160
Annex O (normative) Grid charge test	161
O.1 Background.....	161
O.2 Test outcomes	161
O.3 Related tests.....	161
O.4 Procedure.....	161
O.4.1 General	161
O.4.2 Equipment requirements	161
O.4.3 Test prerequisites	161
O.4.4 Apparatus	162
O.4.5 Procedure.....	162
O.4.6 Calculations.....	162
O.5 Reporting.....	162
Annex P (normative) Electromechanical charge test	164
P.1 Background.....	164

P.2	Test outcomes	164
P.3	Related tests.....	164
P.4	Procedure	164
P.4.1	General	164
P.4.2	Equipment requirements	164
P.4.3	Test prerequisites	164
P.4.4	Apparatus	165
P.4.5	Procedure.....	165
P.4.6	Calculations.....	165
P.5	Reporting.....	165
Annex Q (normative)	Photovoltaic module I-V characteristics test	167
Q.1	Background.....	167
Q.2	Test outcomes	167
Q.3	Related tests.....	168
Q.4	Procedure	168
Q.4.1	Testing using IEC 61215 (all parts).....	168
Q.4.2	Test programme using a solar simulator	168
Q.4.3	Outdoor photovoltaic module I-V characteristics test	169
Q.5	Reporting.....	173
Annex R (normative)	Solar charge test.....	175
R.1	Background.....	175
R.2	Test outcomes	175
R.3	Related tests.....	175
R.4	Procedure	176
R.4.1	General.....	176
R.4.2	Test method using a resistor network	176
R.4.3	Test method using a solar array simulator (SAS)	181
R.4.4	Calculations.....	183
R.5	Reporting.....	188
Annex S (normative)	Charge controller behaviour test	191
S.1	Background.....	191
S.2	Test outcomes	191
S.3	Related tests.....	192
S.4	Procedure	192
S.4.1	Active deep discharge protection test	192
S.4.2	Active overcharge protection test.....	194
S.4.3	Passive deep discharge protection test.....	197
S.4.4	Passive overcharge protection test.....	199
S.4.5	Standby loss measurement	201
S.5	Reporting.....	202
Annex T (normative)	Light distribution test.....	203
T.1	Background.....	203
T.2	Test outcomes	203
T.3	Related tests.....	204
T.4	Approved test methods.....	204
T.4.1	General	204
T.4.2	Goniophotometer	208
T.4.3	Multi-plane method	208

T.4.4	Illuminance on a plane method	211
T.4.5	Turntable method	215
T.4.6	Illuminance on a desktop method	217
T.5	Reporting	218
Annex U (normative)	Physical and water ingress protection test.....	223
U.1	Background.....	223
U.2	Test outcomes	223
U.3	Related tests.....	224
U.4	Procedure	224
U.4.1	General	224
U.4.2	IP testing at a laboratory that has been accredited to test according to IEC 60529	224
U.4.3	Simplified IP inspection for ingress of solid foreign objects.....	224
U.4.4	Simplified IP preliminary inspection for ingress of water with harmful effects	226
U.5	Reporting	228
Annex V (normative)	Level of water protection.....	229
V.1	Background.....	229
V.2	Test outcomes	229
V.3	Related tests.....	230
V.4	Laboratory requirements	230
V.5	Procedure	230
V.5.1	General	230
V.5.2	Level of water protection for enclosure only	231
V.5.3	Level of water protection from technical aspects	231
V.5.4	Overall level of water protection	233
V.6	Reporting.....	234
Annex W (normative)	Mechanical durability test.....	236
W.1	Background.....	236
W.2	Test outcomes	236
W.3	Related tests.....	237
W.4	Procedures.....	237
W.4.1	Drop test.....	237
W.4.2	Switch and connector test	238
W.4.3	Gooseneck and moving part test	239
W.4.4	Strain relief test	240
W.5	Reporting.....	241
Annex X (informative)	Reserved.....	243
Annex Y (informative)	Photometer box for relative luminous flux measurements	244
Y.1	Background.....	244
Y.2	Plans	245
Y.3	Instructions for construction.....	248
Annex Z (informative)	Photometer tube for relative luminous flux measurements	249
Z.1	Background.....	249
Z.2	Plans	249
Z.3	Instructions for construction.....	249
Annex AA (informative)	Field testing methods.....	250
AA.1	Background.....	250

AA.2	Test outcomes	250
AA.3	Related tests.....	250
AA.4	Laboratory requirements	250
AA.5	Procedures	251
AA.5.1	Full-battery run time test	251
AA.5.2	Solar run time test.....	252
AA.5.3	Luminous flux test.....	253
AA.5.4	Light distribution test.....	254
AA.6	Reporting.....	254
Annex BB (normative)	Battery durability test.....	256
BB.1	Background.....	256
BB.2	Test outcomes	256
BB.3	Related tests.....	256
BB.4	Procedure	256
BB.4.1	Durability storage test for valve-regulated lead-acid batteries.....	256
BB.4.2	Durability storage test for nickel-metal hydride batteries	257
BB.4.3	Durability storage test for lithium-ion batteries	258
BB.4.4	Durability storage test for lithium iron phosphate batteries.....	259
BB.5	Reporting.....	259
Annex CC (normative)	Equipment requirements.....	261
Annex DD (normative)	Protection tests.....	270
DD.1	Background.....	270
DD.2	Test outcomes	270
DD.3	Related tests.....	270
DD.4	Procedure	271
DD.4.1	PV overvoltage protection test.....	271
DD.4.2	Miswiring protection test.....	273
DD.4.3	Output overload protection test.....	275
DD.5	Reporting.....	278
Annex EE (normative)	Assessment of DC ports	282
EE.1	Background.....	282
EE.2	Test outcomes	282
EE.3	Related tests.....	283
EE.4	Procedure	283
EE.4.1	Preparation.....	283
EE.4.2	Measurement of steady-state port characteristics	284
EE.4.3	Dynamic measurement.....	290
EE.4.4	Summary calculations	294
EE.4.5	Pass/fail tests for functionality and truth in advertising	295
EE.5	Reporting.....	296
Annex FF (normative)	Appliance tests	298
FF.1	Background.....	298
FF.2	Test outcomes	298
FF.3	Related tests.....	298
FF.4	Procedure	299
FF.4.1	General	299
FF.4.2	Test procedure for LED or CFL light points	299
FF.4.3	Test procedure for television sets.....	300

FF.4.4	Test procedure for radios without internal batteries	300
FF.4.5	Test procedure for fans, motor-driven appliances, and other appliances without internal batteries	301
FF.4.6	Test procedure for other appliances with internal batteries	302
FF.5	Appliance operating voltage range test procedure	303
FF.5.1	General	303
FF.5.2	Equipment requirements	304
FF.5.3	Procedure for appliances without internal batteries	304
FF.5.4	Procedure for appliances with internal batteries	304
FF.6	Reporting	305
Annex GG (normative)	Energy service calculations	307
GG.1	Background	307
GG.2	Test outcomes	308
GG.3	Related tests	310
GG.4	Procedure	310
GG.4.1	Full-battery run time energy service calculations	310
GG.4.2	Solar run time energy service calculations	314
GG.5	Reporting	321
Annex HH (normative)	Generic appliances	323
HH.1	Background	323
HH.2	Test outcomes	323
HH.3	Related tests	323
HH.4	Equipment requirements	323
HH.5	Procedure	324
HH.6	Reporting	325
Bibliography		326
Figure 1	Fixed indoor components – Example	27
Figure 2	Fixed outdoor components with an indoor light point – Example	27
Figure 3	Portable separate components – Example	28
Figure 4	Portable integrated components – Example	28
Figure 5	Division of a lighting kit into subsystems – Illustrative example	30
Figure 6	The two components of a product specification	44
Figure 7	Recommended sequence of testing for QTM	60
Figure 8	First portion of example SSS	78
Figure 9	Last (second) portion of example SSS	79
Figure H.1	4-wire test configuration with input filter capacitors	119
Figure I.1	Conceptual schematic of the light output test setup, including the 11 × 11 grid, Cartesian coordinate axes for rotation reference, and the DUT	126
Figure J.1	Schematic of a photometer tube	131
Figure J.2	Example lumen maintenance plot	139
Figure M.1	Interior view of photometer box with suspended light	152
Figure M.2	Plot of example results from the full-battery run time test	154
Figure Q.1	PV module I-V curve testing rack	170
Figure R.1	Schematic of the power supply and DUT connection for the solar charge efficiency test	178
Figure R.2	Example "true" and simulated I-V curves plotted with the deviation ratio	180

Figure R.3 – Example plots of current vs. time for four different DUT batteries	185
Figure R.4 – Example time series plot of the solar charging cycle showing the maximum power available from the PV simulator, actual power supplied by the PV simulator, and power delivered to the batteries	189
Figure R.5 – Example time series plot of the solar charging cycle showing the instantaneous battery-charging circuit efficiency and solar operation efficiency	190
Figure S.1 – Schematic of the DC power supply-DUT connection using a series protection resistor	195
Figure T.1 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for an omnidirectional light point	206
Figure T.2 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for a directed light point	207
Figure T.3 – Radial illuminance distributions for two example DUTs, showing the calculation of the FWHM angle	211
Figure T.4 – Schematic of a task light suspended above an illuminance meter	212
Figure T.5 – Schematic of turntable setup, with the DUT shown	216
Figure T.6 – Side view of desktop light measuring setup	217
Figure T.7 – Example plot of usable area as a function of minimum illuminance	220
Figure T.8 – Example of resulting surface plot of light distribution from the brightest "face" of the multi-plane method or illuminance on a plane method	221
Figure T.9 – Example of resulting polar plot of illuminance from the multi-plane or turntable method	222
Figure U.1 – Side view of the apparatus for testing a DUT's external solar module for protection against water ingress	227
Figure W.1 – Three-dimensional Cartesian coordinate system for drop test reference	238
Figure W.2 – Cable strain angle (γ) schematics for a PV module junction box (left) and a separate light point (right)	241
Figure Y.1 – Interior view of completed photometer box	244
Figure Y.2 – Exterior view of completed photometer box	245
Figure Y.3 – Photometer box dimensions	246
Figure Y.4 – Photometer box assembly pieces and list of materials	247
Figure Z.1 – Completed photometer tube	249
Figure EE.1 – Schematic of the DUT with DC port and USB port and variable resistors connected for the measurement of steady-state port characteristics	286
Figure EE.2 – Example of the plots of port characteristics	290
Figure EE.3 – Schematic of the DUT with DC port and USB port and variable resistors connected for the dynamic measurement	292
Figure EE.4 – Illustration of stepped current waveform for procedure 2	294
Figure EE.5 – Example time series plot of voltage and current showing the transients	294
Figure EE.6 – Typical configuration of USB port for special charger	296
Figure GG.1 – Conceptual energy flow diagram for energy service estimates	308
Table 1 – Applications of product specifications	45
Table 2 – Qualification as separate PV module	47
Table 3 – Truth-in-advertising tolerance	47
Table 4 – Safety and durability standards	48
Table 5 – End user support standards	49

Table 6 – End user support requirements	49
Table 7 – Truth-in-advertising criteria for quality standards	51
Table 8 – Remarks on common truth-in-advertising aspects	52
Table 9 – Safety and durability criteria for quality standards	53
Table 10 – Recommended level of water protection by product category	55
Table 11 – End user support criteria for quality standards	55
Table 12 – Criteria for warranty standards	56
Table 13 – Applications of product specifications	56
Table 14 – QTM testing requirements	57
Table 15 – Applications of MCM results	65
Table 16 – Applications of product specifications	66
Table 17 – ISM testing requirements	67
Table 18 – Applications of AVM results	70
Table 19 – AVM verification entry testing requirements	72
Table 20 – Applications of product specifications	74
Table 21 – Recommended precision requirements for metrics on a continuous scale	76
Table A.1 – Qualification as separate PV module	80
Table A.2 – Truth-in-advertising tolerance	81
Table A.3 – Safety and durability standards	81
Table A.4 – End user support requirements	83
Table C.1 – Requirements for retesting to update SSS	85
Table C.2 – Recommended precision requirements for metrics on a continuous scale	87
Table C.3 – Elements in the header/overall performance SSS section	88
Table C.4 – Elements in the general information SSS section	89
Table C.5 – Elements in the performance details section	89
Table C.6 – Elements in the light output SSS section	90
Table C.7 – Elements in the special features SSS section	90
Table C.8 – Elements in the durability SSS section	91
Table C.9 – Elements in the solar module details SSS section	91
Table C.10 – Elements in the battery details SSS section	92
Table C.11 – Elements in the marks and certifications SSS section	92
Table C.12 – Elements in the SSS information section	93
Table D.1 – Manufacturer self-reported information outcomes	94
Table E.1 – Product sampling outcomes	98
Table F.1 – Visual screening test outcomes	101
Table G.1 – Recommended minimum conductor sizes for copper wire	115
Table H.1 – Power supply setup test outcome	118
Table H.2 – Standard operating voltage for several common battery types	120
Table H.3 – Voltage and current reporting requirements	122
Table I.1 – Light output test outcomes	123
Table J.1 – Lumen maintenance test outcomes	130
Table J.2 – Lumen maintenance test minimum frequency of measurement for full screening test	132