

TECHNICAL SPECIFICATION



Recommendations for small Renewable energy and hybrid systems for rural electrification – Part 9-6: Integrated system – Recommendations for selection of Photovoltaic Individual Electrification Systems (PV-IES)

IEC TS 62257-9-6:2019

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC TS 62257-9-6:2019](http://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019)

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>



TECHNICAL SPECIFICATION



Recommendations for small Renewable energy and hybrid systems for rural electrification – Part 9-6: Integrated system – Recommendations for selection of Photovoltaic Individual Electrification Systems (PV-IES)

[IEC TS 62257-9-6:2019](https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019)

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160; 27.180

ISBN 978-2-8322-7454-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	2
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	10
4 System boundaries	10
5 System pre-selection	10
5.1 Services to be provided by the system	10
5.2 Specification of a model.....	10
5.2.1 General operating conditions	10
5.2.2 Design	11
5.2.3 Components requirements	11
5.2.4 Safety issues	11
5.2.5 Installation rules	11
5.2.6 Operation and maintenance rules	11
5.2.7 Documentation and marking	12
5.3 Pre-selection process	12
5.3.1 Elements of the GS to be provided to potential suppliers	12
5.3.2 Answers to be provided by potential suppliers	12
5.3.3 Pre-selection criteria.....	12
6 Comparative tests.....	13
6.1 General.....	13
6.2 Service requirements	13
6.3 Service quality index.....	13
6.4 Testing programme	16
6.4.1 General	16
6.4.2 Test 1: initial inspection and commissioning	17
6.4.3 Test 2: ability to provide the required service under daylight favourable conditions	18
6.4.4 Test 3: ability to provide the required service under daylight unfavourable conditions	21
6.4.5 Test 4: final inspection.....	23
6.4.6 General conclusion	23
Annex A (informative) Data record sheet for visual inspection.....	25
Annex B (informative) Commissioning records sheet.....	26
Annex C (informative) Examples of load profiles for comparative tests.....	28
C.1 Examples of loads.....	28
C.2 Examples of systems	28
C.3 Examples of load profiles	29
Annex D (informative) Instruction and data record sheet models (according to a load profile as proposed in Annex A)	30
Bibliography.....	37

Figure 1 – Test 2, Phase A: initial charge cycles	19
Figure 2 – Test 2, Phase B: operating cycles	20
Figure 3 – Test 3, operating cycles	22
Table 1 – Climatic conditions (example).....	11
Table 2 – Suggested minimum values for IP and IK	11
Table 3 – Lighting service indexes	14
Table 4 – Radio / TV service indexes	15
Table 5 – Refrigeration service indexes	15
Table 6 – Testing programme	17
Table A.1 – Data record sheet for visual inspection (example)	25
Table B.1 – Commissioning records sheet (example)	26
Table C.1 – Example of loads	28
Table C.2– Example of small PV-IES loads (~50 Wp)	28
Table C.3 – Example of medium PV-IES loads (~200 Wp)	28
Table C.4 – Example of large PV-IES loads (~500 Wp).....	29
Table C.5 – Example of system load profile to perform test on PV-IES.....	29
Table D.1 – Overview instruction sheet for daily records (example)	30
Table D.2 – Record sheet for lighting service (example)	32
Table D.3 – Record sheet for radio service (example).....	33
Table D.4 – Record sheet for TV service (example)	34
Table D.5 – Record sheet for refrigeration service (example).....	35
Table D.6 – System daily quality index of service evaluation (example)	36

[IEC TS 62257-9-6:2019](https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019)

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 9-6: Integrated systems – Recommendations for selection of Photovoltaic Individual Electrification Systems (PV-IES)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62257-9-6, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This second edition of IEC TS 62257-9-6 cancels and replaces the first edition published in 2008. It constitutes a technical revision.

The main technical changes with respect to the previous edition are as follows:

- Removal of the term "small" from the title of the publication and from description of rural electrification systems.
- Removal of the limits on system voltage and power; these recommendations apply to systems of all sizes.

This part of IEC 62257 is to be used in conjunction with the IEC 62257 series.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/1279/DTS	82/1533A/RVDTS

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62257 series, under the general title: *Renewable energy and hybrid systems for rural electrification*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 62257-9-6:2019](#)

<https://standards.iteh.ai/catalog/standards/iec/f72bc633-0d8e-4d3f-acd9-7808f82bd473/iec-ts-62257-9-6-2019>

INTRODUCTION

The IEC 62257 series intends to provide ~~to~~ different players involved in rural electrification projects (such as project implementers, project contractors, project supervisors, installers, product suppliers, etc.) documents for ~~the~~ setting up ~~of~~ renewable energy and hybrid systems with a.c. voltage below ~~500 V, d.c. voltage below 750 V and power below 100 Kva~~ 1 000 V and d.c. voltage below 1 500 V.

These documents are recommendations:

- to choose the right system for the right place;
- to design the system;
- to ensure product quality and installation quality;
- to operate and maintain the system.

~~These documents are focused only on rural electrification concentrating on but not specific to developing countries. They must not be considered as all inclusive to rural electrification. The documents try to promote the use of renewable energies in rural electrification; they do not deal with clean mechanisms developments at this time (CO₂ emission, carbon credit, etc.). Further developments in this field could be introduced in future steps.~~

~~This consistent set of documents is best considered as a whole with different parts corresponding to items for safety, sustainability of systems and at the lowest life cycle cost as possible. One of the main objectives is to provide the minimum sufficient requirements, relevant to the field of application that is: small renewable energy and hybrid off-grid systems.~~

~~This document and the others of the IEC 62257 series are only guidance and so cannot be International Standards. Additionally their subject is still under technical development and so they shall be published as Technical Specifications.~~

These documents are focused on off-grid electricity access, concentrating on, but not limited to, areas with a significant fraction of the population living without reliable electric grid access. They should not be considered as providing complete coverage of all issues related to rural electrification.

This set of documents is best considered as a whole, with different parts covering topics such as safety, system design, product quality, installation and maintenance, and the sustainability of systems aiming at the lowest life cycle cost possible. One of the main objectives is to provide minimum requirements relevant to renewable energy and hybrid off-grid power systems.

RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 9-6: Integrated systems – Recommendations for selection of Photovoltaic Individual Electrification Systems (PV-IES)

1 Scope

The purpose of this part of IEC 62257 is to propose simple selection procedure and cheap, comparative tests which can be performed in laboratories of developing countries, in order to identify the most suitable model of ~~small~~ Photovoltaic Individual Electrification Systems (PV-IES) up to 500 Wp for a particular rural electrification project from a number of products submitted for test.

It is different from the scope of IEC 62124, *Photovoltaic (PV) stand alone systems – Design verification*, which provides guidance for verifying the design of stand-alone PV systems and indoor and outdoor tests in order to evaluate the performance of PV systems including PV generator, battery storage and loads such as lights, TV sets, and refrigerators.

The tests provided in this document allow assessment of the performance of PV-IES according to the requirement of the General Specification (GS) of the project (see IEC TS 62257-2) and to verify their ability to provide the required service. They ~~should be~~ are performed locally, as close as possible to the real site operating conditions.

This document is not a type approval standard. It is a technical specification to be used as guidelines and does not replace any existing IEC standard on PV systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61215 (all parts), *Crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval*

~~IEC 61646, *Thin-film terrestrial photovoltaic (PV) modules – Design qualification and type approval*~~

IEC 61730-1, *Photovoltaic (PV) module safety qualification – Part 1: Requirements for construction*

IEC 61730-2, *Photovoltaic (PV) module safety qualification – Part 2: Requirements for testing*

IEC TS 62257-2:2004:2015, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 2: From requirements to a range of electrification systems*

IEC TS 62257-4, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 4: System selection and design*

IEC TS 62257-5, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 5: Protection against electrical hazards*

IEC TS 62257-6, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 6: Acceptance, operation, maintenance and replacement*

IEC TS 62257-7-1, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 7-1: Generators – Photovoltaic ~~arrays~~ generators*

IEC TS 62257-8-1:20072018, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 8-1: Selection of batteries and battery management systems for stand-alone electrification systems – Specific case of automotive flooded lead-acid batteries available in developing countries*

IEC TS 62257-9-3, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 9-3: Integrated system – User interface*

IEC TS 62257-9-4, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 9-4: Integrated system – User installation*

IEC TS 62257-12-1, *Recommendations for ~~small~~ renewable energy and hybrid systems for rural electrification – Part 12-1: ~~Selection of self-ballasted lamps (CFL) for rural electrification systems and recommendations for household lighting equipment~~ Selection of lamps and lighting appliances for off-grid electricity systems*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1 cycle

sequence of a discharge followed by a charge or a charge followed by a discharge of a battery under specified conditions

3.1.2 duration of service

number of hours when a load is powered

3.1.3 fulfilment of service

ratio of a measured provided service to a required service

3.1.4 initial charge

commissioning charge given to a new battery to bring it to the fully charged state

3.1.5 period of service

part of the day when a load is powered

3.1.6

reference irradiation

value of irradiation taken in consideration for the design of the system, approved by the project implementer and specified in the GS of the project

3.1.7

service ratio

extent in which the service required by the GS is fulfilled by the system

3.2 Abbreviated terms

GS	general specification for the project
QI	quality of service index
$TWQI_T$	total weighted quality of service
$DWQI_T$	daily weighted quality of service
S_{good}	service ratio under favourable conditions
S_{bad}	service ratio under unfavourable conditions
S_d	daily service ratio

4 System boundaries

A PV-IES comprises the following elements:

- a PV generator including PV modules and support structure;
- a charge controller;
- a storage system (including battery and associated casing);
- adequate wiring, switches and protective devices (see IEC TS 62257-9-3 and IEC TS 62257-9-4);
- loads relevant for the required service (such as lamps, TV set, radio set, and refrigerators).

5 System pre-selection

5.1 Services to be provided by the system

The preliminary socio-economic studies shall provide the project developer with information on the ability of the customers who will benefit from the project to pay for the service provided. Then, the project developer shall define within the GS the range of services to be provided as described in IEC TS 62257-2 as well as the relative priority of the services to be provided (TV, lighting, etc.)

5.2 Specification of a model

5.2.1 General operating conditions

The project implementer shall define the operating conditions to which the PV-IES can be subjected. Examples of such conditions are given in Table 1.

Table 1 – Climatic conditions (example)

	Nominal operating range	Storage – Transport
Temperature	–10 °C to +50 °C	–40 °C to +80 °C
Humidity at 28 °C	5 % to 95 %	
Atmospheric pressure	860 hPa to 1 060 hPa	

5.2.2 Design

For the part of the project which will be implemented through Individual Electrification Systems, the project developer shall size a range of PV IES able to provide the required service under the specified operating conditions (see IEC TS 62257-2). The project implementer could either:

- specify complete integrated systems, or
- specify the different components for PV-IES in order to realize the integration of these components through its own system design.

In addition, the project developer shall set up the requirements for the loads relevant for the service to be provided (such as lamps, TV set, radio set, and refrigerator).

5.2.3 Components requirements

The components of the PV-IES shall comply with the relevant IEC standards and/or the relevant local regulations if any.

For the selection of batteries, tests recommended in IEC TS 62257-8-1 shall apply and for the selection of lamps, tests recommended in IEC TS 62257-12-1 shall apply.

5.2.4 Safety issues

The project developer shall define the IP degree and IK code of the expected products.

Table 2 gives some values that could be considered as a minimum.

Table 2 – Suggested minimum values for IP and IK

Protection degree	Minimum suggested value
IP	34
IK	8

Safety rules shall comply with IEC TS 62257-5.

5.2.5 Installation rules

The complete installation shall comply with IEC TS 62257-7-1 and IEC TS 62257-9-4 and any local wiring codes.

5.2.6 Operation and maintenance rules

The systems shall be designed in order that operation and maintenance may be performed in accordance with the specifications given in IEC TS 62257-6.

5.2.7 Documentation and marking

A manual shall also be provided including PV-IES installation and operating guidelines such as:

- initial operations before first use;
- instructions to use the PV-IES properly;
- mounting the PV module;
- charging instructions;
- maintenance and troubleshooting instructions.

5.3 Pre-selection process

5.3.1 Elements of the GS to be provided to potential suppliers

The project implementer shall supply the annual locally available solar irradiation curve.

NOTE This information could be provided through available laboratory data or through local measurements performed with a reference cell that will be used afterwards for the comparative tests.

This information as well as the requirements defined in 5.1 and 5.2 shall be provided to potential suppliers in order to receive proposals for relevant products.

The project implementer could:

- provide load requirements and let the suppliers provide systems to supply the load, or
- provide a complete PV-IES system specification, in order to source complete integrated PV-IES, or
- provide components requirements in order to source separately the different components of a PV-IES and realize the integration of these components.

5.3.2 Answers to be provided by potential suppliers

The supplier of the PV-IES and/or of the components shall prove that the PV-IES and/or the components comply with the relevant IEC standards and IEC 62257 technical specifications.

A technical sheet shall be provided by the supplier in order to demonstrate the ability of its product to match the requirements defined in 5.1 and 5.2.

5.3.3 Pre-selection criteria

The performances claimed by the manufacturer shall be compared to the performances required by the GS in order to make a pre-selection of available products.

The following general criteria can be used as an initial help for product pre-selection:

- services characteristics claimed by the manufacturer (duration of service and fulfillment of service);
- conformity of the modules with the following IEC standards: IEC 61215 series, ~~IEC 61646~~, and IEC 61730-1 and IEC 61730-2;
- conformity of the batteries, lamps, etc., with the relevant IEC standards and pre-selection process of potential products as recommended in the IEC TS 62257 series;
- battery casing characteristics.

A short list of products potentially able to match the requirements of the GS shall be set up by the project implementer.