

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-97: Particular requirements for drives for shutters, awnings, blinds and
similar equipment

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-97: Exigences particulières pour les motorisations des volets, stores,
rideaux et équipements analogues



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms, containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60335-2-97

Edition 3.0 2016-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –
Part 2-97: Particular requirements for drives for shutters, awnings, blinds and
similar equipment**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-97: Exigences particulières pour les motorisations des volets, stores,
rideaux et équipements analogues**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.01; 91.060.50

ISBN 978-2-8322-3310-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	9
3 Terms and definitions	9
4 General requirement.....	9
5 General conditions for the tests.....	10
6 Classification.....	10
7 Marking and instructions	10
8 Protection against access to live parts	11
9 Starting of motor-operated appliances.....	12
10 Power input and current.....	12
11 Heating	12
12 Void	12
13 Leakage current and electric strength at operating temperature	12
14 Transient overvoltages.....	12
15 Moisture resistance.....	12
16 Leakage current and electric strength.....	13
17 Overload protection of transformers and associated circuits.....	13
18 Endurance.....	13
19 Abnormal operation.....	13
20 Stability and mechanical hazards.....	13
21 Mechanical strength.....	16
22 Construction	16
23 Internal wiring.....	16
24 Components	16
25 Supply connection and external flexible cords	16
26 Terminals for external conductors	17
27 Provision for earthing.....	17
28 Screws and connections	17
29 Clearances, creepage distances and solid insulation	17
30 Resistance to heat and fire	17
31 Resistance to rusting	17
32 Radiation, toxicity and similar hazards	17
Annexes	20
Annex C (normative) Ageing test on motors.....	20
Annex R (normative) Software evaluation	20
Bibliography	21

Figure 101 – Examples of types of driven parts	18
Figure 102 – Example of test apparatus without a driven part for drives for rolling driven parts	19

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 60335-2-97:2016](https://standards.iteh.ai/catalog/standards/sist/5f4f38e3-57cf-4b78-8889-45bfaaf0d5da/iec-60335-2-97-2016)

<https://standards.iteh.ai/catalog/standards/sist/5f4f38e3-57cf-4b78-8889-45bfaaf0d5da/iec-60335-2-97-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-97: Particular requirements for drives for shutters,
awnings, blinds and similar equipment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002 including its Amendment 1 (2004) and its Amendment 2 (2008). It constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-97 are as follows (minor changes are not listed):

- Deleted "rolling" from the title and modified the scope to cover appliance types other than shutters, awnings, and blinds that are operated in a rolling way;
- Revised 19.13 to allow drives to obtain a safe position;
- Added 19.101 to provide a new abnormal test for drives with rated operating time;

- Added 20.104.4 to establish a test intended to cover horizontal movement (non-rolling) drive parts;
- Added 20.104.5 to provide an additional test to cover rolling grills to address the risk of being lifted;
- Modified 22.46 and Annex R to introduce software requirements for programmable electronic circuits used to comply with Clause 20;
- Added 22.101 to introduce a requirement to prevent inadvertent adjustments that would lead to unsafe application of drives;
- Added examples of swing shutters and sliding shutters in Figure 101.

The text of this standard is based on the following documents:

FDIS	Report on voting
61/5111/FDIS	61/5141/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for drives for shutters, awnings, blinds and similar equipment.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the Amendment 2 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60335-2-97:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/5f4f38e3-57cf-4b78-8889-45bfaaf0d5da/iec-60335-2-97-2016>

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the drive in question over and above the general requirements.

This standard is a product family standard dealing with the safety of drives and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-97: Particular requirements for drives for shutters, awnings, blinds and similar equipment

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **drives** for shutters, blinds and awnings, intended for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase **drives** and 480 V for other **drives**.

NOTE 101 Battery-operated **drives** and other d.c. supplied **drives** are within the scope of this standard.

NOTE 102 Examples of equipment that can be driven are

- spring controlled folding arm awnings;
- curtains;
- grilles covering doors and windows;
- projection screens;
- shutters covering doors and windows;
- draperies.

Examples are shown in Figure 101.

<https://standards.iteh.ai/catalog/standards/sist/5f4f38e3-57cf-4b78-8889-45bfaaf0d5da/iec-60335-2-97-2016>

NOTE 103 **Drives** may be supplied with a **driven part**.

Drives not intended for normal household use but that nevertheless may be a source of danger to the public, such as **drives** intended to be used by laymen in shops, in light industry, on farms and on industrial premises, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by **drives** that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge
 prevents them from using the **drive** safely without supervision or instruction;
- children playing with the **drive**.

NOTE 104 Attention is drawn to the fact that

- for **drives** intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 105 This standard does not apply to

- **drives** intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- **drives** for vertically moving garage doors for residential use (IEC 60335-2-95);
- **drives** for rolling doors (IEC 60335-2-103);

- **drives** used in premises such as hangars or in heavy industry;
- **drives** for theatre curtains.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52:1996, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 *Replacement:*

normal operation

operation of the **drive** under the following conditions:

- **drives** supplied without a **driven part** are operated at **rated load**;
- **drives** supplied with a **driven part** are operated with the **driven part** installed in accordance with the instructions

3.101

drive

motor and other components that control the movement of the **driven part**

Note 1 to entry: Examples of components are gears, controls, brakes and components for power transmission from the drive to the driven part.

3.102

driven part

movable part, such as a shutter, awning or blind, that is operated by the **drive**

3.103

rated load

torque or force assigned to the **drive** by the manufacturer

3.104

rated operating time

duration of continuous operation assigned to the **drive** by the manufacturer

Note 1 to entry: During continuous operation, the **drive** may reverse its direction.

3.105

rated number of operating cycles

number of uninterrupted cycles assigned to the **drive** by the manufacturer

3.106

biased-off switch

hold to run device that initiates and maintains the **drive** movement only as long as the manual control is actuated

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.10 Addition:

*When a test has to be carried out with a **driven part**, the **driven part** specified for installation with the **drive** that gives the most unfavourable conditions for the test is used. The **drive** is adjusted in accordance with the instructions.*

*The **driven part** may be simulated by an artificial load.*

NOTE 101 An example of an artificial load for rolling **driven parts** is in Figure 102.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Drives or parts of **drives** exposed to outdoor conditions shall be at least IPX4.

When **driven parts** are exposed to outdoor conditions, **drives** or parts of **drives** covered by the **driven part** shall be at least IPX4.

7 Marking and instructions

IEC 60335-2-97:2016

<https://standards.iteh.ai/catalog/standards/sist/5f4f38e3-57cf-4b78-8889-5922f5a1c005/iec-60335-2-97-2016>

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Drives supplied without a **driven part** shall be marked with

- the **rated load**, in newtons (N) or in newton-metres (Nm);
- the **rated operating time**, in minutes, unless the **drive** is intended for continuous operation.

Drives supplied with a **driven part** shall be marked with the **rated number of operating cycles**, unless the **drive** is intended for continuous operation.

7.12 Addition:

The instructions for **drives** supplied with a **driven part** shall state that the **rated number of operating cycles** is not to be exceeded.

The instructions shall state the substance of the following:

WARNING: Important safety instructions. It is important for the safety of persons to follow these instructions. Save these instructions.

The instructions shall include the substance of the following where applicable:

- do not allow children to play with fixed controls. Keep remote controls away from children;
- frequently examine the installation for imbalance and signs of wear or damage to cables springs and fixings. Do not use if repair or adjustment is necessary;

- details on how to use any manual release;
- when operating a biased-off switch, make sure that other persons are kept away;
- do not operate when maintenance, such as window cleaning, is being carried out in the vicinity.

The instructions for automatically controlled **drives** shall state the substance of the following:

Disconnect the **drive** from the supply or switch off the automatic controls when maintenance, such as window cleaning, is being carried out in the vicinity.

7.12.1 Addition:

The installation instructions shall state the substance of the following:

WARNING: Important safety instructions. Follow all instructions since incorrect installation can lead to severe injury.

The installation instructions shall indicate the type of **driven part** for which the **drive** is intended to be used.

They shall specify the mechanical parts necessary to couple the **drive** to the **driven part**.

NOTE 101 Mechanical parts to take account of variations in the **driven part** can be included in a website, catalogue or similar reference.

The installation instructions shall state the substance of the following where applicable:

- before installing the **drive**, remove any unnecessary cords or components and disable any equipment not needed for powered operation;
- install the actuating member of any manual release at a height less than 1,8 m;
- that the actuating member of a **biased-off switch** is to be located within direct sight of the **driven part** but away from moving parts. It is to be installed at a minimum height of 1,5 m;
- information if the **drive** is intended to be installed at a height of at least 2,5 m above floor level or other access level.

For **drives** supplied without a **driven part**, the installation instructions shall state the substance of the following:

- that the characteristics of the **driven part** must be compatible with the **rated load** and **rated operating time**;
- the minimum tube diameter needed to insert tubular **drives**;
- how to assemble the **driven part** and how to adjust the controls.

The installation instructions for awnings shall state that a horizontal distance of at least 0,4 m is to be maintained between the fully unrolled **driven part** and any permanent object.

7.15 Modification:

The marking of tubular **drives** may be concealed after installation.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.2 Modification: