### INTERNATIONAL STANDARD

ISO 3164

Fifth edition 1995-11-15

# Earth-moving machinery — Laboratory evaluations of protective structures — Specifications for deflection-limiting

### iTeh Syolomeard Preview

(standards.iteh.ai)

Engins de terrassement — Étude en laboratoire des structures de protection — Étude en laboratoire des structures de protection — Étude en laboratoire des structures de protection — La protec





#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at Jeast 75 % of the member bodies casting a vote.

International Standard ISO 3164 was prepared by Technical Committee ISO/TC 127, Earth-moving machinery, Subcommittee SC 2, Safety requirements and human factors.

ISO 3164:1995

This fifth edition cancels and replaces the fourth edition (ISO 3164-1992), effa6-4e81-9bac-of which it constitutes a technical revision.

© ISO 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

# Earth-moving machinery — Laboratory evaluations of protective structures — Specifications for deflection-limiting volume

#### 1 Scope

This International Standard specifies the deflectionlimiting volume (DLV) to be used when performing laboratory evaluations of structures which provide protection to operators of earth-moving machinery. **3.1 deflection-limiting volume;** DLV: Orthogonal approximation of a large, seated, male operator as defined in ISO 3411 wearing normal clothing and a protective helmet.

See figure 1.

### 2 Normative references STANDARI

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements iso-310 based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 3411:—<sup>1)</sup>, Earth-moving machinery — Human physical dimensions of operators and minimum operator space envelope.

ISO 5353:1995, Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point.

#### 3 Definitions

For the purposes of this International Standard, the following definitions apply.

**3.2 locating axis;** LA: Horizontal axis for positioning the DLV with respect to the seat index point (SIP).

See figure 1.

#### 45d Accuracye81-9bac-

All linear dimensions of the DLV shown in figure 1 shall have a tolerance of  $\pm$  5 mm. The accuracy of locating the DLV with respect to the seat index point (SIP) shall be  $\pm$  13 mm, horizontally and vertically.

#### 5 Location of DLV

NOTE 1 Machine controls and their components normally positioned in the DLV are not considered to violate the DLV.

- **5.1** The DLV shall be located using the SIP, as defined in ISO 5353, as the reference point (see figure 1).
- **5.2** For machines which have multiple machine function seats and therefore multiple SIPs (see ISO 5353:1995, 5.3.3), the SIP used by the operator to move the machine in the travel mode shall be used.

<sup>1)</sup> To be published. (Revision of ISO 3411:1982)

ISO 3164:1995(E) © ISO

- **5.3** The DLV shall be positioned so that the locating axis, LA, shown in figure 1 passes through the SIP. The DLV shall be centred transversely in the seat location with its principal axes horizontal and vertical
- (axes X' and Z' as defined in ISO 5353:1995, figure 2).
- **5.4** The location of LA of the DLV shall remain coincidental with the SIP even though that line may move during any or all of the laboratory loadings.

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 3164:1995 https://standards.iteh.ai/catalog/standards/sist/5de1e96b-ffa6-4e81-9bac-d74afc13b2d8/iso-3164-1995




Figure 1 — Deflection-limiting volume

## iTeh STANDARD PREVIEW This page intentionally left blank (standards.iteh.ai)

<u>ISO 3164:1995</u> https://standards.iteh.ai/catalog/standards/sist/5de1e96b-ffa6-4e81-9bac-d74afc13b2d8/iso-3164-1995

## iTeh STANDARD PREVIEW This page intentionally left blank (standards.iteh.ai)

<u>ISO 3164:1995</u> https://standards.iteh.ai/catalog/standards/sist/5de1e96b-ffa6-4e81-9bac-d74afc13b2d8/iso-3164-1995 ISO 3164:1995(E) © ISO

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 3164:1995 https://standards.iteh.ai/catalog/standards/sist/5de1e96b-ffa6-4e81-9bac-d74afc13b2d8/iso-3164-1995

#### ICS 53.100

**Descriptors:** earth-moving equipment, accident prevention, operator protection, protection against mechanical hazards, safety devices, tests, laboratory tests, estimation, effectiveness.

Price based on 3 pages