
Toplotno skrčljive vlite oblike - 3. del: Specifikacijske zahteve za mere oblik, material in skladnost - 100. list: Mere toplotno skrčljivih vlitih oblik (IEC 62329-3-100:2010)

Heat-shrinkable moulded shapes - Part 3: Specification requirements for shape dimensions, material requirements and compatibility performance - Sheet 100: Heat-shrinkable moulded shape dimensions (IEC 62329-3-100:2010)

Wärmeschrumpfende Formteile - Teil 3: Anforderungen für Formteilmaße, Materialeigenschaften und Kompatibilitätsverhalten - Blatt 100: Abmessungen für wärmeschrumpfende Formteile (IEC 62329-3-100:2010)

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-600362e01100)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-600362e01100>

Profilés thermorétractables - Partie 3: Exigences relatives aux dimensions des profilés, exigences de matériaux et performances de compatibilité - Feuille 100: Dimensions des profilés thermorétractables (CEI 62329-3-100:2010)

Ta slovenski standard je istoveten z: EN 62329-3-100:2010

ICS:

29.035.01	Izolacijski materiali na splošno	Insulating materials in general
-----------	----------------------------------	---------------------------------

SIST EN 62329-3-100:2010

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62329-3-100:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62329-3-100

July 2010

ICS 29.035.01

English version

**Heat-shrinkable moulded shapes -
Part 3: Specification requirements for shape dimensions, material
requirements and compatibility performance -
Sheet 100: Heat-shrinkable moulded shape dimensions
(IEC 62329-3-100:2010)**

Profilés thermorétractables -
Partie 3: Exigences relatives
aux dimensions des profilés, exigences
de matériaux et performances
de compatibilité -
Feuille 100: Dimensions des profilés
thermorétractables
(CEI 62329-3-100:2010)

Wärmeschrumpfende Formteile -
Teil 3: Anforderungen für Formteilmaße,
Materialeigenschaften
und Kompatibilitätsverhalten -
Blatt 100: Abmessungen
für wärmeschrumpfende Formteile
(IEC 62329-3-100:2010)

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62329-3-100:2010

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

This European Standard was approved by CENELEC on 2010-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 15/568/FDIS, future edition 1 of IEC 62329-3-100, prepared by IEC TC 15, Solid electrical insulating materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62326-3-100 on 2010-07-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2011-04-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2013-07-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62329-3-100:2010 was approved by CENELEC as a European Standard without any modification.

(standards.iteh.ai)

SIST EN 62329-3-100:2010

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60757	1983	Code for designation of colours	HD 457 S1	1985
IEC 62329-1	-	Heat shrinkable moulded shapes - Part 1: Definitions and general requirements	EN 62329-1	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62329-3-100:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>



IEC 62329-3-100

Edition 1.0 2010-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Heat-shrinkable moulded shapes –
Part 3: Specification requirements for shape dimensions, material requirements
and compatibility performance – Sheet 100: Heat-shrinkable moulded shape
dimensions**

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-85d4be4dba6/sist-en-62329-3-100-2010)

[https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-85d4be4dba6/sist-en-62329-3-100-2010)

[85d4be4dba6/sist-en-62329-3-100-2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-85d4be4dba6/sist-en-62329-3-100-2010)

**Profils thermorétractables –
Partie 3: Exigences relatives aux dimensions des profilés, exigences de
matériaux et performances de compatibilité – Feuille 100: Dimensions des
profilés thermorétractables**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.035.01

ISBN 978-2-88912-009-3

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Designation.....	7
4 Requirements.....	8
Figure 1 – Style AA (small lipped bottle).....	9
Figure 2 – Style A (lipped short bottle with short body).....	10
Figure 3 – Style B (lipped straight bottle with medium body).....	11
Figure 4 – Style C (lipped straight bottle with long body).....	12
Figure 5 – Style D (non-lipped straight bottle).....	13
Figure 6 – Style E (lipped straight bottle with long tail).....	14
Figure 7 – Style F (lipped right-angle boot).....	15
Figure 8 – Style G (non-lipped right-angle boot).....	16
Figure 9 – Style H (lipped right-angle boot with long tail).....	17
Figure 10 – Style I (lipped right-angle boot with longer tail).....	18
Figure 11 – Style J (lipped straight bottle with longer tail).....	19
Figure 12 – Style K (non-lipped straight long tail boot).....	20
Figure 13 – Style L (transitions ("T" junction)).....	21
Figure 14 – Style M (transitions (30°/45° junction)).....	22
Figure 15 – Style N (transitions ("Y" junction 45° low profile)).....	23
Figure 16 – Style O (straight, high ratio lipped boot).....	24
Figure 17 – Style P (transitions ("Y" junction)).....	25
Figure 18 – Style R (transitions (three branched outlets)).....	26
Figure 19 – Style S (transitions (four branched outlets)).....	27
Figure 20 – Style T (D sub-miniature boot straight).....	28
Figure 21 – Style U (D sub-miniature boot right angle) (longitudinal).....	29
Figure 22 – Style V (D sub-miniature boot right angle) (across width).....	30
Table 1 – Dimensions in millimetres of style AA.....	9
Table 2 – Dimensions in millimetres of style A.....	10
Table 3 – Dimensions in millimetres of style B.....	11
Table 4 – Dimensions in millimetres of style C.....	12
Table 5 – Dimensions in millimetres of style D.....	13
Table 6 – Dimensions in millimetres of style E.....	14
Table 7 – Dimensions in millimetres of style F.....	15
Table 8 – Dimensions in millimetres of style G.....	16
Table 9 – Dimensions in millimetres of style H.....	17
Table 10 – Dimensions in millimetres of style I.....	18
Table 11 – Dimensions in millimetres of style J.....	19

Table 12 – Dimensions in millimetres of style K	20
Table 13 – Dimensions in millimetres of style L	21
Table 14 – Dimensions in millimetres of style M	22
Table 15 – Dimensions in millimetres of style N	23
Table 16 – Dimensions in millimetres of style O	24
Table 17 – Dimensions in millimetres of style P	25
Table 18 – Dimensions in millimetres of style R	26
Table 19 – Dimensions in millimetres of style S	27
Table 20 – Dimensions in millimetres of style T	28
Table 21 – Dimensions in millimetres of style U	29
Table 22 – Dimensions in millimetres of style V	30

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HEAT-SHRINKABLE MOULDED SHAPES –

**Part 3: Specification requirements for shape dimensions,
material requirements and compatibility performance –
Sheet 100: Heat-shrinkable moulded shape dimensions**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62329-3-100 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/568/FDIS	15/588/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62329 series, under the general title *Heat-shrinkable moulded shapes*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>

INTRODUCTION

This International Standard is one of a series that deals with heat-shrinkable moulded shapes for electrical purposes.

The series consists of three parts:

Part 1: Definitions and general requirements (IEC 62329-1)

Part 2: Methods of test (IEC 62329-2)

Part 3: Specification requirements for shape dimensions, material requirements and compatibility performance

This standard gives one of the sheets comprising part 3 as follows:

Sheet 100: Heat-shrinkable moulded shape dimensions

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62329-3-100:2010](https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010)

<https://standards.iteh.ai/catalog/standards/sist/0a20d71b-ab60-4c39-9b59-0bdd4be4dba6/sist-en-62329-3-100-2010>