

### SLOVENSKI STANDARD SIST EN 60297-3-106:2010

01-junij-2010

### Mehanske strukture za elektronsko opremo - Mere mehanskih struktur serije 482,6 mm (19 inč) - 3-106. del: Prilagoditvene mere za okvire in šasije, uporabne v metričnih ohišjih ali stojalih v skladu z IEC 60917-2-1 (IEC 60297-3-106:2010)

Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-106: Adaptation dimensions for subracks and chassis applicable with metric cabinets or racks in accordance with IEC 60917-2-1 (IEC 60297-3-106:2010)

### iTeh STANDARD PREVIEW

Bauweisen für elektronische Einrichtungen F Maße der 482,6-mm-(19-Zoll-)Bauweise -Teil 3-106: Anpassungsmaße für Baugruppenträger und Einschübe, geeignet für metrische Schränke oder Gestelle nach IEC 60917-2-10 (IEC 60297-3-106:2010)

https://standards.iteh.ai/catalog/standards/sist/5a7f1b39-d360-474b-8434-

827e56c078ea/sist-en-60297-3-106-2010

Structures mécaniques pour équipements électroniques - Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) - Partie 3-106: Dimensions d'adaptation des bacs et des châssis, applicables aux baies ou aux bâtis dimensionnés selon le système métrique, conformément à la CEI 60917-2-1 (CEI 60297-3-106:2010)

Ta slovenski standard je istoveten z: EN 60297-3-106:2010

ICS:

31.240 Mehanske konstrukcije za elektronsko opremo

Mechanical structures for electronic equipment

SIST EN 60297-3-106:2010

en,fr

SIST EN 60297-3-106:2010

## iTeh STANDARD PREVIEW (standards.iteh.ai)



## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 60297-3-106

April 2010

ICS 31.240

English version

### Mechanical structures for electronic equipment -Dimensions of mechanical structures of the 482,6 mm (19 in) series -Part 3-106: Adaptation dimensions for subracks and chassis applicable with metric cabinets or racks in accordance with IEC 60917-2-1 (IEC 60297-3-106:2010)

Structures mécaniques pour équipements électroniques -

Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) -Partie 3-106: Dimensions d'adaptation des bacs et des châssis, applicables aux baies ou aux bâtis dimensionnés selon le système métrique, conformément s.itel (IEC 60297-3-106:2010) à la CEI 60917-2-1

Bauweisen für elektronische Einrichtungen -Maße der 482,6-mm-(19-Zoll-)Bauweise -Teil 3-106: Adaptionsmaße für Baugruppenträger und Einschübe, geeignet für metrische Schränke oder Gestelle nach IEC 60917-2-1 tel (IEC 60297-3-106:2010)

(CEI 60297-3-106:2010)

SIST EN 60297-3-106:2010

https://standards.iteh.ai/catalog/standards/sist/5a7f1b39-d360-474b-8434-827e56c078ea/sist-en-60297-3-106-2010

This European Standard was approved by CENELEC on 2010-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

© 2010 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

#### Foreword

The text of document 48D/419/FDIS, future edition 1 of IEC 60297-3-106, prepared by SC 48D, Mechanical structures for electronic equipment, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60297-3-106 on 2010-04-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

-	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2011-01-01
_	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2013-04-01

Annex ZA has been added by CENELEC.

### Endorsement notice

The text of the International Standard IEC 60297-3-106:2010 was approved by CENELEC as a European Standard without any modification.(standards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards indicated: <u>SIST EN 60297-3-106:2010</u>

IEC 60297-3-100 ttps://sNOTEd.Harmonized.as/EN 60297-3-100.7flb39-d360-474b-8434-

- IEC 60917-1 NOTE Harmonized as EN 60917-1-106-2010
- IEC 60917-2-2 NOTE Harmonized as EN 60917-2-2
- IEC 61587-1 NOTE Harmonized as EN 61587-1
- IEC 61587-2 NOTE Harmonized as EN 61587-2
- IEC 61587-3 NOTE Harmonized as EN 61587-3

- 3 -

### Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60297	Series	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series	EN 60297	Series
IEC 60297-3-101	- iTe	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-101: Subracks and associated plug-in- units	EN 60297-3-101	-
IEC 60917	Series	Modular order for the development of mechanical structures for electronic equipment practices	EN 60917	Series
IEC 60917-2-1	hītps://star	Modular order for the development of 360-474b mechanical structures for electronic 010 equipment practices - Part 2: Sectional specification - Interface co- ordination dimensions for the 25 mm equipment practice - Section 1: Detail specification - Dimensions for cabinets and racks	, <mark>ĘŅ</mark> 60917-2-1	-
IEC 60917-2-4	-	Modular order for the development of mechanical structures for electronic equipment practices - Part 2-4: Sectional specification - Interface co- ordination dimensions for the 25 mm equipment practice - Adaptation dimensions for subracks or chassis applicable in cabinets or racks in accordance with IEC 60297-3-100 (19 in)	EN 60917-2-4	-

SIST EN 60297-3-106:2010

## iTeh STANDARD PREVIEW (standards.iteh.ai)



## IEC 60297-3-106

Edition 1.0 2010-03

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482, 6 mm (19 in) series – iteh.ai) Part 3-106: Adaptation dimensions for subracks and chassis applicable to metric cabinets or racks in accordance with JEC 60917-2-1

https://standards.iteh.ai/catalog/standards/sist/5a7f1b39-d360-474b-8434-

Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) –

Partie 3-106: Dimensions d'adaptation des bacs et des châssis, applicables aux baies ou aux bâtis dimensionnés selon le système métrique, conformément à la CEI 60917-2-1

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 31.240

ISBN 2-8318-1084-1

### CONTENTS

FO	REWC	)RD	3
INT	RODU	JCTION	5
1	Scop	e and object	6
2	Norm	ative references	6
3	Arrangement overview (Figure 1) and definitions		
4	Dime metri	nsions for flanges of 19 in subracks or chassis applicable for mounting on cabinets or racks	7
	4.1	General	7
	4.2	Dimensions for mounting holes arrangements on the flanges, mounting- layout referred to the pitch lines of the 19 in subracks, or chassis	7
	4.3	Dimensions for mounting holes arrangements on the flanges, mounting layout referred to the unit centre lines of the 19 in subracks or chassis	10
	4.4	Dimensions for flanges of 19 in subracks applicable for metric cabinets or racks with 515 mm mounting hole dimension	13
Bib	liogra	bhy	15
Fig ser	ure 1 - ies in	<ul> <li>Arrangement overview – Adaptation of subracks of the IEC 60297-3-101</li> <li>to cabinets of the IEC 60917-2-1 series</li> </ul>	7
Fig the	ure 2 - bottor	<ul> <li>Mounting hole arrangements on the flanges, mounting layout referred to m pitch lines of the 19 in subracks or chassis</li> </ul>	8
Fig refe	ure 3 - erred t	– Dimensions of mounting hole positions of the flanges, mounting layout o the bottom pitch lines of the 19 in subracks or chassis	9
Fig	ure 4	– Mounting hole arrangements on the flanges, mounting layout referred to	
the		entre lines of the 19 lg_subracks of chassis 7-3-106-2010	
refe	erred t	o the unit centre lines of the 19 in subracks or chassis	12
Fig cab	ure 6 - inets	<ul> <li>Dimensions for flanges of 19 in subracks that are applicable for metric with 515 mm mounting hole dimension</li> </ul>	14
Tab refe	ole 1 – erred t	Dimensions of mounting holes positions of the flange, mounting layout o the bottom pitch lines of the 19 in subracks or chassis	10
Tab refe	ole 2 – erred t	Dimensions of mounting holes positions of the flange, mounting layout o the unit centre lines of the 19 in subracks or chassis	13

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### MECHANICAL STRUCTURES FOR ELECTRONIC EQUIPMENT – DIMENSIONS OF MECHANICAL STRUCTURES OF THE 482, 6 mm (19 in) SERIES –

## Part 3-106: Adaptation dimensions for subracks and chassis applicable to metric cabinets or racks in accordance with IEC 60917-2-1

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. A DARD PRE VIEW
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60297-3-106 has been prepared by subcommittee 48D: Mechanical structures for electronic equipment, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48D/419/FDIS	48D/423/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

#### - 4 -

60297-3-106 © IEC:2010

A list of all parts of IEC 60297 series, under the general title *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482, 6 mm (19 in) series,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### iTeh STANDARD PREVIEW (standards.iteh.ai)

#### INTRODUCTION

The IEC 60297 series of standards provides definitions on mechanical structure and dimensions for 19 in cabinets and racks and their compatible subracks and chassis. The combination of 19 in based cabinets or racks and subracks and chassis are broadly applied for all industrial electronic fields in the world.

The IEC 60917 series of standards are based on metric modular ordered dimensions, and also define structures and interface dimensions for metric cabinets, racks, subracks and chassis. The IEC 60917 series, developed later compared to IEC 60297, provides for more logical subrack and chassis design practices based on metric dimensioning.

Requests for combined applications of both mechanical structures, the IEC 60297 series (19 in standard) and the IEC 60917 series (metric standard), resulted in requirements to mount 19 in subracks or chassis into metric standard cabinets or racks and, vice versa, metric subracks or chassis into 19 in cabinets or racks.

To cope with the requirements and needs, it is required to develop definitions for appropriate interface dimensions of flange mounting positions for cabinets or racks mounting of 19 in or metric subracks or chassis. And the definitions bring economical solutions for installations of electronic equipment into existing cabinets or racks. Further, they provide guidance to electromechanical designers to develop systems suitable to be mounted into both IEC standard series flexibly.

To meet such market needs, this standard defines dimensions for 19 in subracks or chassis applicable for metric cabinets or racks. (Dimensions for the applications, where metric subracks or chassis to be mounted into 19 in cabinets or racks, are defined in a separate standard, i.e. IEC 60917-2-4.)