



**SLOVENSKI STANDARD**  
**SIST ETS 300 133-2:1999/A1:1999**  
**01-september-1999**

---

G]ghYa ]'cgYVbY[ U\_`]WUfDGL!'=nVc`ýUb]g]ghYa `nUfUX]g\_c'gdcfc Ub`Y`fØFA9GL!  
&"XY. `Ghcf]hj Yb]j ]X[\_]

Paging Systems (PS); Enhanced Radio MESSage System (ERMES); Part 2: Service aspects

**iteh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: **ETS 300 133-2/A1 Edition 1**  
<https://standards.iteh.ai/catalog/standards/sist/31274866-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999>

---

**ICS:**

33.070.20      Sistem za osebni klic      Paging systems

**SIST ETS 300 133-2:1999/A1:1999**      en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ETS 300 133-2:1999/A1:1999

<https://standards.iteh.ai/catalog/standards/sist/312748b6-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999>



# AMENDMENT

**ETS 300 133-2**

**A1**

January 1994

---

Source: ETSI TC-PS

Reference: RE/PS-01002-2

ICS: 33.080

**Key words:** ERMES, paging

This amendment A1 modifies  
the European Telecommunication Standard ETS 300 133-2 (1992)

**(standards.iteh.ai)**

**Paging Systems (PS);  
European Radio Message System (ERMES)**

**Part 2: Service aspects**

## ETSI

European Telecommunications Standards Institute

### ETSI Secretariat

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1994. All rights reserved.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 133-2:1999/A1:1999

<https://standards.iteh.ai/catalog/standards/sist/312748b6-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999>

## Foreword

This Amendment to ETS 300 133-2 (1992) has been produced by the Paging Systems (PS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This Amendment contains changes to the following pages of Edition 1 of ETS 300 133-2:

9, 18, 19, 41 and 49.

## Amendments

### Page 9, amendment to Clause 2

Add the following normative reference:

[5] ETS 300 133-4 (1992): "Paging Systems (PS); European Radio Message System (ERMES) Part 4: Air interface specification".

### Page 18, amendment to subclause 5.3.1.3

Replace the second paragraph with the following:

The message number may be provided by the network operator.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

### Page 19, amendment to subclause 5.3.1.3

Add the following paragraph as the last paragraph of subclause 5.3.1.3, i.e. after the paragraph ending "... (according to receiver specification)".

<https://standards.iteh.ai/catalog/standards/sist/312748b6-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999>

If the message number is not provided with a paging message, the dummy value (00000) shall be used in the message header.

### Page 21, amendment to subclause 5.3.1.3.3

Replace the text after the title "**Interaction with other services**", with the following:

The service can only be activated when the message number is provided.

The service cannot operate when one of the following services is activated:

- diversion of traffic;
- temporary barring of incoming traffic.

### Page 41, amendment to subclause 6.2.3

Add the following paragraph after the paragraph of subclause 6.2.3:

As an optional feature, the pager may also use any additional character sets, as defined in ETS 300 133-4 [5].

## Page 49, amendment to Clause B.2

Replace table B.2 by the following table:

**Table B.2: The ERMES character set for alphanumeric paging (character set indicator 00000)**

				b7	0	0	0	0	1	1	1	1
				b6	0	0	1	1	0	0	1	1
				b5	0	1	0	1	0	1	0	1
b4	b3	b2	b1		0	1	2	3	4	5	6	7
0	0	0	0	0	@	Δ	SP	0	i	P	ç	p
0	0	0	1	1	£	DC1	!	1	A	Q	a	q
0	0	1	0	2	\$	Φ	"	2	B	R	b	r
0	0	1	1	3	¥	Γ	#	3	C	S	c	s
0	1	0	0	4	è	Λ	Ø	4	D	T	d	t
0	1	0	1	5	é	Ω	%	5	E	U	e	u
0	1	1	0	6	ù	Π	&	6	F	V	f	v
0	1	1	1	7	ì	ψ	'	7	G	W	g	w
1	0	0	0	8	ò	Σ	(	8	H	X	h	x
1	0	0	1	9	ç	θ	)	9	I	Y	i	y
1	0	1	0	10	LF	ε	.	10	J	Z	j	z
1	0	1	1	11	Ø	ESC	+	11	K	Ä	k	ä
1	1	0	0	12	φ	Æ	,	12	L	Ö	l	ö
1	1	0	1	13	CR	æ	-	13	M	Ñ	m	ñ
1	1	1	0	14	Å	ß	.	14	N	Ü	n	ü
1	1	1	1	15	å	É	/	15	O	§	o	à

NOTE 1: DC1 shall be used only at the End Of Message (EOM) character.

NOTE 2: The characters of this set, when displayed, should approximate to the appearance of the relevant characters specified in ISO 1073 [4] and the corresponding national standards.

## Page 49, amendment to Clause B.2

Add the following paragraph after table B.2:

As an optional feature, the pager may also use any additional character sets, as defined in ETS 300 133-4 [5].

## History

Document history	
January 1994	First Edition
December 1995	Converted into Adobe Acrobat Portable Document Format (PDF)
Note :	<p>The references to the changed pages in the standard refer to an old presentation. See history box at the end of the standard itself.</p> <p>The new presentation format applied from 1 December 1995 might have different page numbering. The clause numbering has not changed.</p>

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 133-2:1999/A1:1999](https://standards.iteh.ai/catalog/standards/sist/312748b6-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999)

<https://standards.iteh.ai/catalog/standards/sist/312748b6-0444-4528-9771-1a327e61ebfd/sist-ets-300-133-2-1999-a1-1999>