

SLOVENSKI STANDARD SIST EN 60335-2-7:2003/A11:2011

01-april-2011

Gospodinjski in podobni električni aparati - Varnost - 2-7. del: Posebne zahteve za pralne stroje - Dodatek A11

Household and similar electrical appliances - Safety -- Part 2-7: Particular requirements for washing machines

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke -- Teil 2-7: Besondere Anforderungen für Waschmaschinen DREVIEW

Appareils électrodomestiques et analogues - Sécurité -- Partie 2-7: Règles particulières pour les machines à laver le ling<u>e_{IST EN 60335-2-72003/A112011}</u>

https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7b-

Ta slovenski standard je istoveten z: EN 60335-2-7-2003-a11-2011

<u>ICS:</u>

13.120Varnost na domu97.060Aparati za nego perila

Domestic safety Laundry appliances

SIST EN 60335-2-7:2003/A11:2011

en

SIST EN 60335-2-7:2003/A11:2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60335-2-7:2003/A11:2011</u> https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7bd13418881b83/sist-en-60335-2-7-2003-a11-2011

EUROPEAN STANDARD NORME FUROPÉENNE EUROPÄISCHE NORM

EN 60335-2-7/A11

May 2010

ICS 97.060; 13.120

English version

Household and similar electrical appliances -Safety -Part 2-7: Particular requirements for washing machines

Appareils électrodomestiques et analogues - Sécurité -Partie 2-7: Règles particulières pour les machines à laver le linge

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke -Teil 2-7: Besondere Anforderungen für Waschmaschinen

iTeh STANDARD PREVIEW (standards.iteh.ai)

This amendment A11 modifies the European Standard EN 60335-2-7:2003; it was approved by CENELEC on 2010-04-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national/standard without any alteration.

d13418881b83/sist-en-60335-2-7-2003-a11-2011 Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2010 CENELEC -All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

A proposal to amend EN 60335-2-7:2003, document CLC/TC 61(SEC)1684, was discussed during the Brussels meeting of CENELEC TC 61 in June 2009, when it was decided to submit a draft for an amendment to the Unique Acceptance Procedure.

The draft was circulated in June 2009 and was approved by CENELEC as amendment A11 to EN 60335-2-7:2003 on 2010-04-14.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates are applicable:

_	latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2011-05-01		
_	latest date by which the national standards conflicting with the amendment have to be withdrawn	(dow)	2013-04-14		
This amendment supplements or modifies the corresponding clauses of EN 60335-2-7:2003.					
There are no special national conditions causing a deviation from this amendment.					
There are no national deviations from this amendment. SIST EN 60335-2-7:2003/A11:2011					
https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7b-					
d13418881b83/sis t-en-60335-2-7-2 003-a11-2011					

-3-

1 Scope

Replace the third paragraph including the two dashed items by:

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in household and similar environments.

However, in general, it does not take into account:

- children playing with the appliance,
- the use of the appliance by **very young children**
- the use of the appliance by **young children** without supervision,
- user maintenance by children, including the cleaning of the appliance.

It is recognized that **very vulnerable people** may have needs beyond the level addressed in this standard.

3 Definitions

3.6.3 accessible part

iTeh STANDARD PREVIEW (standards.iteh.ai)

Modification:

Insert "and probe 18" after "test probe 8" EN 60335-2-7:2003/A11:2011

https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7b-

Add the following new definitions.

3.Z101

children

young persons comprising very young children, young children and older children

NOTE Children are not expected to perform cleaning or user maintenance of the appliance.

3.Z102

very young children

young persons aged from 0 up to and including 36 months

NOTE Very young children are not expected to use appliances.

3.Z103

young children

young persons older than 36 months and younger than 8 years

NOTE Young children are not expected to use appliances safely unless continuous supervision is given.

3.Z104 older children

young persons aged from 8 years up to and including 14 years

NOTE **Older children** can use appliances safely after they have been given appropriate supervision or instruction concerning **use** of the appliance.

3.Z105

vulnerable people

persons having reduced physical, sensory or mental capabilities (e.g. partially disabled, elderly having some reduction in their physical and mental capabilities), or lack of experience and knowledge (e.g. **older children**)

NOTE Vulnerable people can use appliances safely after they have been given appropriate supervision or instruction concerning use of the appliance.

3.Z106

very vulnerable people

persons having very extensive and complex disabilities

NOTE Very vulnerable people are not expected to use appliances safely unless continuous supervision is given or appliances are adapted accordingly with arrangements beyond the scope of this standard.

3.Z107

use of the appliance

all actions required to have the appliance perform its intended function, such as plugging in, switching on, using, regulating, cleaning the appliance or performing **user maintenance**

7 Marking and instructions

7.10 Add:

The accessible switch required by 22.40 shall be distinguished from other manual devices by means of shape, or size, or surface texture, or position, etc. A tactile or an audible and visual feedback shall give an indication that the device has been operated. **ards.iten.al**

7.12 Replace the text of 7.12 in Part 1 and the addition in Part 2-7 by:

https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7b-

7.12 Instructions for use shall be provided with the appliance so that the appliance can be used safely.

NOTE Instructions for use may be marked on the appliance as long as they are visible in normal use.

It is necessary to take precautions during **user maintenance**, appropriate details shall be given.

The instructions shall include the substance of the following:

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

The instructions shall specify the maximum mass of dry cloth in kilograms to be used in the appliance.

The instructions for washing machines incorporating a power-driven wringer shall draw attention to the potential hazards involved when operating the wringer and shall state that

- the wringer must be disengaged or switched off when not in use;
- the appliance must not be operated by children.

Compliance is checked by inspection.

- 5 -

Add the following new subclause before 7.12.1:

7.12.Z101 The specific instructions related to the safe operation of this appliance (as given in 7.12 of this standard) shall be collated together in the front section of the user instructions. The height of the characters, measured on the capital letters, shall be at least 4 mm.

These instructions shall also be available in an alternative format, e.g. on a website.

7.14 Add:

NOTE Z101 For the evaluation of legibility and clarity of safety warnings guidance can be found in IEC 62079.

8 **Protection against access to live parts**

Replace the text by:

This clause of Part 1 is applicable except as follows:

8.1.1 *Replace the third paragraph by the following:*

Test probe B and probe 18 of IEC 61032 are applied without appreciable force, the appliance being in every possible position, except that appliances normally used on the floor and having a mass exceeding 40 kg are not tilted. Through openings, the test probe is applied to any depth that the probe will permit and is rotated or angled before, during and after insertion to any position. If the opening does not allow the entry of the probe, the force on the probe in the straight position is increased to 20 N when probe B is used or 10 N when probe 18 is used. If the probe then enters the opening, the test is repeated with the probe in the angled position. However when using test probe 18 the appliance shall be fully assembled as in normal operation without any parts removed; parts that are intended to be removed for user maintenance shall not be removed. SIST EN 60335-2-7:2003/A11:2011

https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7bd13418881b83/sist-en-60335-2-7-2003-a11-2011

Add:

8.2 *Modification:*

Replace "test probe B of IEC 61032" by "test probes of IEC 61032".

11 Heating

11.8 *Modification:*

In Table 3 delete the row "External enclosure of **motor-operated appliances**, except handles held in normal use".

Add the following Table Z101.

Surface ^b	Temperature rise K			
	Surfaces of appliances situ above the floor a	Surfaces situated more than 850 mm above the		
	Front surfaces	Other surfaces	floor after installation	
Bare metal	40	45	45	
Coated metal ^c	45	55	55	
Glass and ceramic	55	60	60	
Plastic and plastic coating > 0,3 mm ^a	60	65	65	

Table Z101 – Maximum temperature rises for external surfaces under normal operating conditions

^a The temperature rise limit applies also for plastic material having a metal finish of thickness less than 0,1 mm.

When the thickness of the plastic coating does not exceed 0,3 mm, the temperature rise limits of the coated metal or of glass and ceramic material apply.

^c Metal is considered coated when a coating made by enamel or non substantially plastic coating is used

Add the following new subclause:

iTeh STANDARD PREVIEW

11.Z101 Temperature rises are not measured: (standards.iteh.ai)

- on the underside of appliances intended to be used on a working surface or floor;
- on the rear surface of appliances which according to the instructions, shall be placed against a wall. https://standards.iteh.ai/catalog/standards/sist/b7e54158-2917-4556-9a7b-

20 Stability and mechanical hazards

Add:

20.2 Add the following requirement:

Appliances are fully assembled as in normal operation without any parts removed.

Replace the first paragraph of compliance by:

Compliance is checked by inspection, by the tests of 21.1 and by means of:

- a test probe that is similar to test probe B of IEC 61032 but having a circular stop face with a diameter of 50 mm, instead of the non circular face, applied with a force of 5 N and
- test probe 18 of IEC 61032, applied with a force of 2,5 N.

Add the following subclause:

20.Z101 For appliances with a front opening door having a dimension exceeding 200 mm and a drum having a volume exceeding 60 dm³, it shall not be possible to start or recommence the washing cycle until a separate means which controls the movement of the drum is operated manually even after the door has been opened and closed again.

Compliance is checked by inspection and measurement.