

INTERNATIONAL STANDARD



**Service diagnostic interface for consumer electronics products and networks –
Implementation for echonet**
(standards.itech.ai)

IEC 62394:2017

<https://standards.itech.ai/catalog/standards/sist/3f81f6b0-8fde-41b7-9a72-aeabab3dcec8/iec-62394-2017>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD



**Service diagnostic interface for consumer electronics products and networks –
Implementation for echonet**

ITeH STANDARD PREVIEW
(standards.iteh.ai)
IEC 62394:2017
<https://standards.iteh.ai/catalog/standards/sist/3f81f6b0-8fde-41b7-9a72-aeabab3dcec8/iec-62394-2017>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.99; 35.110

ISBN 978-2-8322-4153-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	23
INTRODUCTION.....	25
1 Scope.....	26
2 Normative references	26
3 Terms, definitions and abbreviated terms	26
3.1 Terms and definitions.....	26
3.2 Abbreviated terms.....	27
4 Different types of service diagnostics	28
4.1 Stand-alone products.....	28
4.2 Facilities or household appliances network	28
4.3 Remote diagnosis	28
5 SDI requirements.....	28
5.1 General.....	28
5.2 Hardware	28
5.2.1 Tester hardware	28
5.2.2 Facilities or household appliances network	28
5.2.3 DUT hardware	28
5.3 Software	29
5.3.1 General	29
5.3.2 Tester software.....	29
5.3.3 DUT software requirements for the SDI	29
6 Tester software requirements	29
6.1 Reading the property diagnostic unit	29
6.2 General information (product identification).....	30
6.3 Diagnosis information	30
7 Control protocol 1st	30
7.1 General.....	30
7.2 Frame format	30
7.2.1 General	30
7.2.2 ECHONET headers (EHD)].....	31
7.2.3 Source/Destination ECHONET address (SEA/DEA)	32
7.2.4 ECHONET byte counter (EBC).....	34
7.2.5 ECHONET data (EDATA).....	34
7.2.6 Object message header (OHD)	34
7.2.7 ECHONET objects (EOJ)	35
7.2.8 ECHONET property (EPC).....	36
7.2.9 ECHONET service (ESV).....	37
7.2.10 ECHONET property value data (EDT)	52
7.2.11 Compound ECHONET Service (CpESV)	52
7.2.12 Processing target property counter (OPC)	58
7.2.13 Property data counter (PDC).....	59
8 Control protocol 2nd	59
8.1 General.....	59
8.2 Frame format	59
8.2.1 General	59
8.2.2 ECHONET Lite Header (ELHD).....	60

8.2.3	Transaction ID (TID)	61
8.2.4	ECHONET Lite Data (ELDATA)	61
8.2.5	ECHONET Objects (EOJ)	61
8.2.6	ECHONET Lite Service (ELSV).....	62
8.2.7	ECHONET property (EPC).....	70
8.2.8	ECHONET Lite Property data counter (ELPDC)	71
9	ECHONET objects: detailed specifications.....	72
9.1	Basic concept	72
9.2	ECHONET properties: basic specifications.....	73
9.2.1	General	73
9.2.2	ECHONET property value data types	73
9.2.3	Property value range	73
9.2.4	Required class properties	74
9.2.5	Array	74
9.3	Device object super class specifications	75
9.3.1	General	75
9.3.2	Overview of device object super class specifications	75
9.3.3	Operation status property	78
9.3.4	Installation location property	78
9.3.5	Standard version information property	80
9.3.6	Identification number property	80
9.3.7	Measured instantaneous power consumption property	81
9.3.8	Measured cumulative power consumption property	81
9.3.9	Manufacturer's fault code property	81
9.3.10	Current limit setting property	81
9.3.11	Fault-status property	82
9.3.12	Fault description property	82
9.3.13	Manufacturer code property	84
9.3.14	Business facility code property	84
9.3.15	Product code property	84
9.3.16	Production number property.....	85
9.3.17	Production date property	85
9.3.18	Power-saving operation setting property	85
9.3.19	Remote control setting property	85
9.3.20	Current time setting property	85
9.3.21	Current date setting property	86
9.3.22	Power limit setting property	86
9.3.23	Cumulative operating time property	86
9.3.24	Property map property	86
9.4	Temperature sensor class specifications	87
9.4.1	General	87
9.4.2	Operation status property	87
9.4.3	Measured temperature value property.....	88
9.5	Humidity sensor class specifications	88
9.5.1	General	88
9.5.2	Operation status property	88
9.5.3	Measured value of relative humidity property	88
9.6	Illuminance sensor class specifications	88
9.6.1	General	88

9.6.2	Operation status property	89
9.6.3	Measured illuminance value 1 property	89
9.6.4	Measured illuminance value 2 property	89
9.7	Human detection sensor class specifications	89
9.7.1	General	89
9.7.2	Operation status property	90
9.7.3	Detection threshold level property	90
9.7.4	Human detection status property	90
9.8	Electric energy sensor class specifications	90
9.8.1	General	90
9.8.2	Operation status property	91
9.8.3	Integral electric energy property	91
9.8.4	Small-capacity sensor instantaneous electric energy property	91
9.8.5	Large-capacity sensor instantaneous electric energy property	92
9.8.6	Integral electric energy measurement log property	92
9.8.7	Effective voltage value property	92
9.9	Open/close sensor class specifications	92
9.9.1	General	92
9.9.2	Operation status property	93
9.9.3	Degree-of-opening detection status 1 property	93
9.9.4	Detection threshold level property	93
9.9.5	Degree-of-opening detection status 2 property	93
9.10	Current value sensor class specifications	93
9.10.1	General	93
9.10.2	Operation status property	94
9.10.3	Measured current value 1 property	94
9.10.4	Rated voltage property to be measured	94
9.10.5	Measured current value 2 property	94
9.11	Air speed sensor class specifications	94
9.11.1	General	94
9.11.2	Operation status property	95
9.11.3	Measured value of air speed property	95
9.11.4	Air flow direction property	95
9.12	Water flow rate sensor class specifications	95
9.12.1	General	95
9.12.2	Operation status property	96
9.12.3	Integral flow rate property	96
9.12.4	Flow rate property	96
9.13	Home air conditioner class specifications	96
9.13.1	General	96
9.13.2	Operation status property	104
9.13.3	Power-saving operation setting	104
9.13.4	Operation mode setting property	104
9.13.5	Automatic temperature control setting property	104
9.13.6	Normal/high-speed/silent operation setting property	104
9.13.7	Set temperature value property	104
9.13.8	Set value of relative humidity in dehumidifying mode property	105
9.13.9	Set temperature value in cooling mode property	105
9.13.10	Set temperature value in heating mode property	105

9.13.11	Set temperature value in dehumidifying mode property	105
9.13.12	Rated power consumption property	106
9.13.13	Measured value of current consumption property	106
9.13.14	Measured value of room relative humidity property	106
9.13.15	Measured value of room temperature property	106
9.13.16	Set temperature value of user remote control property	107
9.13.17	Measured cooled air temperature property	107
9.13.18	Measured outdoor air temperature property	107
9.13.19	Relative temperature setting property	107
9.13.20	Air flow rate setting property	107
9.13.21	Automatic control of air flow direction setting property	108
9.13.22	Automatic swing of air flow setting property	108
9.13.23	Air flow direction (vertical) setting property	108
9.13.24	Air flow direction (horizontal) setting property	109
9.13.25	Special state property	110
9.13.26	Non-priority state property	110
9.13.27	Ventilation function setting property	110
9.13.28	Humidifier function setting property	110
9.13.29	Ventilation air flow rate setting	111
9.13.30	Degree of humidification setting	111
9.13.31	Mounted air cleaning method property	111
9.13.32	Air purifier function setting property	111
9.13.33	Air refresh method	112
9.13.34	Air refresher function setting property	113
9.13.35	Self-cleaning method property	113
9.13.36	Self-cleaning function setting property	114
9.13.37	Special function setting property	115
9.13.38	Operation status of components property	115
9.13.39	Thermostat setting override function property	115
9.13.40	Air purification mode setting property	116
9.13.41	ON timer-based reservation setting property	116
9.13.42	ON timer setting (time) property	116
9.13.43	ON timer setting (relative time)	116
9.13.44	OFF timer-based reservation setting property	117
9.13.45	OFF timer setting (time) property	117
9.13.46	OFF timer setting (relative time) property	117
9.14	Ventilation fan class specifications	117
9.14.1	General	117
9.14.2	Operation status property	118
9.14.3	Ventilation auto setting property	118
9.14.4	Set value of ventilation air flow rate property	118
9.15	Air purifier class specifications	118
9.15.1	General	118
9.15.2	Operation status property	119
9.15.3	Filter change notice property	119
9.15.4	Air flow rate setting property	119
9.15.5	Smoke (cigarette) detection status property	120
9.15.6	Optical catalyst operation setting property	120
9.15.7	Air pollution detection status property	120

9.16	Humidifier class specifications	120
9.16.1	General	120
9.16.2	Operation status property	122
9.16.3	Humidifying setting 1 property	122
9.16.4	Humidifying setting 2 property	122
9.16.5	Measured value of relative humidity property	122
9.16.6	Reservation setting of OFF timer property	122
9.16.7	Relative time value setting of OFF timer property	122
9.16.8	Ion emission setting property	122
9.16.9	Implemented ion emission method property	123
9.16.10	Water amount level property	123
9.17	Requirements for package-type commercial air conditioner (indoor unit) class specifications	123
9.17.1	General	123
9.17.2	Operation status property	129
9.17.3	Operation mode setting property	129
9.17.4	Temperature setting 1 property	129
9.17.5	Relative humidity setting for dehumidification mode 1 property	129
9.17.6	Temperature setting for cooling mode 1 property	130
9.17.7	Temperature setting for heating mode 1 property	130
9.17.8	Temperature setting for dehumidification mode 1 property	130
9.17.9	Rated power consumption of indoor unit property	130
9.17.10	Measured electric current consumption of the indoor unit property	131
9.17.11	Measured indoor relative humidity 1 property	131
9.17.12	Measured indoor temperature 1 property	131
9.17.13	Relative temperature setting property	131
9.17.14	Air flow rate setting property	131
9.17.15	“Air flow direction (vertical)” setting property	132
9.17.16	“Air flow direction (horizontal)” setting property	132
9.17.17	“Special” state property	132
9.17.18	Thermostat state property	133
9.17.19	Current function (“automatic” operation mode) property	133
9.17.20	Ventilation mode setting property	133
9.17.21	Combined operation of indoor unit and total heat exchanger property	134
9.17.22	Ventilation air flow rate setting property	134
9.17.23	“Disabling of air conditioner” setting property	134
9.17.24	Group information property	134
9.17.25	Thermostat setting override function property	135
9.17.26	Filter cleaning reminder lamp setting property	135
9.17.27	Measured power consumption of indoor unit property	135
9.17.28	Aperture of expansion valve property	135
9.17.29	Temperature setting 2 property	135
9.17.30	“Relative humidity setting for ‘dehumidification’ mode” 2 property	136
9.17.31	“Temperature setting for ‘cooling’ mode” 2 property	136
9.17.32	“Temperature setting for ‘heating’ mode” 2 property	136
9.17.33	“Temperature setting for ‘dehumidification’ mode” 2 property	136
9.17.34	Measured indoor relative humidity 2 property	136
9.17.35	Measured indoor temperature 2 property	137
9.17.36	“ON timer-based reservation” setting property	137

9.17.37	ON timer setting (time) property.....	137
9.17.38	ON timer setting (relative time) property	137
9.17.39	“OFF timer-based reservation” setting property.....	137
9.17.40	OFF timer setting (time) property	138
9.17.41	OFF timer setting (relative time) property.....	138
9.18	Requirements for package-type commercial air conditioner (outdoor unit) class specifications	138
9.18.1	General	138
9.18.2	Operation status property	140
9.18.3	Operation mode setting property.....	140
9.18.4	Rated power consumption of outdoor unit property	140
9.18.5	Measured electric current consumption of outdoor unit property	141
9.18.6	Measured outdoor air temperature 1 property	141
9.18.7	“Special” state property	141
9.18.8	Group information property	141
9.18.9	Operation status of compressor property	141
9.18.10	Operation mode information property	142
9.18.11	Fan rotation speed property.....	142
9.18.12	Measured power consumption of outdoor unit property	142
9.18.13	Measured outdoor air temperature 2 property	142
9.19	Requirements for electric storage heater class specifications.....	142
9.19.1	General	142
9.19.2	Operation status property	144
9.19.3	Temperature setting property.....	145
9.19.4	Rated power consumption property.....	145
9.19.5	Measured indoor temperature property	145
9.19.6	Measured outdoor temperature property	145
9.19.7	Air flow rate setting property	145
9.19.8	Fan operation status property	146
9.19.9	Heat storage operation status property	146
9.19.10	Heat storage temperature setting property	146
9.19.11	Measured stored heat temperature property	146
9.19.12	Daytime heat storage setting property	146
9.19.13	Daytime heat storage ability property	146
9.19.14	Midnight power duration setting property	146
9.19.15	Midnight power start time setting property	147
9.19.16	Radiation method property.....	147
9.19.17	Child lock setting property	147
9.19.18	Fan timer 1 setting property.....	147
9.19.19	Fan timer 1 ON time setting property	147
9.19.20	Fan timer 1 OFF time setting property	147
9.19.21	Fan timer 2 setting property.....	147
9.19.22	Fan timer 2 ON time setting property	148
9.19.23	Fan timer 2 OFF time setting property	148
9.20	Electrically operated shade class specifications	148
9.20.1	General	148
9.20.2	Operation status property	150
9.20.3	Fault description property	151
9.20.4	Timer operation setting property	151

9.20.5	Wind detection status property	151
9.20.6	Sunlight detection status property.....	151
9.20.7	Opening (extension) speed setting property.....	151
9.20.8	Closing (retraction) speed setting property	151
9.20.9	Operation time property	151
9.20.10	Automatic operation setting property.....	151
9.20.11	Open/close (extension/retraction) operation setting property	151
9.20.12	Degree-of-opening property	152
9.20.13	Shade angle setting property	152
9.20.14	Open/close (extension/retraction) speed setting property.....	152
9.20.15	Electric lock setting property.....	152
9.20.16	Remote operation setting status property.....	152
9.20.17	Selective opening (extension) operation setting property	152
9.20.18	Open/closed (extended/retracted) status property.....	152
9.20.19	One-time opening (extension) speed setting property	153
9.20.20	One-time closing (retraction) speed setting property	153
9.21	Electric water heater class specifications	153
9.21.1	General	153
9.21.2	Operation status property	157
9.21.3	Automatic water heating setting property	157
9.21.4	Automatic water temperature control setting property	158
9.21.5	Water heater status property	158
9.21.6	Water heating temperature setting property	158
9.21.7	Daytime reheating permission setting property	158
9.21.8	Measured temperature of water in water heater property	158
9.21.9	Alarm status property	158
9.21.10	Hot water supply status property.....	159
9.21.11	Relative time setting for keeping bath temperature property	159
9.21.12	Temperature of supplied water setting property	159
9.21.13	Bath water temperature setting property	159
9.21.14	Bath water volume setting property.....	159
9.21.15	Measured amount of water remaining in tank property	159
9.21.16	Tank capacity property	160
9.21.17	Automatic bath water heating mode setting property	160
9.21.18	Manual bath reheating operation setting property	160
9.21.19	Addition of hot water function setting property	160
9.21.20	Slight bath water temperature lowering function setting property	160
9.21.21	Bath water volume setting 1 property	160
9.21.22	Bath water volume setting 2 property	160
9.21.23	Bathroom priority setting property	160
9.21.24	Bath operation status monitor property	161
9.21.25	Bath water volume setting 3 property	161
9.21.26	Bath water volume setting 4 property.....	161
9.21.27	Bath water volume setting 4 – Maximum settable level property.....	161
9.21.28	Volume setting property.....	161
9.21.29	Mute setting property.....	161
9.21.30	Remaining hot water volume property.....	162
9.21.31	Rated power consumption of H/P unit in wintertime property.....	162
9.21.32	Rated power consumption of H/P unit in in-between seasons property.....	162

9.21.33	Rated power consumption of H/P unit in summertime property	162
9.21.34	ON timer reservation setting property	162
9.21.35	ON timer setting property	162
9.22	Instantaneous water heater class specifications	163
9.22.1	General	163
9.22.2	Operation status property	166
9.22.3	Water heating status property	166
9.22.4	Set value of hot water temperature property	166
9.22.5	Hot water warmer setting property	167
9.22.6	“Duration of automatic operation” setting property	167
9.22.7	Remaining automatic operation time property	167
9.22.8	Set value of bath temperature property	167
9.22.9	Bath water heater status property	167
9.22.10	Bath auto mode setting property	168
9.22.11	Bath additional boil-up operation setting property	168
9.22.12	Bath hot water adding operation setting property	168
9.22.13	Bath water temperature lowering operation setting property	168
9.22.14	Bath hot water volume setting 1 property	168
9.22.15	Bath hot water volume setting 2 property	168
9.22.16	Bath hot water volume setting 3 property	169
9.22.17	Bath hot water volume setting 4 property	169
9.22.18	Bath hot water volume setting 4 – Maximum settable level property	169
9.22.19	Bathroom priority setting property	169
9.22.20	Shower hot water supply status property	169
9.22.21	Kitchen hot water heating status property	169
9.22.22	Hot water warmer ON timer reservation setting property	169
9.22.23	Bath operation status monitor property	169
9.22.24	Set value of hot water warmer ON timer time property	170
9.22.25	ON timer reservation setting property	170
9.22.26	Set value of ON timer time property	170
9.22.27	Set value of ON timer relative time property	170
9.22.28	Volume setting property	170
9.22.29	Mute setting property	170
9.23	Household solar power generation class specifications	171
9.23.1	General	171
9.23.2	Operation status property	173
9.23.3	System interconnection status property	173
9.23.4	Measured instantaneous amount of electricity generated property	173
9.23.5	Measured cumulative amount of electricity generated property	173
9.23.6	Resetting cumulative amount of electricity generated property	173
9.23.7	Measured cumulative amount of electricity sold property	173
9.23.8	Resetting cumulative amount of electricity sold property	173
9.23.9	Power generation output limit setting 1 property	173
9.23.10	Power generation output limit setting 2 property	173
9.23.11	Limit setting for the amount of electricity sold property	174
9.23.12	Rated power generation output property	174
9.24	Floor heater class specifications	174
9.24.1	General	174
9.24.2	Operation status property	177

9.24.3	Measured instantaneous power consumption	177
9.24.4	Measured cumulative power consumption	177
9.24.5	Temperature setting 1 property	177
9.24.6	Water temperature setting 2 property	177
9.24.7	Measured room temperature	178
9.24.8	Measured floor temperature	178
9.24.9	Zone change setting property	178
9.24.10	Special operation setting property	178
9.24.11	Daily timer setting property	178
9.24.12	Daily timer setting 1 / Daily timer setting 2	178
9.24.13	Rated power consumption	179
9.24.14	Power consumption measurement method	180
9.24.15	ON timer reservation setting property	180
9.24.16	ON timer setting property	180
9.24.17	Relative ON timer setting property	180
9.24.18	OFF timer reservation setting property	180
9.24.19	OFF timer setting property	181
9.24.20	Relative OFF timer setting property	181
9.25	Fuel cell class specifications	181
9.25.1	General	181
9.25.2	Operation status property	185
9.25.3	Measured temperature of water in water heater property	185
9.25.4	Rated power generation output property	185
9.25.5	Heating value of hot water storage tank property	185
9.25.6	Measured instantaneous power generation output property	185
9.25.7	Measured cumulative power generation output property	185
9.25.8	Cumulative power generation output reset setting property	185
9.25.9	Measured instantaneous gas consumption property	185
9.25.10	Measured cumulative gas consumption property	186
9.25.11	Cumulative gas consumption reset setting property	186
9.25.12	Power generation setting property	186
9.25.13	Power generation status property	186
9.25.14	Measured in-house instantaneous power consumption property	186
9.25.15	Measured in-house cumulative power consumption property	186
9.25.16	In-house cumulative power consumption reset property	186
9.25.17	System-interconnected type property	186
9.25.18	Measured remaining hot water amount property	187
9.25.19	Tank capacity property	187
9.26	Storage battery class specifications	187
9.26.1	General	187
9.26.2	Operation status property	192
9.26.3	Minimum/maximum charging electric energy property	192
9.26.4	Minimum/maximum discharging electric energy property	192
9.26.5	Minimum/maximum charging current property	193
9.26.6	Minimum/maximum discharging current property	193
9.26.7	Working operation status property	193
9.26.8	Rated electric energy property	193
9.26.9	Rated capacity property	193
9.26.10	Rated voltage property	193

9.26.11	Measured instantaneous charging/discharging electric energy property	194
9.26.12	Measured instantaneous charging/discharging current property	194
9.26.13	Measured instantaneous charging/discharging voltage property	194
9.26.14	Measured cumulative discharging electric energy property	194
9.26.15	“Measured cumulative discharging electric energy” resetting property	194
9.26.16	Measured cumulative charging electric energy property	194
9.26.17	“Measured cumulative charging electric energy” resetting property	194
9.26.18	Operation mode setting property	194
9.26.19	System-interconnected type property	195
9.26.20	Minimum/maximum charging power (Independent) property	195
9.26.21	Minimum/maximum discharging power (Independent) property	195
9.26.22	Minimum/maximum charging current (Independent) property	195
9.26.23	Minimum/maximum discharging current (Independent) property	195
9.26.24	Charging/discharging amount setting 1 property	195
9.26.25	Charging/discharging amount setting 2 property	196
9.26.26	Remaining stored electricity 1 property	196
9.26.27	Remaining stored electricity 2 property	196
9.26.28	Remaining stored electricity 3 property	196
9.26.29	Deterioration status property	196
9.26.30	Battery type property	196
9.26.31	Charging amount setting 1 property	196
9.26.32	Discharging amount setting 1 property	197
9.26.33	Charging amount setting 2 property	197
9.26.34	Discharging amount setting 2 property	197
9.26.35	Charging electric energy setting property	197
9.26.36	Discharging electric energy setting property	197
9.26.37	Charging current setting property	197
9.26.38	Discharging current setting property	197
9.26.39	Rated voltage (Independent) property	197
9.27	Electric vehicle charge-discharge system class specifications	197
9.27.1	General	197
9.27.2	Operation status property	203
9.27.3	Dischargeable capacity of vehicle mounted battery 1 property	203
9.27.4	Dischargeable capacity of vehicle mounted battery 2 property	204
9.27.5	Remaining dischargeable capacity of vehicle mounted battery 1 property	204
9.27.6	Remaining dischargeable capacity of vehicle mounted battery 2 property	204
9.27.7	Remaining dischargeable capacity of vehicle mounted battery 3 property	204
9.27.8	Rated charge capacity property	204
9.27.9	Rated discharge capacity property	204
9.27.10	Vehicle connection and chargeable/dischargeable status property	204
9.27.11	Minimum/maximum charging electric energy property	204
9.27.12	Minimum/maximum discharging electric energy property	205
9.27.13	Minimum/maximum charging current property	205
9.27.14	Minimum/maximum discharging current property	205
9.27.15	Charger/discharger type property	205
9.27.16	Vehicle connection confirmation property	206
9.27.17	Used capacity of vehicle mounted battery 1 property	206
9.27.18	Used capacity of vehicle mounted battery 2 property	207
9.27.19	Rated voltage property	207

9.27.20	Measured instantaneous charging/discharging electric energy	207
9.27.21	Measured instantaneous charging/discharging current property	207
9.27.22	Measured instantaneous charging/discharging voltage property	207
9.27.23	Measured cumulative amount of discharging electric energy property	207
9.27.24	Cumulative amount of discharging electric energy reset setting	207
9.27.25	Measured cumulative amount of charging electric energy property	207
9.27.26	Cumulative amount of charging electric energy reset setting property	208
9.27.27	Operation mode setting property	208
9.27.28	System interconnection status property	208
9.27.29	Remaining stored electricity of vehicle mounted battery 1 property	208
9.27.30	Remaining stored electricity of vehicle mounted battery 2 property	208
9.27.31	Remaining stored electricity of vehicle mounted battery 3 property	208
9.27.32	Charging amount setting 1 property	208
9.27.33	Charging amount setting 2 property	208
9.27.34	Charging electric energy setting property	208
9.27.35	Discharging electric energy setting property	208
9.27.36	Charging current setting property	209
9.27.37	Discharging current setting property	209
9.27.38	Rated voltage (Independent) property	209
9.28	Engine cogeneration class specifications	209
9.28.1	General	209
9.28.2	Operation status property	211
9.28.3	Measured hot water temperature of water heater property	212
9.28.4	Rated power generation output property	212
9.28.5	Heating value of hot water storage tank property	212
9.28.6	Measured instantaneous power generation output property	212
9.28.7	Measured cumulative power generation output property	212
9.28.8	Cumulative power generation output reset setting property	212
9.28.9	Measured instantaneous gas consumption property	212
9.28.10	Measured cumulative gas consumption property	212
9.28.11	Cumulative gas consumption reset setting property	212
9.28.12	Power generation setting property	213
9.28.13	Power generation status property	213
9.28.14	Measured in-house instantaneous power consumption property	213
9.28.15	Measured in-house cumulative power consumption property	213
9.28.16	In-house cumulative power consumption reset property	213
9.28.17	System-interconnected type property	213
9.28.18	Measured remaining hot water amount property	213
9.28.19	Tank capacity property	213
9.29	Water flow meter class specifications	214
9.29.1	General	214
9.29.2	Operation status property	215
9.29.3	Water flow meter classification property	215
9.29.4	Owner classification property	215
9.29.5	Measured cumulative amount of flowing water property	216
9.29.6	Unit for measured cumulative amounts of flowing water property	216
9.29.7	Historical data of measured cumulative amounts of running water property	216
9.29.8	Detection of abnormal value in metering data property	216

9.29.9	Security data information property	216
9.29.10	ID number setting property	217
9.29.11	Verification expiration information property	217
9.30	Power distribution board metering class specifications	217
9.30.1	General	217
9.30.2	Operation status property	230
9.30.3	Measured cumulative amount of electric energy (normal and reverse directions) property	230
9.30.4	Unit for measured cumulative amounts of electric energy property	231
9.30.5	Historical data of measured cumulative amounts of electric energy (normal and reverse directions) property	231
9.30.6	Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved (normal and reverse directions) property	231
9.30.7	Measured instantaneous amount of electric energy property	232
9.30.8	Measured instantaneous currents property	232
9.30.9	Measured instantaneous voltages property	232
9.30.10	Measurement channels 1 to 32 property	233
9.30.11	Master rated capacity property	233
9.30.12	Number of measurement channels (simplex) property	233
9.30.13	Channel range specification for cumulative amount of electric power consumption measurement (simplex) property	233
9.30.14	Measured cumulative amount of electric power consumption list (simplex) property	234
9.30.15	Channel range specification for instantaneous current measurement (simplex) property	234
9.30.16	Measured instantaneous current list (simplex) property	234
9.30.17	Channel range specification for instantaneous power consumption measurement (simplex) property	235
9.30.18	Measured instantaneous power consumption list (simplex) property	235
9.30.19	Number of measurement channels (duplex) property	236
9.30.20	Channel range specification for cumulative amount of electric power consumption measurement (duplex) property	236
9.30.21	Measured cumulative amount of electric power consumption list (duplex) property	236
9.30.22	Channel range specification for instantaneous current measurement (duplex) property	237
9.30.23	Measured instantaneous current list (duplex) property	237
9.30.24	Channel range specification for instantaneous power consumption measurement (duplex) property	237
9.30.25	Measured instantaneous power consumption list (duplex) property	238
9.31	Low-voltage smart electric meter class specifications	238
9.31.1	General	238
9.31.2	Operation status property	243
9.31.3	Coefficient property	244
9.31.4	Number of effective digits for cumulative amounts of electric energy property	244
9.31.5	Measured cumulative amount of electric energy (normal direction) property	244
9.31.6	Unit for measured cumulative amounts of electric energy (normal and reverse directions) property	244
9.31.7	Historical data of measured cumulative amounts of electric energy 1 (normal direction) property	245