



SLOVENSKI STANDARD
SIST ISO 2859-1:1996/C1:1996
01-september-1996

Sampling procedures for inspection by attributes - Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection - Technical corrigendum 1

ISO 2859-1:1989/Cor 1:1993

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ISO 2859-1:1989/Cor 1:1993**
<https://standards.iteh.ai/catalog/standards/sist/aa515a42-b945-4186-a197-aa9e6bb72f96/sist-iso-2859-1-1996-c1-1996>

ICS:

03.120.30 Uporaba statističnih metod Application of statistical methods

SIST ISO 2859-1:1996/C1:1996 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 2859-1:1996/C1:1996](https://standards.iteh.ai/catalog/standards/sist/aa5f5a42-b943-4186-a197-aa9e6bb72f96/sist-iso-2859-1-1996-c1-1996)

<https://standards.iteh.ai/catalog/standards/sist/aa5f5a42-b943-4186-a197-aa9e6bb72f96/sist-iso-2859-1-1996-c1-1996>



INTERNATIONAL STANDARD ISO 2859-1:1989
TECHNICAL CORRIGENDUM 1

Published 1993-07-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Sampling procedures for inspection by attributes —

Part 1:

Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection

TECHNICAL CORRIGENDUM 1

Règles d'échantillonnage pour les contrôles par attributs —

Partie 1: Plans d'échantillonnage pour les contrôles lot par lot, indexés d'après le niveau de qualité acceptable (NQA)

RECTIFICATIF TECHNIQUE 1

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Technical corrigendum 1 to International Standard ISO 2859-1:1989 was prepared by Technical Committee ISO/TC 69, Applications of statistical methods, Sub-Committee SC 5, Acceptance sampling.


<https://standards.iteh.ai/catalog/standards/sist/aa515a42-6945-4186-a197-aa9e6bb72f96/sist-iso-2859-1-1996-c1-1996>

Page 48

Chart H should be replaced with the corrected version enclosed. The curve furthest to the left has been renumbered as "0,25". The numbers on the horizontal axis have been moved one place to the right.



Chart H — Operating characteristic curves for single sampling plans
 (Curves for double and multiple sampling are matched as closely as practicable)



Quality of submitted product (p , in percent nonconforming for AQLs < 10; in nonconformities per 100 units for AQLs > 10)

NOTE — Values on curves are Acceptable Quality Levels (AQLs) for normal inspection.