



Edition 4.0 2016-02

# INTERNATIONAL STANDARD



<u>IEC 61291-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-079223c88cfd/iec-61291-2-2016





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

| IEC Central Office | Tel.: +41 22 919 02 11 |
|--------------------|------------------------|
| 3, rue de Varembé  | Fax: +41 22 919 03 00  |
| CH-1211 Geneva 20  | info@iec.ch            |
| Switzerland        | www.iec.ch             |

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### Published \_\_\_\_\_ IEC Customer Service Centre - webstore.iec.ch/csc

details all new publications released. Available online and 291 if you wish to give us your feedback on this publication or also once a month by emailtips://standards.itch.ai/catalog/standarcheed.further assistance; please dontact the Customer Service 079223c88cfd/iec-Centre: csc@iec.ch.





Edition 4.0 2016-02

# INTERNATIONAL STANDARD

## Optical amplifiers i-Teh STANDARD PREVIEW Part 2: Single channel applications - Performance specification template

<u>IEC 61291-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-079223c88cfd/iec-61291-2-2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.180.30

ISBN 978-2-8322-3185-2

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

| FOREWORD  | 3 |
|---|---|
| INTRODUCTION  | 5 |
| 1 Scope   | 6 |
| 2 Normative references                                    | 6 |
| 3 Terms, definitions and abbreviated terms                | 7 |
| 3.1 Terms and definitions                                 | 7 |
| 3.2 Abbreviated terms                                     | 8 |
| 4 Performance specification template for power amplifiers | 8 |
| 5 Performance specification template for pre-amplifiers1  | 1 |
| 6 Performance specification template for line amplifiers1 | 5 |
| 7 Electromagnetic compatibility (EMC) requirements1       | 9 |
| 8 Laser safety requirements1                              | 9 |
| Bibliography2   | 0 |

| Table 1 – Minimum relevant parameters for power amplifiers based on OFA components or modules using active fibre specified for single channel applications | 9  |
|--|----|
| Table 2 – Minimum relevant parameters for power amplifiers based on SOA components specified for single channel applications                               | 10 |
| Table 3 – Minimum relevant parameters for pre-amplifiers based on OFA components or modules using active fibre specified for single channel applications   | 12 |
|  | 14 |
| Table 5 – Minimum relevant parameters for line amplifiers based on OFA components or modules using active fibre specified for single channel applications  | 16 |
| Table 6 – Minimum relevant parameters for line amplifiers based on SOA components         specified for single channel applications                        | 18 |

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **OPTICAL AMPLIFIERS –**

### Part 2: Single channel applications – Performance specification template

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national for regional publication shall be clearly indicated in the latter. <a href="https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-">https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-</a>
- 5) IEC itself does not provide any attestation of conformity Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61291-2 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the title of this standard has been changed from digital applications to single channel applications;
- b) the scope has been changed and, as a result, the titles of tables have been changed;
- c) Terms and definitions have been revised;

- d) three tables regarding the minimum list of relevant parameters of power amplifiers, preamplifiers and line amplifiers based on semiconductor optical amplifier (SOA) components have been added;
- e) transient parameters have been added in the minimum list of relevant parameters of preamplifiers and line amplifiers based on optical fibre amplifier (OFA) module.

The text of this standard is based on the following documents:

| CDV          | Report on voting |  |  |
|--------------|------------------|--|--|
| 86C/1318/CDV | 86C/1365/RVC     |  |  |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61291 series, published under the general title Optical amplifiers, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn.

## iTeh STANDARD PREVIEW

- (standards.iteh.ai)
- replaced by a revised edition, or •
- IEC 61291-2:2016 amended. https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-

A bilingual version of this publication may be issued at a later date.

#### INTRODUCTION

This International Standard is devoted to the subject of optical amplifiers. The technology of optical amplifiers is still rapidly evolving, hence amendments and new additions to this standard can be expected. Each abbreviation introduced in this standard is generally explained in the text the first time it appears. However, for an easier understanding of the whole text, a list of all abbreviations used in this standard is given in Clause 3.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 61291-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-079223c88cfd/iec-61291-2-2016

#### **OPTICAL AMPLIFIERS –**

### Part 2: Single channel applications -Performance specification template

#### 1 Scope

This part of IEC 61291 provides a performance specification template which applies to optical amplifiers (OAs) to be used in single channel applications. Multichannel applications are covered in IEC 61291-4.

The object of this performance specification template is to provide a frame for the preparation of performance standards and/or product specifications on the performance of OA devices to be used in single channel applications. In the performance standards or product specifications, other specifications such as ratings, operating conditions, tests and pass/fail criteria could be included in addition to the requirements based on this performance specification template.

Product specification writers may add specification parameters and/or groups of specification parameters for particular applications. However, product specification writers should not remove specification parameters specified in this standard.

#### Normative references (standards.iteh.ai) 2

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest redition of the referenced document (including any amendments) applies.

IEC 60825-1, Safety of laser products – Part 1: Equipment classification and requirements

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)* 

IEC 61290-1 (all parts), Optical amplifiers - Test methods - Part 1: Power and gain parameters

IEC 61290-3 (all parts), Optical amplifiers – Test methods – Part 3: Noise figure parameters

IEC 61290-4-3, Optical amplifiers – Test methods – Part 4-3: Power transient parameters –. Single channel optical amplifiers in output power control

IEC 61290-5 (all parts), Optical amplifiers – Test methods – Part 5: Reflectance parameters

IEC 61290-6-1, Optical fibre amplifiers – Basic specification – Part 6-1: Test methods for pump leakage parameters – Optical demultiplexer

IEC 61290-11 (all parts), Optical amplifiers - Test methods - Part 11-1: Polarization mode dispersion parameter

IEC 61291-1, Optical amplifiers – Part 1: Generic specification

IEC 61291-5-2, Optical amplifiers – Part 5-2: Qualification specifications – Reliability qualification for optical fibre amplifiers

IEC TS 62538:2008, Categorization of optical devices

#### Terms, definitions and abbreviated terms 3

#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61291-1, IEC TS 62538 and the following apply.

NOTE Possible supplementary definitions specific to OAs for single channel applications can be given in product specifications.

#### 3.1.1 optical amplifier OA

optical waveguide device containing a suitably pumped, active medium which is able to amplify an optical signal

[SOURCE: IEC TR 61931:1998, 2.7.75]

#### 3.1.2 optical fibre amplifier OFA

optical amplifier made of active optical fibre which is doped with rare-earth ions, or which presents non-linear optical effects in order to obtain optical amplification

# semiconductor optical amplifier

#### SOA

optical amplifier in which the active optical waveguide is formed by a semiconductor laser diode structure, which will be electrically pumpeds/sist/ca925e96-8b3f-4370-a549-079223c88cfd/iec-61291-2-2016

[SOURCE: IEC TR 61931:1998, 2.7.77]

#### 3.1.4

#### optical element

unpackaged or partially packaged optical basic unit, typically non repairable and non-re-workable (at least by users)

Note 1 to entry: Examples of optical elements include laser chips or laser diodes, photodiodes, lenses, prisms, optical collimators, grating chips and filter chips.

[SOURCE: IEC TS 62538:2008, 2.2.1]

## 3.1.5

### optical component

packaged unit comprising at least one optical element, typically non repairable and non-re-workable (at least by users), suitably pigtailed or connectorized

Note 1 to entry: Examples of optical components include packaged lasers, photodiodes, optical splitters, couplers, attenuators, isolators, MEMS's and modulators.

[SOURCE: IEC TS 62538:2008, 2.2.2]

#### 3.1.6

#### optical module

packaged integration of optical component and/or elements, accomplishing defined functionality, typically repairable and re-workable

Note 1 to entry: An optical module may comprise electronic components.

Note 2 to entry: An optical module is to be used as it is; users are not normally enabled to re-arrange inner components or add other components inside.

[SOURCE: IEC TS 62538:2008-2.2.5]

### 3.1.7

#### **OFA** component

fibre-pigtailed optical component that consists of fibre based gain medium such as an erbiumdoped fibre, one or more optical isolator(s), optical couplers for the wavelength-selector or the power monitor, a package and fibres

Note 1 to entry: An OFA component may include an optical filter, such as a gain equalizing filter or ASE rejection filter, and other possible components.

#### 3.1.8

#### OFA module

fibre-pigtailed optical module that consists of an OFA component, pump laser component(s) with driving circuit, monitor photodiode component(s) with driving circuit and a control circuit

#### 3.1.9

#### SOA element

optical element of SOA that consists of a semiconductor chip

#### 3.1.10

#### SOA component

fibre-pigtailed optical component that consists of an SOA element, lenses, optical isolator(s) (if necessary), a thermoelectric cooler (TEC), a thermistor, a package and fibres

## 3.2 Abbreviated terms (standards.iteh.ai)

- EMC electromagnetic compatibility
- OA optical amplifier <u>IEC 61291-2:2016</u>
- OFA optical fibre amplifierds.iteh.ai/catalog/standards/sist/ca925e96-8b3f-4370-a549-
- 079223c88cfd/iec-61291-2-2016
- SOA semiconductor optical amplifier
- TEC thermoelectric cooler

#### 4 **Performance specification template for power amplifiers**

The following template contains minimum performance parameters to be included in specifications of OFA components or modules (see Table 1) and SOA components (see Table 2) to be used as power amplifiers in single channel applications, together with their specification criteria (that is in terms of the maximum value, minimum value or both), and the indication of the corresponding standard test method. Note that the list of the minimum parameters for SOAs (see Table 2) covers SOA components only, because most SOA products are currently traded in the form of the component using a package, such as a butterfly-type package.

|  | Parameters  |                           | Unit    | Minimum<br>values                    | Maximum<br>values                  | IEC test method    |
|--|---|---------------------------|---------|--------------------------------------|------------------------------------|--------------------|
|  | Input power range   |                           | dBm     |                                      |                                    | IEC 61290-1 series |
| Transmission<br>characteristics                | Output power range <sup>a</sup>   |                           | dBm     |                                      |                                    | IEC 61290-1 series |
|  | Gain <sup>a</sup>   |                           | dB      |                                      |                                    | IEC 61290-1 series |
|  | Wavelength band   | d                         | nm      |                                      |                                    | IEC 61290-1 series |
|  | Signal-spontaneous noise<br>figure  |                           | dB      | n/a                                  |                                    | IEC 61290-3 series |
|  | Polarization dependent gain   |                           | dB      | n/a                                  |                                    | IEC 61290-1 series |
|  | Reverse amplified<br>spontaneous emission power<br>level                  |                           | dBm     | n/a                                  |                                    | IEC 61290-3 series |
|  | Input reflectance   | b                         | dB      | n/a                                  |                                    | IEC 61290-5 series |
|  | Return loss <sup>b</sup>  |                           | dB      |                                      | N/A                                | IEC 61290-3 series |
|  | Maximum reflectance tolerable at input                                    |                           | dB      | n/a                                  |                                    | IEC 61290-5 series |
|  | Maximum reflectance tolerable at output                                   |                           | dB      | n/a                                  |                                    | IEC 61290-5 series |
|  | Pump leakage to input   |                           | dBm     |                                      |                                    | IEC 61290-6-1      |
|  | Pump leakage to output  |                           | dBm     | n/a                                  |                                    | IEC 61290-6-1      |
|  | Maximum total output power C  |                           | arden i | teh/ai)                              |                                    | IEC 61290-1 series |
| Environmental<br>and reliability<br>parameters | Operating temperature<br><u>IEC</u><br>https://standards.iteh.ai/catalog/ |                           |         | See<br>)]IEC 61291-<br>t/ca925e96-8b | See<br>IEC 61291-<br>§f-4370-a549- |                    |
|  | Maximum operating relative3c88<br>humidity                                |                           |         | 91- <b>2-20</b> @6                   | See<br>IEC 61291-<br>5-2           |                    |
|  | Maximum<br>operating<br>vibration   | Range of<br>frequencies   | Hz      | See<br>IEC 61291-<br>5-2             | See<br>IEC 61291-<br>5-2           |                    |
|  | severity  | Amplitude<br>peak-to-peak | mm      | n/a                                  | See<br>IEC 61291-<br>5-2           |                    |
|  |   | Duration                  | S       | n/a                                  | See<br>IEC 61291-<br>5-2           |                    |
|  | Storage temperature   |                           | °C      | See<br>IEC 61291-<br>5-2             | See<br>IEC 61291-<br>5-2           |                    |
|  | Maximum storage<br>relative humidity                                      |                           | %       | n/a                                  | See<br>IEC 61291-<br>5-2           |                    |
|  | Maximum<br>shock<br>severity, free<br>drop                                | Drop height               | mm      | n/a                                  | See<br>IEC 61291-<br>5-2           |                    |
|  | Failure rate  |                           | FIT     | n/a                                  | See<br>IEC 61291-<br>5-2           |                    |

### Table 1 – Minimum relevant parameters for power amplifiers based on OFA components or modules using active fibre specified for single channel applications

<sup>a</sup> Either output power range, gain, or both shall be stated.

<sup>b</sup> Either input reflectance or return loss shall be specified.

n/a: not applicable