



SLOVENSKI STANDARD

SIST EN 61199:2011

01-december-2011

Fluorescenčne sijalke z enim vznožkom - Varnostne specifikacije

Single-capped fluorescent lamps - Safety specifications

Einseitig gesockelte Leuchtstofflampen - Sicherheitsanforderungen

Lampes à fluorescence à culot unique - Spécifications de sécurité

Ta slovenski standard je istoveten z: **EN 61199:2011**

[SIST EN 61199:2011](https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011)

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>

ICS:

29.140.30 Fluorescenčne sijalke. Sijalke Fluorescent lamps.
Discharge lamps

SIST EN 61199:2011

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61199:2011

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61199

September 2011

ICS 29.140.30

Supersedes EN 61199:1999

English version

**Single-capped fluorescent lamps -
Safety specifications
(IEC 61199:2011)**

Lampes à fluorescence à culot unique -
Spécifications de sécurité
(CEI 61199:2011)

Einseitig gesockelte Leuchtstofflampen -
Sicherheitsanforderungen
(IEC 61199:2011)

This European Standard was approved by CENELEC on 2011-08-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 34A/1468/FDIS, future edition 3 of IEC 61199, prepared by SC 34A, "Lamps", of IEC TC 34, "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61199:2011.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-05-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2014-08-15

This document supersedes EN 61199:1999.

Main technical changes are the introduction of requirements for high frequency operation, a new temperature measurement position and few new cap-holder fits.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iteh STANDARD PREVIEW

(standards.iteh.ai)

Endorsement notice

The text of the International Standard IEC 61199:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62471

NOTE Harmonized as EN 62471.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60061-1	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps	EN 60061-1	-
IEC 60061-2	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 2: Lampholders	EN 60061-2	-
IEC 60061-3	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 3: Gauges	EN 60061-3	-
IEC 60061-4	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 4: Guidelines and general information	EN 60061-4	-
IEC 60155	-	Glow-starters for fluorescent lamps	EN 60155	-
IEC 60360	-	Standard method of measurement of lamp cap temperature rise	EN 60360	-
IEC 60410	-	Sampling plans and procedures for inspection - by attributes	-	-
IEC 60529	-	Degrees of protection provided by enclosures - (IP Code)	-	-
IEC 60598-1 (mod)	2008	Luminaires - Part 1: General requirements and tests	EN 60598-1 + A11	2008 2009
IEC 60695-2-10	-	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	-
IEC 60901	-	Single-capped fluorescent lamps - Performance specifications	EN 60901	-
IEC 61347-2-3	-	Lamp controlgear - Part 2-3: Particular requirements for a.c. and/or d.c. supplied electronic control gear for fluorescent lamps	EN 61347-2-3	-
IEC 61347-2-8	-	Lamp controlgear - Part 2-8: Particular requirements for ballasts for fluorescent lamps	EN 61347-2-8	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61199:2011

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>



IEC 61199

Edition 3.0 2011-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Single-capped fluorescent lamps – Safety specifications

Lampes à fluorescence à culot unique – Spécifications de sécurité

[SIST EN 61199:2011](https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011)

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.140.30

ISBN 978-2-88912-570-8

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	8
4 Safety requirements.....	10
4.1 General.....	10
4.2 Marking.....	10
4.3 Mechanical requirements for caps.....	10
4.3.1 Construction and assembly.....	10
4.3.2 Dimensional requirements for caps.....	10
4.3.3 Pin connections and keying configurations.....	11
4.4 Insulation resistance.....	11
4.5 Electric strength.....	11
4.6 Parts which can become accidentally live.....	11
4.7 Resistance to heat and fire.....	12
4.8 Creepage distance for caps.....	13
4.9 Lamp cap temperature rise.....	13
4.10 Radio interference suppression capacitors.....	14
4.10.1 General.....	14
4.10.2 Moisture resistance.....	14
4.10.3 Resistance to flame and ignition.....	15
4.11 UV radiation.....	15
4.12 Information for luminaire design.....	15
4.13 Information for ballast design.....	15
4.14 Information for lampholder design.....	15
5 Assessment.....	15
5.1 General.....	15
5.2 Whole production assessment by means of the manufacturer's records.....	16
5.3 Assessment of the manufacturer's records of particular tests.....	20
5.4 Rejection conditions of batches.....	20
5.5 Sampling procedures for whole production testing.....	21
5.6 Sampling procedures for batch testing.....	21
Annex A (normative) Tests for assessing caps for construction and assembly.....	23
Annex B (normative) Maximum lamp cap temperature rise values and method of measurement.....	24
Annex C (informative) Information for luminaire design.....	30
Annex D (normative) Conditions of compliance for design tests.....	32
Annex E (normative) Cathode connection configurations.....	33
Annex F (normative) Normal and abnormal lamp operation, lamp non-interchangeability requirements.....	35
Annex G (normative) Information for thermal tests.....	37
Annex H (informative) Information for ballast design.....	38
Annex I (informative) Information for lampholder design.....	39
Bibliography.....	41

Figure 1 – Places where to measure the temperature	14
Figure B.1 – Example for a test circuit for the measurement of the cap temperature rise at maximum discharge current and maximum SoS.....	25
Figure B.2 – Examples where to measure the temperature according to Clause B.2.....	27
Figure E.1 – Where to connect the cathodes of different caps.....	34
Figure G.1 – Ball-pressure apparatus	37
Table 1 – Sheet references of IEC 60061	7
Table 2 – Grouping of test records – Sampling and acceptable quality levels (AQL)	17
Table 3 – Acceptance numbers AQL = 0,65 %	18
Table 4 – Acceptance numbers AQL = 2,5 %	19
Table 5 – Batch sample size and rejection number	21
Table B.1 – Maximum cap temperature rise, lamps with internal or external starter (test at abnormal operating conditions).....	28
Table B.2 – Maximum cap temperature rise, lamps for starterless operation (test at normal operating conditions)	29
Table C.1 – Maximum cap temperature, lamps with internal or external starter (test at abnormal operating conditions).....	30
Table C.2 – Maximum cap temperature, lamps for starterless operation (test at normal operating conditions)	31
Table F.1 – Maximum allowable currents and rated lamp power.....	36
Table G.1 – Test temperatures.....	37
Table I.1 – Temperature points.....	39
Table I.2 – Maximum temperatures related to lampholder design	40

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SINGLE-CAPPED FLUORESCENT LAMPS – SAFETY SPECIFICATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61199 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
34A/1468/FDIS	34A/1493/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This third edition cancels and replaces the second edition published in 1999. It constitutes a technical revision. Main technical changes are the introduction of requirements for high frequency operation, a new temperature measurement position and few new cap-holder fits.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61199:2011

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>

INTRODUCTION

For the ease of measurement, a new location for measuring the maximum cap temperature and maximum cap temperature rise has been introduced with this third edition of this standard, resulting in new temperature values. However, the design of lampholders is based on the traditional measurement location. Therefore, a new Annex I has been introduced, providing the previous methods and values for those lamp types and kinds of lamp operation, which have been already covered in the previous edition of this standard. For lamps, which are operated by means of an electronic ballast however, also a new measurement method and temperature limits are given.

Special attention has been given to the requirements related to high frequency operation, not covered in the previous edition.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61199:2011](https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011)

<https://standards.iteh.ai/catalog/standards/sist/fc70ff5f-fd86-46e5-bffd-6baf13154d4e/sist-en-61199-2011>

SINGLE-CAPPED FLUORESCENT LAMPS – SAFETY SPECIFICATIONS

1 Scope

This International Standard specifies the safety requirements for single-capped fluorescent lamps for general lighting purposes of all groups having caps according to Table 1.

It also specifies the method a manufacturer should use to show compliance with the requirements of this standard on the basis of whole production appraisal in association with his test records on finished products. This method can also be applied for certification purposes. Details of a batch test procedure which can be used to make limited assessment of batches are also given in this standard.

NOTE Compliance with this standard concerns only safety criteria and does not take into account the performance of single-capped fluorescent lamps for general lighting purposes with respect to luminous flux, colour, starting and operational characteristics. For this information, readers are referred to IEC 60901.

Table 1 – Sheet references of IEC 60061

Cap type	Sheet numbers	
	IEC 60061-1 Lamp caps	IEC 60061-3 Cap gauges
2G7	7004-102	7006-102
2GX7	7004-103	7006-102
2G8	7004-141	7006-141, 141H, 141J, 141K
GR8	7004-68	7006-68A, 68B, 68E
G10q	7004-54	7006-79
GR10q	7004-77	7006-77A, 68B, 68E
GU10q	7004-123	7006-123, 123A
GX10q	7004-84	7006-79, 84, 84A and 84B
GY10q	7004-85	7006-79, 85 and 85A
GZ10q	7004-124	7006-79
2G10	7004-118	7006-118
2G11	7004-82	7006-82
2GX11-1	7004-82A	7006-82F, 82G, 82H
2GX13	7004-125	7006-125A, 125B
G23	7004-69	7006-69
GX23	7004-86	7006-86
G24, GX24	7004-78	7006-78
GZ24q	*	*
GX32	7004-87	7006-87

* to be developed.

It may be expected that lamps which comply with this standard will operate safely at supply voltages between 90 % and 110 % of rated supply voltage of the used ballast and when operated with a ballast complying with IEC 61347-2-3 or IEC 61347-2-8 with a starting device complying with IEC 60155 (if applicable) and in a luminaire complying with IEC 60598-1.