

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lampholders for tubular fluorescent lamps and starterholders

Douilles pour lampes tubulaires à fluorescence et douilles pour starters

Document Preview

[IEC 60400:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/f0dfa1b8-2b08-417c-920c-553459c965a4/iec-60400-2017>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60400

Edition 8.1 2020-02
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lampholders for tubular fluorescent lamps and starterholders

Douilles pour lampes tubulaires à fluorescence et douilles pour starters

Document Preview

[IEC 60400:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/f0dfa1b8-2b08-417c-920c-553459c965a4/iec-60400-2017>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.10

ISBN 978-2-8322-7938-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



Lampholders for tubular fluorescent lamps and starterholders

Douilles pour lampes tubulaires à fluorescence et douilles pour starters

Document Preview

[IEC 60400:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/f0dfa1b8-2b08-417c-920c-553459c965a4/iec-60400-2017>

CONTENTS

FOREWORD	5
INTRODUCTION to Amendment 1	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General requirement.....	13
5 General conditions for tests	14
6 Electrical rating	15
7 Classification	15
8 Marking	16
9 Protection against electric shock	18
10 Terminals	20
11 Construction	22
12 Resistance to dust and moisture	27
13 Insulation resistance and electric strength	28
14 Endurance	29
15 Mechanical strength	30
16 Screws, current-carrying parts and connections	32
17 Creepage distances and clearances	34
18 Resistance to heat, fire and tracking	36
19 Resistance to excessive residual stresses (season cracking) and to rusting	41
Annex A (normative) Examples of lampholders covered by IEC 60400	87
Annex B (normative) Season cracking/corrosion test	88
B.1 General.....	88
B.2 Test cabinet	88
B.3 Test solution	88
B.4 Test procedure.....	89
Annex C (informative) Protection against electric shock – Explanatory details for the installation of lampholders according to 9.2	90
Annex D (informative) Clauses containing new or more stringent requirements with respect to the previous edition	91
Annex E (informative) Guidance on working voltages U_{out}	92
E.1 Working voltages – Relation between lampholders and controlgear	92
E.2 Example.....	92
E.2.1 Clearance	92
E.2.2 Creepage distance.....	92
E.3 Impulse withstand category.....	93
Bibliography.....	94
Figure 1 – Mounting jig for the testing of lampholders	42
Figure 2 – Mounting sheet	43
Figure 3 – Fixture for the testing of lampholder flexibility	44
Figure 4 – Test caps G5, GX5 and G13	45

Figure 5 – Impact test apparatus and mounting support	47
Figure 6 – Test cap for the test of Clause 14 for lampholders 2GX13	48
Figure 7 – Ball-pressure apparatus	49
Figure 8 – Bracket for fixing lampholders for the impact test	49
Figure 9 – Test cap and test assembly for testing of resistance to heat of lampholders G13, G5 and GX5 with T marking	51
Figure 10 – Dimensions of starterholder and holder	53
Figure 11 – “Go” plug gauges for starterholders	54
Figure 12 – Plug gauge for starterholders for testing contact making and retention	55
Figure 13 – Special plug gauge for starterholders for testing contact making	56
Figure 14 – Test cap for the test of Clause 14 for lampholders G5 and GX5	57
Figure 15 – Test cap for the test of Clause 14 for lampholders G13	57
Figure 16 – Test cap for the test of Clause 14 for lampholders 2G13	58
Figure 17 – Test cap for the test of Clause 14 for lampholders G20	58
Figure 18 – Test cap for the test of Clause 14 for lampholders Fa6	58
Figure 19 – Test cap for the test of Clause 14 for lampholders G10q, GU10q and GZ10q	59
Figure 20 – Test cap for the test of Clause 14 for lampholders Fa8	59
Figure 21 – Test starter for the test of Clause 14	60
Figure 22 – Test cap for the test of Clause 14 for lampholders R17d	61
Figure 23 – Test cap for the test of Clause 14 for lampholders 2G11	62
Figure 24 – Test cap for the test of Clause 14 for lampholders G23 and GX23	63
Figure 25 – Test cap for the test of Clause 14 for lampholders GR8	64
Figure 26 – Test cap for the test of Clause 14 for lampholders GR10q	64
Figure 27 – Test cap for the test of Clause 14 for lampholders GX10q and GY10q	65
Figure 28 – Test cap for the test of Clause 14 for lampholders G24, GX24 and GY24	66
Figure 29 – Test cap for the test of Clause 14 for lampholders G32 and GY32	67
Figure 30 – Test cap for the test of 18.1 for lampholders G23	68
Figure 31 – Test cap for the test of 18.1 for lampholders GR8	69
Figure 32 – Test cap for the test of 18.1 for lampholders GR10q	70
Figure 33 – Test cap for the test of 18.1 for lampholders GX10q	71
Figure 34 – Test cap for the test of 18.1 for lampholders GY10q	72
Figure 35 – Test cap for the test of 18.1 for lampholders 2G11	73
Figure 36 – Test cap for the test of 18.1 for lampholders GX23	74
Figure 37 – Test cap for the test of 18.1 for lampholders G24, GX24 and GY24 (1 of 2)	75
Figure 38 – Test cap for the test of 18.1 for lampholders G32, GX32 and GY32 (1 of 2)	77
Figure 39 – Test cap for the test of Clause 14 for lampholders 2G8	79
Figure 40 – Test cap for the test of Clause 14 for lampholders GX53	80
Figure 41 – Standard test finger (according to IEC 60529:2014)	81
Figure 42 – Test cap for the test of Clause 14 for lampholders W4.3x8.5d	82
Figure 43 – Test cap for the test of Clause 14 for lampholders GR14q	83
Figure 44 – Test cap for the test of Clause 14 for lampholders G28d	84
Figure 45 – Test cap for the test of Clause 14 for lampholders 2GX11	85

Figure 46 – Test probes for checking gasket sleeves on lampholders for higher IP protection 86

Figure C.1 – Examples of lampholders 90

Table 1 – Minimum values of insulation resistance 28

Table 2 – Torque tests on screws 32

Table 3 – Minimum distances for AC sinusoidal voltages up to 30 kHz – Impulse withstand category II 35

Table 4 – Minimum distances for rated ignition voltages or equivalent peak voltage U_p 36

Table A.1 – Examples of lampholders covered by IEC 60400 87

Table B.1 – pH adjustment 88

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60400:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/f0dfa1b8-2b08-417c-920c-553459c965a4/iec-60400-2017>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMPHOLDERS FOR TUBULAR FLUORESCENT LAMPS AND STARTERHOLDERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60400 edition 8.1 contains the eight edition (2017-06) [documents 34B/1900/FDIS and 34B/1911/RVD] and its amendment 1 (2020-02) [documents 34B/2072/FDIS and 34B/2075/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60400 has been prepared by subcommittee 34B: Lamp caps and holders, of IEC technical committee 34: Lamps and related equipment.

This eighth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with ISO/IEC drafting rules;
- b) renumbering of clauses, tables and figures.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEC 60400:2017

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION to Amendment 1

Two changes needed for IEC 60400 became obvious during the work relating to Edition 8.0 of IEC 60400.

Change 1:

Actual lamp holder safety standards require a ball pressure test in line with IEC 60695-10-2 in sections "Resistance to heat, fire and tracking". Within this test there is an alternative depth indentation method described for the calculation of the indentation diameter.

This alternative calculation option was removed from the latest edition of IEC 60695-10-2 dated 2014 and during its meeting held in Sydney in 2018, SC 34B/WG1 agreed to delete the alternative method as well from IEC 60400.

Change 2:

Based on IEC 60664-1:2007, 4.8.1.5 "Non tracking materials":

"For glass, ceramics or other inorganic insulating materials which do not track, creepage distances need not be greater than their associated clearance for the purpose of insulation coordination. The dimensions of Table F.2 for inhomogeneous field conditions are appropriate."

This is not completely reflected in TC 34 standards as revised recently. For applications with ELV it is of high importance whether the creepage distance shall be 0,6 mm or may be 0,2 mm in case where inorganic insulating material is used.

An informative annex for the explanation of U_{out} should give some additional information.

[IEC 60400:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/f0dfa1b8-2b08-417c-920c-553459c965a4/iec-60400-2017>

LAMPHOLDERS FOR TUBULAR FLUORESCENT LAMPS AND STARTERHOLDERS

1 Scope

This document states the technical and dimensional requirements for lampholders for tubular fluorescent lamps and for starterholders, and the methods of test to be used in determining the safety and the fit of the lamps in the lampholders and the starters in the starterholders.

This document covers independent lampholders and lampholders for building-in, used with tubular fluorescent lamps provided with caps as listed in Annex A, and independent starterholders and starterholders for building-in, used with starters in accordance with IEC 60155, intended for use in AC circuits where the working voltage does not exceed 1 000 V r.m.s.

This document also covers lampholders for single-capped tubular fluorescent lamps integrated in an outer shell and dome similar to Edison screw lampholders (e.g. for G23 and G24 capped lamps). Such lampholders are tested in accordance with the following clauses and subclauses of IEC 60238: 9.4; 9.5; 9.6; 10.3; 11.7; 12; 13.2; 13.5; 13.6; 13.7; 14; 16.3; 16.4; 16.5 and 16.9.

This document also covers lampholders which are integral with a luminaire or intended to be built into appliances. It covers the requirements for the lampholder only. For all other requirements, such as protection against electric shock in the area of the terminals, the requirements of the relevant appliance standard are applicable and tested after building into the appropriate equipment, when that equipment is tested according to its own standard. Lampholders for use by luminaire manufacturers only are not for retail sale.

This document also applies, as far as is reasonable, to lampholders and starterholders other than the types explicitly mentioned above and to lamp connectors.

Where the term "holder" is used in this document, both lampholders and starterholders are intended.

Where the term "bi-pin lampholder" is used, lampholders for wedged caps are also intended.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061-2, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders*

IEC 60061-3, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60068-2-75:2014, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*
IEC 60112:2003/AMD1:2009

IEC 60155, *Glow-starters for fluorescent lamps*

IEC 60352-1:1997, *Solderless connections – Part 1: Wrapped connections – General requirements, test methods and practical guidance*

IEC 60399, *Barrel thread for lampholders with shade holder ring*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60598-1, *Luminaires – Part 1: General requirements and tests*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-11-5:2016 *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

ISO 4046-4:2016, *Paper, board, pulps and related terms – Vocabulary – Part 4: Paper and board grades and converted products*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

rated voltage

voltage declared by the manufacturer to indicate the highest working voltage for which the holder is intended

3.2

working voltage

highest r.m.s. voltage which may occur across any insulation, transients being disregarded, both when the lamp or starter is operating under normal conditions and when the lamp or starter is removed

3.3

flexible lampholders for linear double-capped fluorescent lamps

pair of lampholders in which the base of each holder is rigidly mounted in the luminaire but which has one or both of the lampholders so designed as to allow axial movement of the contacts to provide compensation for variations in lamp lengths and, where necessary, to permit insertion and removal of the lamp

Note 1 to entry: In case of doubt as to whether a lampholder G5, GX5 or G13 provides the required axial movement of the contacts, a test with the device shown in Figure 3 can be carried out.

3.4**inflexible lampholders for linear double-capped fluorescent lamps**

pair of lampholders intended for rigid mounting and in which no axial movement of the contacts is provided or is needed, either for the insertion and removal of the lamp or as compensation for variation in lamp lengths

3.5**flexibly mounted lampholders for linear double-capped fluorescent lamps**

pair of lampholders which do not in themselves provide for any axial movement of the contact system but which are intended to be mounted in a luminaire in a specified manner so that the combination provides the necessary axial movement of the contact system

Note 1 to entry: Lampholders of this type may or may not also be suitable for rigid mounting.

3.6**lamp connectors**

set of contacts mounted on flexible conductors which provide for electrical contact but do not support the lamp

3.7**holder for building-in**

holder designed to be built into a luminaire, an additional enclosure or the like

3.7.1**unenclosed holder**

holder for building-in so designed that it requires additional means, for example an enclosure, to meet the requirements of IEC 60400 with regard to protection against electric shock

3.7.2**enclosed holder**

holder for building-in so designed that on its own it fulfils the requirements of IEC 60400 with regard to protection against electric shock and IP classification, if appropriate

3.8**independent holder**

holder so designed that it can be mounted separately from a luminaire and at the same time providing all the necessary protection according to its classification and marking

3.9**rated operating temperature**

highest temperature for which the holder is designed

3.10**rated lampholder rearside temperature**

rearside temperature for lampholders with T marking ascertained by test b) in 18.1 of IEC 60400, or a higher temperature as declared by the manufacturer

3.11**type test**

test or series of tests made on a type test sample, for the purpose of checking compliance of the design of a given product with the requirements of the relevant standard

3.12**type test sample**

sample consisting of one or more similar specimens submitted by the manufacturer or responsible vendor for the purpose of a type test