



SLOVENSKI STANDARD
SIST EN ISO 16805:2005

01-julij-2005

Veziva za barve in lake - Ugotavljanje temperature steklastega prehoda (ISO 16805:2003)

Binders for paints and varnishes - Determination of glass transition temperature (ISO 16805:2003)

Bindemittel für Beschichtungsstoffe - Bestimmung der Glasübergangstemperatur (ISO 16805:2003)

Liants pour peintures et vernis - Détermination de la température de transition vitreuse (ISO 16805:2003)

SIST EN ISO 16805:2005
<https://standards.iteh.ai/catalog/standards/sist/36afba09-c4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

Ta slovenski standard je istoveten z: EN ISO 16805:2005

ICS:

87.060.20

Veziva

Binders

SIST EN ISO 16805:2005

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16805:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 16805

May 2005

ICS 87.040; 87.060.20

English version

Binders for paints and varnishes - Determination of glass transition temperature (ISO 16805:2003)

Liants pour peintures et vernis - Détermination de la température de transition vitreuse (ISO 16805:2003)

Bindemittel für Beschichtungsstoffe - Bestimmung der Glasübergangstemperatur (ISO 16805:2003)

This European Standard was approved by CEN on 10 April 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 16805:2005 (E)**Foreword**

The text of ISO 16805:2003 has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 16805:2005 by Technical Committee CEN/TC 139 "Paints and varnishes", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2005, and conflicting national standards shall be withdrawn at the latest by November 2005.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 16805:2003 has been approved by CEN as EN ISO 16805:2005 without any modifications.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

INTERNATIONAL STANDARD

ISO
16805

First edition
2003-10-15

Binders for paints and varnishes — Determination of glass transition temperature

*Liants pour peintures et vernis — Détermination de la température de
transition vitreuse*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

[https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-
cab8fad9b511/sist-en-iso-16805-2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)



Reference number
ISO 16805:2003(E)

© ISO 2003

ISO 16805:2003(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16805 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 10, *Test methods for binders for paints and varnishes*.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

Introduction

The determination of the glass transition temperature (T_g) is a very accurate and reproducible way of characterizing polymers. However, there are a number of factors which have to be considered if a standard for the determination of the T_g is to be developed. The T_g of a polymer is dependent on the heating rate, the moisture content of the sample and also on the amount of sample used. Since sample preparation is a very important part of the procedure (and a special method may be necessary for binders for paints and varnishes), this International Standard specifies only the procedure for sample preparation. The measurement procedure itself is already specified in another International Standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 16805:2005](https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005)

<https://standards.iteh.ai/catalog/standards/sist/36afba09-e4e4-4785-ad21-cab8fad9b511/sist-en-iso-16805-2005>

Binders for paints and varnishes — Determination of glass transition temperature

1 Scope

This International Standard specifies the procedure to be used for sample preparation for the determination of the glass transition temperature of binders for paints and varnishes, including coating powders, by differential scanning calorimetry (DSC). The method to be used for determining the glass transition temperature is specified in ISO 11357-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

ISO 11357-1, *Plastics — Differential scanning calorimetry (DSC) — Part 1: General principles*

ISO 11357-2:1999, *Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

glass transition

reversible change in an amorphous polymer or in amorphous regions of a partially crystalline polymer from (or to) a viscous rubbery condition to (or from) a hard and brittle one

NOTE It is the temperature at which the rotational degrees of freedom of a polymer are excited.

[Adapted from ISO 11357-2:1999]

3.2

glass transition temperature

approximate midpoint of the temperature range over which the glass transition takes place

NOTE 1 The assigned glass transition temperature (T_g) may vary, depending on the specific property and on the method and conditions selected to measure it.

NOTE 2 The so-called onset temperature (see ISO 11357-2), which can also be used, is often more accurately defined.

NOTE 3 To avoid interference or inaccurate measurements due to relaxation or evaporation of solvent/water residues, it can be better to carry out the measurement twice with the same sample and report the second result.

[Adapted from ISO 11357-2:1999]