

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Bayonet lampholders

Douilles à baïonnette

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[IEC 61184:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/53bfd0c2-f93e-47de-83e3-65c19008df92/iec-61184-2017>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61184

Edition 4.1 2019-12
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Bayonet lampholders

Douilles à baïonnette

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[IEC 61184:2017](https://standards.iteh.ai/catalog/standards/iec/53bfd0c2-f93e-47de-83e3-65c19008df92/iec-61184-2017)

<https://standards.iteh.ai/catalog/standards/iec/53bfd0c2-f93e-47de-83e3-65c19008df92/iec-61184-2017>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.10

ISBN 978-2-8322-7731-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



Bayonet lampholders

Douilles à baïonnette

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[IEC 61184:2017](#)

<https://standards.iteh.ai/catalog/standards/iec/53bfd0c2-f93e-47de-83e3-65c19008df92/iec-61184-2017>

CONTENTS

FOREWORD	4
INTRODUCTION	6
INTRODUCTION to Amendment 1	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
3.1 Materials	8
3.2 Means of fixing	9
4 General requirements	13
5 General conditions for tests	13
6 Standard ratings	14
6.1 Standard rated voltage	14
6.2 Standard rated currents	15
7 Classification	15
8 Marking	16
9 Dimensions	18
10 Protection against electric shock	19
11 Terminals	20
12 Provision for earthing	22
13 Construction	24
14 Switched lampholders	28
15 Moisture resistance, insulation resistance and electrical strength	29
16 Mechanical strength	31
17 Screws, current-carrying parts and connections	34
18 Creepage distances and clearances	35
19 General resistance to heat	37
20 Resistance to heat, fire and tracking	41
21 Resistance to excessive residual stresses (season cracking) and to rusting	43
Annex A (normative) Season cracking/corrosion test	61
A.1 General	61
A.2 Test cabinet	61
A.3 Test solution	61
A.4 Test procedure	62
Annex B (informative) Schedule of amended clauses and subclauses containing more serious/critical requirements which require products to be retested	63
Bibliography	64
Figure 1 – Loading device (see 16.1)	44
Figure 2 – Bending apparatus (see 16.4)	45
Figure 3 – Gauge for holes for backplate lampholders screws (see 13.11)	46
Figure 4 – Clarification of some of the definitions in Clause 3	47
Figure 5 – Test cap B15d (see 19.3)	48

Figure 6 – Test cap B22d (see 19.3)	49
Figure 7 – Testing device (see 10.1)	50
Figure 8 – Dimensions for shade support devices (see 9.1)	51
Figure 9 – Dimensions for protective shields for B22d lampholders (see 10.1)	52
Figure 10 – Test cap B15d (see 15.3)	53
Figure 11 – Test cap B22d (see 15.3)	54
Figure 12 – Typical apparatus for the heating test (see 19.5)	56
Figure 13 – Nipple thread for lampholders – Basic profile and design profile for the nut and for the screw	56
Figure 14 – Gauges for metric thread for nipples	57
Figure 15 – Impact-test apparatus	58
Figure 16 – Mounting support	59
Figure 17 – Ball-pressure test apparatus.....	59
Figure 18 – Pressure apparatus.....	60
Table 1 – Dimensions of threaded entries and set screws	19
Table 2 – Minimum dimensions of pillar type terminals.....	21
Table 3 – Limits for contact forces	24
Table 4 – Pull and torque values	27
Table 5 – Heights of fall	33
Table 6 – Maximum deformation values	34
Table 7 – Torque values	35
Table 8 – Minimum distances for AC (50/60 Hz) sinusoidal voltages – Impulse withstand category II.....	36
Table 9 – Heating cabinet temperature	37
Table 10 – Heating cabinet temperature	38
Table 11 – Test temperature and test lamp data	40
Table A.1 – pH adjustment.....	61

INTERNATIONAL ELECTROTECHNICAL COMMISSION

BAYONET LAMPHOLDERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61184 edition 4.1 contains the fourth edition (2017-05) [documents 34B/1898/FDIS and 34B/1905/RVD] and its amendment 1 (2019-12) [documents 34B/2030/CDV and 34B/2041A/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61184 has been prepared by subcommittee 34B: Lamp caps and holders, of IEC technical committee 34: Lamps and related equipment.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Restructuring of the standard in accordance with IEC Directives Part 2.
- b) Clause 18: Update on creepage distances and clearances;
- c) Addition of Annex B.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai/>

<https://standards.iteh.ai/catalog/standards/iec/53bfd0c2-f93e-47dc-83e3-65c19008df92/iec-61184-2017>

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document covers safety requirements for bayonet lampholders and includes references to IEC 60061 (all parts) for the control of interchangeability and safety of the cap and holder fit.

NOTE Safety requirements ensure that electrical equipment constructed in accordance with these requirements does not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which it was intended.

The thermal characteristics of lampholders are specified by the rated operating temperature (symbol T), which is the highest temperature for which the lampholder is designed. The temperature rating and the resistance to heat specified in this document are based on two different principles, as presently found in IEC 60238 for Edison screw lampholders and in other national standards for bayonet lampholders. After experience, it may be possible to rationalize the systems in future editions of this document.

INTRODUCTION to Amendment 1

Some changes and corrections needed for IEC 61184 became obvious during the work on the fourth edition of IEC 61184.

Change 1:

Actual lamp holder safety standards require a ball pressure test in line with IEC 60695-10-2 in sections "Resistance to heat, fire and tracking". Within this test there is an alternative depth indentation method described for the calculation of the indentation diameter.

This alternative calculation option was removed from the latest edition of IEC 60695-10-2 dated 2014 and during its meeting held in Sydney in 2018, SC 34B/WG1 agreed to delete the alternative method as well from IEC 61184.

Change 2:

Based on IEC 60664-1:2007, 4.8.1.5 "Non tracking materials":

"For glass, ceramics or other inorganic insulating materials which do not track, creepage distances need not be greater than their associated clearance for the purpose of insulation coordination. The dimensions of this table are appropriate."

This is not completely reflected in TC 34 standards as revised recently. For applications with ELV it is of high importance whether the creepage distance shall be 0,6 mm or may be 0,2 mm in the case where inorganic insulating material is used.

BAYONET LAMPHOLDERS

1 Scope

This document applies to bayonet lampholders B15d and B22d for connection of lamps and semi-luminaires to a supply voltage of 250 V.

This document also covers lampholders which are integral with a luminaire or intended to be built into appliances. It covers the requirements for the lampholder only.

For all other requirements, such as protection against electric shock in the area of the terminals, the requirements of the relevant appliance standard are observed and tested after building into the appropriate equipment, when that equipment is tested according to its own standard. Lampholders for use by luminaire manufacturers only are not for retail sale.

Where lampholders are used in luminaires, their maximum operating temperatures are specified in IEC 60598-1.

B15d denotes the cap/holder fit as defined by IEC 60061-1, sheet 7004-11 and IEC 60061-2, sheet 7005-16 with the corresponding gauges.

B22d denotes the cap/holder fit as defined by IEC 60061-1, sheet 7004-10 and IEC 60061-2, sheet 7005-10 with the corresponding gauges.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061 (all parts), *Lamp caps and holders together with gauges for the control of interchangeability and safety* (available at <http://std.iec.ch/iec60061>)

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60061-2, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders*

IEC 60061-3, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60068-2-75:2014, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*
IEC 60112:2003/AMD1:2009

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*

IEC 60399, *Barrel thread for lampholders with shade holder ring*

IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

IEC 60432 (all parts), *Incandescent lamps – Safety specifications*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60598-1, *Luminaires – Part 1: General requirements and tests*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11:2014, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

ISO 4046-4:2016, *Paper, board, pulps and related terms – Vocabulary – Part 4: Paper and board grades and converted products*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Materials

3.1.1

plastic lampholder

lampholder, the exterior of which is made wholly of plastic material

Note 1 to entry: The exterior is any part of the lampholder which, when wired and fully assembled and fitted with the testing device shown in Figure 7, can be touched directly by the standard test finger of IEC 60529:1989 and IEC 60529:1989/AMD1:1999.

3.1.2

ceramic lampholder

lampholder, the exterior of which is made wholly of ceramic material

Note 1 to entry: See note in 3.1.1.

3.1.3

metal lampholder

lampholder, the exterior of which is made wholly or partly of metal

Note 1 to entry: See note in 3.1.1.

3.2 Means of fixing

3.2.1

cord grip lampholder

lampholder incorporating a method of retaining a flexible cord by which it may be suspended

SEE: Figure 4a).

3.2.2

threaded entry lampholder

lampholder incorporating a threaded component at the point of entry of the supply wires permitting the lampholder to be mounted on a mating threaded support

Note 1 to entry: A threaded entry lampholder was formerly called "nipple lampholder".

SEE: Figure 4b).

3.2.3

backplate lampholder

lampholder so designed as to be suitable for mounting, by means of an associated or integral backplate, directly on to a supporting surface or appropriate box

SEE: Figure 4c).

3.3

terminal/contact assembly

part or assembly of parts which provides a means of connection between the termination of a supply conductor and the contact-making surfaces of the corresponding lamp cap as well as resilient means to maintain contact pressure

Note 1 to entry: A rising type is where the terminal is allowed to rise parallel with the lamp axis on insertion of a lamp cap.

<http://www.iteh.com/standards/iec/61184-2017>

Note 2 to entry: A non-rising type is where the terminal is not allowed to rise on insertion of a lamp cap;

Note 3 to entry: The terminal and the barrel can be a unique element.

SEE: Figure 4.

3.4

union ring

cylindrical component which joins together separate external parts of the lampholder

SEE: Figure 4.

3.5

shade ring

cylindrical component having an internal thread or other means to engage a corresponding support on the outer shell and intended to carry or retain a shade

SEE: Figure 4.

3.6

skirt

component similar to a shade ring but having a longer cylindrical form to extend to the full length of the lampholder body

Note 1 to entry: Applicable to plastic lampholders only.

SEE: Figure 4.

3.6.1**protective shield**

component similar to a skirt but having a flared open end to protect the user from accidental contact with the lamp cap

Note 1 to entry: Applicable to plastic lampholders only.

SEE: Figure 9.

3.7**dome**

part of a cord grip lampholder or threaded entry lampholder which shields the connecting terminals

SEE: Figure 4.

3.8**barrel**

part of a lampholder which serves for mechanical connection of the lamp cap with the lampholder

SEE: Figure 4.

3.9**lampholder for building-in**

lampholder designed to be built into a luminaire, an additional enclosure or the like

3.9.1**unenclosed lampholder**

lampholder for building-in so designed that it requires additional means, for example enclosures, to meet the requirements of IEC 61184 with regard to protection against electric shock

3.9.2**enclosed lampholder**

lampholder for building-in so designed that, on its own, it fulfils the requirements of IEC 61184 with regard to protection against electric shock and, if appropriate, IP classification

3.10**independent lampholder**

lampholder so designed that it can be mounted separately from a luminaire and at the same time provide all the necessary protection according to its classification and marking

3.11**switched lampholder**

lampholder provided with an integral switch to control the supply to the lamp

3.12**basic insulation**

insulation applied to live parts to provide basic protection against electric shock

Note 1 to entry: Basic insulation does not necessarily include insulation used exclusively for functional purposes.

3.13**supplementary insulation**

independent insulation applied in addition to basic insulation in order to provide protection against electric shock in the event of a failure of basic insulation