



SLOVENSKI STANDARD

SIST EN 50341-1:2013

01-marec-2013

Nadomešča:

SIST EN 50341-1:2002

SIST EN 50341-1:2002/A1:2009

SIST EN 50423-1:2005

**Nadzemni električni vodi za izmenične napetosti nad 1 kV - 1. del: Splošne zahteve
- Skupna določila**

Overhead electrical lines exceeding AC 1 kV - Part 1: General requirements - Common specifications

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Freileitungen über AC 1 kV - Teil 1: Allgemeine Anforderungen - Gemeinsame Festlegungen

[SIST EN 50341-1:2013](#)

[https://standards.iteh.ai/catalog/standards/sist/520f2a71-0ac8-4d14-964f-](https://standards.iteh.ai/catalog/standards/sist/520f2a71-0ac8-4d14-964f-f9a5a52284f5/sist-en-50341-1-2013)

[f9a5a52284f5/sist-en-50341-1-2013](https://standards.iteh.ai/catalog/standards/sist/520f2a71-0ac8-4d14-964f-f9a5a52284f5/sist-en-50341-1-2013)

Lignes électriques aériennes dépassant AC 1 kV - Partie 1: Règles générales - Spécifications communes

Ta slovenski standard je istoveten z: EN 50341-1:2012

ICS:

29.240.20 Daljnovodi

Power transmission and
distribution lines

SIST EN 50341-1:2013

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 50341-1:2013](#)

<https://standards.iteh.ai/catalog/standards/sist/520f2a71-0ac8-4d14-964f-f9a5a52284f5/sist-en-50341-1-2013>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50341-1

December 2012

ICS 29.240.20

Supersedes EN 50341-1:2001 + A1:2009, EN 50423-1:2005

English version

**Overhead electrical lines exceeding AC 1 kV -
Part 1: General requirements -
Common specifications**

Lignes électriques aériennes dépassant
AC 1 kV -
Partie 1: Règles générales -
Spécifications communes

Freileitungen über AC 1 kV -
Teil 1: Allgemeine Anforderungen -
Gemeinsame Festlegungen

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 50341-1:2013](http://standards.iteh.ai/catalog/standards/sist/en-50341-1-2013)

This European Standard was approved by CENELEC on 2012-11-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Contents

Foreword	17
0 Introduction	18
0.1 Detailed structure of the standard	18
0.2 Part 1: General requirements - Common specifications	18
0.3 Part 2: National Normative Aspects	18
0.4 A-deviations	18
0.5 Special national conditions (snc)	18
0.6 National complements (NCPTs)	18
0.7 Language	18
1 Scope	19
1.1 General	19
1.2 Field of application	19
1.3 Structure of the European Standard EN 50341-1	19
2 Normative references, definitions and symbols	20
2.1 Normative references	20
2.2 Definitions	26
2.3 Symbols	35
3 Basis of design	43
3.1 Introduction	43
3.2 Requirements of overhead lines	44
3.2.1 Basic requirements	44
3.2.2 Reliability requirements	45
3.2.3 Security requirements.....	46
3.2.4 Safety requirements.....	47
3.2.5 Strength coordination.....	47
3.2.6 Additional considerations.....	47
3.2.7 Design working life.....	47
3.2.8 Durability	47
3.2.9 Quality assurance	47
3.3 Limit states	47
3.3.1 General	47
3.3.2 Ultimate limit states.....	47
3.3.3 Serviceability limit states.....	48
3.4 Actions	48
3.4.1 Principal classifications.....	48
3.4.2 Classification of actions by their variation in time.....	48

3.4.3	Classification of actions by their nature and/or the structural response	49
3.5	Characteristic values	49
3.5.1	Characteristic value of an action	49
3.5.1.1	Action (F)	49
3.5.1.2	Permanent action (G)	49
3.5.1.3	Variable action (Q)	49
3.5.1.4	Accidental action (A)	49
3.5.2	Characteristic value of a material property	49
3.6	Design values	49
3.6.1	General	49
3.6.2	Design value of an action	49
3.6.3	Design value of a material property	50
3.6.4	Combination value of a variable action	50
3.7	Partial factor method and design formula	50
3.7.1	Partial factor method	50
3.7.2	Basic design formula	51
3.7.3	Total design value of the effect of combined actions	51
3.7.3.1	General	51
3.7.3.2	Design situations related to permanent and variable actions	51
3.7.3.3	Design situations related to permanent, variable and accidental actions	51
3.7.4	Structural design resistance	52
4	Actions on lines	53
4.1	Introduction	53
4.2	Permanent loads	55
4.3	Wind loads	55
4.3.1	Field of application and basic wind velocity	55
4.3.2	Mean wind velocity	55
4.3.3	Mean wind pressure	56
4.3.4	Turbulence intensity and peak wind pressure	57
4.3.5	Wind forces on any overhead line component	57
4.4	Wind forces on overhead line components	58
4.4.1	Wind forces on conductors	58
4.4.1.1	General	58
4.4.1.2	Structural factor	60
4.4.1.3	Drag factor	63

4.4.2	Wind forces on insulator sets	63
4.4.3	Wind forces on lattice towers.....	64
4.4.3.1	General	64
4.4.3.2	Method 1	64
4.4.3.3	Method 2	67
4.4.4	Wind forces on poles	68
4.5	Ice loads	69
4.5.1	General	69
4.5.2	Ice forces on conductors.....	69
4.6	Combined wind and ice loads	70
4.6.1	Combined probabilities	70
4.6.2	Drag factors and ice densities	71
4.6.3	Mean wind pressure and peak wind pressure	72
4.6.4	Equivalent diameter D of ice covered conductor	72
4.6.5	Wind forces on support for ice covered conductors	72
4.6.6	Combination of wind velocities and ice loads	73
4.6.6.1	Extreme ice load I_T combined with a high probability wind velocity V_{IH}	73
4.6.6.2	Nominal ice load I_0 combined with a low probability wind velocity V_{IL}	73
4.7	Temperature effects	74
4.8	Security loads.....	74
4.8.1	General	74
4.8.2	Torsional loads	74
4.8.3	Longitudinal loads	75
4.8.4	Mechanical conditions of application	75
4.9	Safety Loads	75
4.9.1	Construction and maintenance loads	75
4.9.2	Loads related to the weight of line men	75
4.10	Forces due to short-circuit currents	76
4.11	Other special forces.....	76
4.11.1	Avalanches, creeping snow	76
4.11.2	Earthquakes.....	76
4.12	Load cases.....	76
4.12.1	General	76
4.12.2	Standard load cases	77
4.13	Partial factors for actions.....	80

5	Electrical requirements	81
5.1	Introduction	81
5.2	Currents	82
5.2.1	Normal current	82
5.2.2	Short-circuit current	82
5.3	Insulation co-ordination	83
5.4	Classification of voltages and overvoltages	83
5.4.1	General	83
5.4.2	Representative power frequency voltages	83
5.4.3	Representative temporary overvoltages	84
5.4.4	Representative slow-front overvoltages	84
5.4.5	Representative fast-front overvoltages.....	85
5.5	Minimum air clearance distances to avoid flashover	85
5.5.1	General	85
5.5.2	Application of the theoretical method in Annex E	86
5.5.3	Empirical method based on European experience.....	89
5.6	Load cases for calculation of clearances	90
5.6.1	Load conditions.....	90
5.6.2	Maximum conductor temperature.....	90
5.6.3	Wind loads for determination of electric clearances.....	90
5.6.3.1	Wind load cases.....	90
5.6.3.2	Nominal wind loads for determination of internal and external clearances	91
5.6.3.3	Extreme wind loads for determination of internal clearances.....	91
5.6.4	Ice loads for determination of electric clearances	91
5.6.5	Combined wind and ice loads.....	91
5.7	Coordination of conductor positions and electrical stresses	91
5.8	Internal clearances within the span and at the top of support	92
5.9	External clearances	96
5.9.1	General	96
5.9.2	External clearances to ground in areas remote from buildings, roads, etc.	97
5.9.3	External clearances to residential and other buildings	98
5.9.4	External clearances to crossing traffic routes.....	99
5.9.5	External clearances to adjacent traffic routes.....	100
5.9.6	External clearances to other power lines or overhead telecommunication lines...101	
5.9.7	External clearances to recreational areas (playgrounds, sports areas, etc.)	102
5.10	Corona effect	103

5.10.1	Radio noise	103
5.10.1.1	General	103
5.10.1.2	Design influences	103
5.10.1.3	Noise limits.....	103
5.10.2	Audible noise	103
5.10.2.1	General	103
5.10.2.2	Design influences	104
5.10.2.3	Noise limit	104
5.10.3	Corona loss.....	104
5.11	Electric and magnetic fields	104
5.11.1	Electric and magnetic fields under a line	104
5.11.2	Electric and magnetic field induction	105
5.11.3	Interference with telecommunication circuits.....	105
6	Earthing systems	106
6.1	Introduction	106
6.1.1	Purpose.....	106
6.1.2	Requirements for dimensioning of earthing systems	106
6.1.3	Earthing measures against lightning effects.....	107
6.1.4	Transferred potentials.....	107
6.2	Ratings with regard to corrosion and mechanical strength.....	107
6.2.1	Earth electrodes.....	107
6.2.2	Earthing and bonding conductors.....	107
6.3	Dimensioning with regard to thermal strength.....	107
6.3.1	General	107
6.3.2	Current rating calculation.....	108
6.4	Dimensioning with regard to human safety	108
6.4.1	Permissible values for touch voltages	108
6.4.2	Touch voltage limits at different locations.....	108
6.4.3	Basic design of earthing systems with regard to permissible touch voltage	110
6.4.4	Measures in systems with isolated neutral or resonant earthing	112
6.5	Site inspection and documentation of earthing systems	112
7	Supports.....	113
7.1	Initial design considerations	113
7.1.1	Introduction	113
7.1.2	Structural design resistance of a pole	113

7.1.3	Buckling Resistance	113
7.2	Materials.....	113
7.2.1	Steel materials, bolts, nuts and washers, welding consumables	113
7.2.2	Cold formed steel.....	113
7.2.3	Requirements for steel grades subject to galvanising	113
7.2.4	Holding-down bolts	113
7.2.5	Concrete and reinforcing steel.....	114
7.2.6	Wood.....	114
7.2.7	Guy materials.....	114
7.2.8	Other materials	114
7.3	Lattice steel towers.....	114
7.3.1	General	114
7.3.2	Basis of design	114
7.3.3	Materials	114
7.3.4	Durability	114
7.3.5	Structural analysis	114
7.3.6	Ultimate limit states.....	115
7.3.6.1	General	115
7.3.6.2	Resistance of cross section areas.....	116
7.3.6.3	Tension, bending and compression resistance of members	116
7.3.6.4	Buckling resistance of members in compression	117
7.3.6.5	Buckling resistance of members in bending	117
7.3.7	Serviceability limit states.....	117
7.3.8	Resistance of connections.....	117
7.3.9	Design assisted by testing	117
7.3.10	Fatigue.....	117
7.4	Steel poles	118
7.4.1	General	118
7.4.2	Basis of design (EN 1993-1-1:2005 – Chapter 2)	118
7.4.3	Materials (EN 1993-1-1:2005 – Chapter 3)	118
7.4.4	Durability (EN 1993-1-1:2005 – Chapter 4).....	118
7.4.5	Structural analysis (EN 1993-1-1:2005 – Chapter 5)	118
7.4.6	Ultimate limit states (EN 1993-1-1:2005 – Chapter 6).....	118
7.4.6.1	General	118

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50341-1:2013

<https://standards.iteh.ai/catalog/standards/sist/52092a71-0ac8-4d14-964f-19a5a52284f5/sist-en-50341-1-2013>

9a5a52284f5/sist-en-50341-1-2013

7.4.6.2	Resistance of cross section areas	119
7.4.7	Serviceability limit states (EN 1993-1-1:2005 – Chapter 7).....	119
7.4.8	Resistance of connections	119
7.4.8.1	Basis	119
7.4.8.2	Bolts (other than holding-down bolts).....	119
7.4.8.3	Slip joint connections	119
7.4.8.4	Flanged bolted connections.....	120
7.4.8.5	Welded connections	120
7.4.8.6	Direct embedding into the concrete	120
7.4.8.7	Base plate and holding-down bolts.....	120
7.4.9	Design assisted by testing	121
7.5	Wood poles.....	121
7.5.1	General	121
7.5.2	Basis of design	121
7.5.3	Materials	121
7.5.4	Durability.....	121
7.5.5	Ultimate limit states.....	121
7.5.5.1	Basis.....	121
7.5.5.2	Calculation of internal forces and moments	121
7.5.5.3	Resistance of wood elements.....	122
7.5.5.4	Decay conditions	122
7.5.6	Serviceability limit states.....	123
7.5.7	Resistance of connections.....	123
7.5.8	Design assisted by testing	123
7.6	Concrete poles	123
7.6.1	General	123
7.6.2	Basis of design	123
7.6.2.1	General rules	123
7.6.2.2	Design load	123
7.6.2.3	Lateral reinforcement.....	124
7.6.3	Materials	124
7.6.4	Ultimate limit states.....	124
7.6.5	Serviceability limit states.....	124
7.6.6	Design assisted by testing	124

7.7	Guyed structures	125
7.7.1	General	125
7.7.2	Basis of design	125
7.7.3	Materials	125
7.7.4	Ultimate limit states.....	125
7.7.4.1	Basis	125
7.7.4.2	Calculation of internal forces and moments	126
7.7.4.3	Second order analysis	126
7.7.4.4	Maximum slendernesses	127
7.7.5	Serviceability limit states.....	127
7.7.6	Design details for guys	127
7.8	Other structures	128
7.9	Corrosion protection and finishes	128
7.9.1	General	128
7.9.2	Galvanising	128
7.9.3	Metal spraying	129
7.9.4	Paint over galvanising in plant (Duplex system).....	129
7.9.5	Decorative finishes	129
7.9.6	Use of weather-resistant steels	129
7.9.7	Protection of wood poles	129
7.10	Maintenance facilities	130
7.10.1	Climbing	130
7.10.2	Maintainability	130
7.10.3	Safety requirements.....	130
7.11	Loading tests	130
7.12	Assembly and erection.....	130
8	Foundations	131
8.1	Introduction	131
8.2	Basis of geotechnical design (EN 1997-1:2004 – Section 2)	131
8.2.1	General	131
8.2.2	Geotechnical design by calculation	131
8.2.3	Design by prescriptive measures	133
8.2.4	Load tests and tests on experimental models	133
8.3	Soil investigation and geotechnical data (EN 1997-1:2004 – Section 3)	133
8.4	Supervision of construction, monitoring and maintenance (EN 1997-1:2004 – Section 4)	133

8.5	Fill, dewatering, ground improvement and reinforcement (EN 1997-1:2004 – Section 5)	133
8.6	Interactions between support foundations and soil	133
9	Conductors and earth-wires.....	135
9.1	Introduction	135
9.2	Aluminium based conductors	135
9.2.1	Characteristics and dimensions.....	135
9.2.2	Electrical requirements	135
9.2.3	Conductor service temperatures and grease characteristics	136
9.2.4	Mechanical requirements.....	136
9.2.5	Corrosion protection	136
9.2.6	Test requirements.....	136
9.3	Steel based conductors.....	137
9.3.1	Characteristics and dimensions.....	137
9.3.2	Electrical requirements	137
9.3.3	Conductor service temperatures and grease characteristics	137
9.3.4	Mechanical requirements.....	137
9.3.5	Corrosion protection	137
9.3.6	Test requirements.....	137
9.4	Copper based conductors.....	137
9.5	Conductors and ground wires containing optical fibre telecommunication circuits ..	138
9.5.1	Characteristics and dimensions.....	138
9.5.2	Electrical requirements	138
9.5.3	Conductor service temperatures	138
9.5.4	Mechanical requirements.....	138
9.5.5	Corrosion protection	138
9.5.6	Test requirements.....	138
9.6	General requirements	138
9.6.1	Avoidance of damage.....	138
9.6.2	Partial factor for conductors.....	138
9.6.3	Minimum cross-sections	139
9.6.4	Sag - tension calculations.....	139
9.7	Test reports and certificates	139
9.8	Selection, delivery and installation of conductors.....	139
10	Insulators	140
10.1	Introduction	140

10.2	Standard electrical requirements	140
10.3	RIV requirements and corona extinction voltage	140
10.4	Pollution performance requirements	141
10.5	Power arc requirements	141
10.6	Audible noise requirements	141
10.7	Mechanical requirements	141
10.8	Durability requirements	142
	10.8.1 General requirements for durability of insulators.....	142
	10.8.2 Protection against vandalism.....	142
	10.8.3 Protection of ferrous materials.....	142
	10.8.4 Additional corrosion protection	142
10.9	Material selection and specification	142
10.10	Characteristics and dimensions of insulators	142
10.11	Type test requirements	143
	10.11.1 Standard type tests.....	143
	10.11.2 Optional type tests	143
10.12	Sample test requirements	143
10.13	Routine test requirements	144
10.14	Summary of test requirements	144
10.15	Test reports and certificates	144
10.16	Selection, delivery and installation of insulators	144
11	Hardware	145
11.1	Introduction	145
11.2	Electrical requirements	145
	11.2.1 Requirements applicable to all fittings	145
	11.2.2 Requirements applicable to current carrying fittings	145
11.3	RIV requirements and corona extinction voltage	145
11.4	Magnetic characteristics	145
11.5	Short circuit current and power arc requirements	145
11.6	Mechanical requirements	146
11.7	Durability requirements	146
11.8	Material selection and specification	146
11.9	Characteristics and dimensions of fittings	146
11.10	Type test requirements	146
	11.10.1 Standard type tests.....	146
	11.10.2 Optional type tests	147
11.11	Sample test requirements	147
11.12	Routine test requirements	147
11.13	Test reports and certificates	147
11.14	Selection, delivery and installation of fittings	147

12	Quality assurance, checks and taking-over	148
12.1	Quality assurance	148
12.2	Checks and taking-over	148
Annex A (informative)	Strength coordination	149
A.1	Recommended design criteria	149
A.2	Proposed strength coordination	149
Annex B (informative)	Conversion of wind velocities and ice loads	151
B.1	Definition of symbols used in this annex B	151
B.2	Evaluation of extreme wind velocity data	151
B.3	Evaluation of extreme ice load data	152
B.4	Statistical ice parameters	153
B.4.1	Basic ice load, I_B	153
B.4.2	Yearly maximum ice load, I_m	153
B.4.3	Maximum ice load over several years, I_{max}	153
B.4.4	Mean value, I_{mm} of yearly maximum ice loads	153
B.4.5	Coefficient of variation, v_i for yearly maximum ice loads.....	153
B.5	Extreme ice load evaluation based on various data sources	153
B.5.1	Data sources for statistical evaluation	153
B.5.2	Yearly maxima ice loads, I_m during periods of at least 10 years are available	154
B.5.3	Maximum ice load, I_{max} is known only for a limited number of years.....	154
B.5.4	Yearly maximum ice load, I_m , based on meteorological analyses.....	154
Annex C (informative)	Application examples of wind loads - Special forces	155
C.1	Application examples of the calculation of wind loads as defined in 4.3 and 4.4	155
C.1.1	Example 1 : Typical 24 kV wood pole tangent support	155
C.1.2	Example 2 : Typical 225 kV suspension lattice tower	157
C.2	Special forces	159
C.2.1	Definition of symbols used in this annex C.2	159
C.2.2	Forces due to short-circuit currents.....	159
C.2.3	Avalanches, creeping snow.....	160
C.2.4	Earthquakes	160
Annex D (informative)	Statistical data for the Gumbel distribution of extremes	161
D.1	Definition of symbols used in this annex	161
D.2	The Gumbel distribution	161
D.3	Example of using C_1 and C_2	164
D.4	Calculation of C_1 and C_2	165
Annex E (normative)	Theoretical method for calculating minimum air clearances	169
E.1	Definition of symbols used in this annex	169

E.2 Insulation co-ordination	170
E.2.1 Development of theoretical formulae for calculating electrical distances.....	170
E.2.2 Representative voltages and overvoltages U_{rp}	171
E.2.3 Co-ordination withstand voltage U_{cw}	173
E.2.4 Required withstand voltage of the air gap, U_{rw}	173
E.2.5 Relationship with the clearance distance of the air gap	174
E.2.5.1 Statistical approach	174
E.2.5.2 Deviation factors.....	174
E.2.5.3 Gap factors	175
E.2.5.4 Insulation response to overvoltages	176
E.3 Calculation formulae for the minimum air clearances	177
E.4 Examples of calculation of D_{el}, D_{pp} and $D_{50\text{ Hz}}$ for different U_s voltages (informative)	179
E.4.1 Range I: 90 kV system equipped with insulator strings composed of 6 units	179
E.4.2 Range I: 90 kV system equipped with insulator strings composed of 9 units	180
E.4.3 Range II : 400 kV system	181
Annex F (informative) Empirical method for calculating mid span clearances	183
F.1 Empirical method for the determination of clearances within the span	183
F.2 Approximate method for conductors with different cross-sections, materials or sags	184
F.3 Contribution of the insulator set to the determination of clearances at supports	184
Annex G (normative) Calculation methods for earthing systems	186
G.1 Definition of symbols used in this annex	186
G.2 Minimum dimensions of earth electrodes	187
G.3 Current rating calculation	187
G.4 Touch voltage and body current	190
G.4.1 Equivalence between touch voltage and body current	190
G.4.2 Calculation taking into account additional resistances	192
Annex H (informative) Installation and measurements of earthing systems	194
H.1 Definition of symbols used in this annex	194
H.2 Basis for the verification	194
H.2.1 Soil resistivity.....	194
H.2.2 Resistance to earth	195
H.3 Installation of earth electrodes and earthing conductors	197
H.3.1 Installation of earth electrodes	197
H.3.1.1 Earth electrodes	197
H.3.1.2 Horizontal earth electrodes	197
H.3.1.3 Vertical or inclined driven rods	197
H.3.1.4 Jointing the earth electrodes	197