
Stikalne naprave za sijalke - 2-7. del: Posebne zahteve za enosmerno napajane elektronske predstikalne naprave za nujnostno razsvetljavo

Lamp controlgear - Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)

Geräte für Lampen - Teil 2-7: Besondere Anforderungen an batterieversorgte elektronische Betriebsgeräte für die Notbeleuchtung (mit Einzelbatterie)

Appareillages de lampes - Partie 2-7: Règles particulières relatives aux appareillages électroniques alimentés par batterie pour l'éclairage de secours (autonome)

[https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-](https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f5d727bd66/sist-en-61347-2-7-2012)

Ta slovenski standard je istoveten z: EN 61347-2-7:2012

ICS:

29.130.01	Stikalne in krmilne naprave na splošno	Switchgear and controlgear in general
29.140.99	Drugi standardi v zvezi z žarnicami	Other standards related to lamps

SIST EN 61347-2-7:2012**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61347-2-7:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61347-2-7

March 2012

ICS 29.140.99

Supersedes EN 61347-2-7:2006

English version

**Lamp controlgear -
Part 2-7: Particular requirements for battery supplied electronic
controlgear for emergency lighting (self-contained)
(IEC 61347-2-7:2011)**

Appareillages de lampes -
Partie 2-7: Règles particulières relatives
aux appareillages électroniques alimentés
par batterie pour l'éclairage de secours
(autonome)
(CEI 61347-2-7:2011)

Geräte für Lampen -
Teil 2-7: Besondere Anforderungen an
batterieversorgte elektronische
Betriebsgeräte für die Notbeleuchtung (mit
Einzelbatterie)
(IEC 61347-2-7:2011)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CENELEC on 2012-01-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 34C/995/FDIS, future edition 3 of IEC 61347-2-7, prepared by SC 34C, "Auxiliaries for lamps", of IEC/TC 34, "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61347-2-7:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-10-11
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-01-11

This document supersedes EN 61347-2-7:2006.

EN 61347-2-7:2012 includes the following significant technical changes with respect to EN 61347-2-7:2006:

- modification of EN 61347-2-7 to become a standard exclusively for d.c. battery supplied electronic controlgear for emergency lighting (self-contained). EN 61347-2-3:2011, Annex J, is intended to cover centrally supplied emergency controlgear;
- update of Clause 22 – Recharging devices;
- modification of Clause 20 battery voltage characterisation to support EBLF measurement. This to simplify and increase reproducibility of testing;
- rationalisation of requirements between EN 61347-2-7 and EN 60598-2-22, requirements of EN 60598-2-22 being transferred to EN 61347-2-7.

This standard shall be used in conjunction with EN 61347-1:2008 + A1:2011 + A2:200X¹.

This part 2 supplements or modifies the corresponding clauses in EN 61347-1.

NOTE In this standard, the following print types are used:

- requirements: in roman type.
- *test specifications: in italic type.*
- notes: in small roman type.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61347-2-7:2011 was approved by CENELEC as a European Standard without any modification.

¹ To be published.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60081	-	Double-capped fluorescent lamps - Performance specifications	EN 60081	-
IEC 60598-2-22	-	Luminaires - Part 2-22: Particular requirements - Luminaires for emergency lighting	EN 60598-2-22	-
IEC 60901	-	Single-capped fluorescent lamps - Performance specifications	EN 60901	-
IEC 60921	-	Ballasts for tubular fluorescent lamps - Performance requirements	EN 60921	-
IEC 60929	-	AC and/or DC-supplied electronic control gear for tubular fluorescent lamps - Performance requirements	EN 60929	-
IEC 61347-1	-	Lamp controlgear - Part 1: General and safety requirements	EN 61347-1	-
IEC 61347-2-3	-	Lamp controlgear - Part 2-3: Particular requirements for a.c. and/or d.c. supplied electronic control gear for fluorescent lamps	EN 61347-2-3	-
IEC 61558-1 + corr. March + corr. March + A1	2005 2010 2008 2009	Safety of power transformers, power supplies, reactors and similar products - Part 1: General requirements and tests	EN 61558-1 + corr. August + A1	2005 2006 2009
IEC 61558-2-1	2007	Safety of power transformers, power supplies, reactors and similar products - Part 2-1: Particular requirements and tests for separating transformers and power supplies incorporating separating transformers for general applications	EN 61558-2-1	2007
IEC 61558-2-6	2009	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	2009
IEC 61558-2-16	2009	Safety of transformers, reactors, power supply units and similar products for voltages up to 1 100 V - Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units	EN 61558-2-16	2009

EN 61347-2-7:2012

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62034	-	Automatic test system for battery powered emergency escape lighting	EN 62034	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61347-2-7:2012](https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012)

<https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012>



IEC 61347-2-7

Edition 3.0 2011-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lamp controlgear – Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)

Appareillages de lampes – Partie 2-7: Règles particulières relatives aux appareillages électroniques alimentés par batterie pour l'éclairage de secours (autonome)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.140.99

ISBN 978-2-88912-830-3

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 General requirements.....	9
5 General notes on tests.....	10
6 Classification.....	10
7 Marking.....	10
8 Protection against accidental contact with live parts.....	12
9 Terminals.....	12
10 Provisions for protective earthing.....	12
11 Moisture resistance and insulation.....	12
12 Electric strength.....	12
13 Thermal endurance test for windings of ballasts.....	12
14 Fault conditions.....	12
15 Starting conditions.....	12
16 Lamp current.....	13
17 Supply current.....	13
18 Maximum current in any lead (with cathode preheating).....	13
19 Lamp operating current waveforms.....	13
20 Functional safety (EBLF).....	14
21 Changeover operation.....	15
22 Recharging device.....	16
23 Protection against excessive discharge.....	18
24 Indicator.....	19
25 Remote control, rest mode, inhibition mode.....	19
26 Temperature cycling test and endurance test.....	20
27 Polarity reversal.....	20
28 Fault conditions.....	21
29 Construction.....	21
30 Creepage distances and clearances.....	21
31 Screws, current-carrying parts and connections.....	21
32 Resistance to heat, fire and tracking.....	21
33 Resistance to corrosion.....	21
34 Abnormal lamp conditions.....	21
35 Protection of associated components.....	26
Annex A (normative) Test to establish whether a conductive part is a live part, which may cause an electric shock.....	28
Annex B (normative) Particular requirements for thermally protected lamp controlgear.....	28
Annex C (normative) Particular requirements for electronic lamp controlgear with means of protection against overheating.....	28

Annex D (normative) Requirements for carrying out the heating test of thermally protected lamp controlgear	28
Annex E (normative) Use of constant S other than 4 500 in t_w tests.....	28
Annex F (normative) Draught-proof enclosure.....	28
Annex G (normative) Explanation of the derivation of the values of pulse voltages	29
Annex H (normative) Tests	29
Annex I (normative) Batteries for emergency lighting luminaires	29
Annex J (informative) Rest mode and inhibition mode facilities	29
Annex K (normative) Ballasts incorporating an automatic testing function for emergency lighting operation	30
Annex L (informative) Compatibility between normal mains operation electronic controlgear and battery-powered emergency operation controlgear	33
Figure 1 – Suitable circuit for the measurement of lamp current and luminous flux.....	15
Figure 2 – Rectifying effect test	23
Figure 3 – Circuit to test whether a controlgear can withstand a leaking burner	24
Figure 4 – Circuit to test whether a ballast can withstand rectification.....	26
Figure L.1 – Timing diagram: changeover operation.....	34
Figure L.2 – Supply voltage for the function test	35
Table 1 – Voltage per cell to which the battery is discharged	16
Table 2 – Relation between r.m.s. working voltage and maximum peak voltage	26
Table K.1 – Relevant requirements of IEC 62034	30

iteh STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 61347-2-7:2012

[https://standards.iteh.ai/catalog/standards/sist/6768ac5f-edbb-4480-9860-](https://standards.iteh.ai/catalog/standards/sist/6768ac5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012)

6f35d727bd66/sist-en-61347-2-7-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMP CONTROLGEAR –

Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (standards.iteh.ai)
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. (<https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-63fa72716666/iec-61347-2-7-2012>)
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61347-2-7 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
34C/995/FDIS	34C/1002/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This third edition cancels and replaces the second edition published in 2006. It constitutes a technical revision. Significant changes introduced into this third edition include:

- modification of IEC 61347-2-7 to become a standard exclusively for d.c. battery supplied electronic controlgear for emergency lighting (self-contained). IEC 61347-2-3 Annex J is intended to cover centrally supplied emergency controlgear;
- update of Clause 22 – Recharging devices;
- modification of Clause 20 battery voltage characterisation to support EBLF measurement. This to simplify and increase reproducibility of testing;
- rationalisation of requirements between IEC 61347-2-7 and IEC 60598-2-22 requirements of IEC 60598-2-22 being transferred to IEC 61347-2-7.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard shall be used in conjunction with IEC 61347-1. This part 2 supplements or modifies the corresponding clauses in IEC 61347-1.

NOTE In this standard, the following print types are used:

– requirements: in roman type;

– *test specifications: in italic type;*

– notes: in small roman type.

A list of all parts of the IEC 61347 series, published under the general title *Lamp controlgear*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

[SIST EN 61347-2-7:2012](https://standards.iteh.ai/catalog/standards/sist/61347-2-7:2012)

- reconfirmed, <https://standards.iteh.ai/catalog/standards/sist/61347-2-7:2012>
- withdrawn, [6f35d727bd66/sist-en-61347-2-7-2012](https://standards.iteh.ai/catalog/standards/sist/61347-2-7:2012)
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The formatting into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

This standard, and the parts which make up IEC 61347-2, in referring to any of the clauses of IEC 61347-1, specify the extent to which such a clause is applicable and the order in which the tests are to be performed; they also include additional requirements, as necessary. All parts which make up IEC 61347-2 are self-contained and, therefore, do not include reference to each other.

Where the requirements of any of the clauses of IEC 61347-1 are referred to in this standard by the phrase "The requirements of Clause n of IEC 61347-1 apply", this phrase is interpreted as meaning that all requirements of the clause in question of Part 1 apply, except any which are clearly inapplicable to the specific type of lamp controlgear covered by this particular part of IEC 61347-2.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61347-2-7:2012](https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012)

<https://standards.iteh.ai/catalog/standards/sist/6768ae5f-edbb-4480-9860-6f35d727bd66/sist-en-61347-2-7-2012>

LAMP CONTROLGEAR –

Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)

1 Scope

This part of IEC 61347 specifies particular safety requirements for battery supplied electronic controlgear for maintained and non-maintained emergency lighting purposes.

It includes specific requirements for electronic controlgear and control units for self-contained luminaires for emergency lighting as specified by IEC 60598-2-22.

It is intended for controlgear for fluorescent lamps, but it is also applicable to other lamp types e.g. incandescent, high pressure discharge lamps and LEDs.

This standard covers the emergency mode operation of a controlgear. For controlgear with a combination of normal and emergency lighting operation, the normal lighting operation aspects are covered by the appropriate part 2 of IEC 61347.

DC supplied electronic controlgear for emergency lighting may or may not include batteries.

This standard also includes operational requirements for electronic controlgear, which, in the case of d.c. supplied electronic controlgear, are regarded as performance requirements. This is because non-operational emergency lighting equipment presents a safety hazard. It does not apply to d.c. supplied electronic controlgear for emergency lighting, which are intended for connection to a centralised emergency power supply system. A centralised emergency power system could be a central battery system.

NOTE Annex J of IEC 61347-2-3 applies to a.c., a.c./d.c. or d.c. supplied electronic controlgear for connection to centralised emergency power supply systems that are also intended for emergency lighting operations from a.c./d.c. supplies.

2 Normative references

For the purpose of this part of IEC 61347, the normative references given in Clause 2 of IEC 61347-1, which are mentioned in this standard, apply, together with the following normative references.

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60598-2-22, *Luminaires – Part 2: Particular requirements – Luminaires for emergency lighting*

IEC 60901, *Single-capped fluorescent lamps – Performance specifications*

IEC 60921, *Ballasts for tubular fluorescent lamps – Performance requirements*

IEC 60929, *AC and/or DC-supplied electronic control gear for tubular fluorescent lamps – Performance requirements*

IEC 61347-1, *Lamp controlgear – Part 1: General and safety requirements*