

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –  
Part 2-54: Tests – Corrosive atmosphere (mixed gas)**

**Dispositifs d'interconnexion et composants passifs fibroniques – Procédures  
fondamentales d'essais et de mesures –  
Partie 2-54: Essais – Atmosphère corrosive (mélange de gaz)**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22,000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –  
Part 2-54: Tests – Corrosive atmosphere (mixed gas)**

**Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures –  
Partie 2-54: Essais – Atmosphère corrosive (mélange de gaz)**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 33.180.20

ISBN 978-2-8322-9164-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD..... 3

1 Scope..... 5

2 Normative references ..... 5

3 Terms and definitions ..... 5

4 General description ..... 5

5 Apparatus..... 6

6 Procedure..... 6

    6.1 Description of the DUT..... 6

    6.2 Initial examination and measurement ..... 6

    6.3 Preconditioning..... 6

    6.4 Conditioning..... 7

    6.5 Recovery ..... 7

    6.6 Final examinations and measurements ..... 7

7 Severity ..... 7

8 Details to be specified ..... 8

Bibliography..... 9

Table 1 – Severity for category I HD ..... 8

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

<https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING  
DEVICES AND PASSIVE COMPONENTS –  
BASIC TEST AND MEASUREMENT PROCEDURES –**

**Part 2-54: Tests – Corrosive atmosphere (mixed gas)**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61300-2-54 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86B/4232/FDIS	86B/4246/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of IEC 61300 series, published under the general title, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[IEC 61300-2-54:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019>

# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

## Part 2-54: Tests – Corrosive atmosphere (mixed gas)

### 1 Scope

The purpose of this part of IEC 61300 is to assess the corrosive effects of atmospheres polluted with mixed gas on fibre optic devices. It can be considered as a general corrosion test, but it does not predict the performance of a device in use.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination*

IEC 61300-3-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-4: Examinations and measurements – Attenuation*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 4 General description

This test

- is intended to assess the corrosive effects of atmospheres polluted with mixed gas on fibre optic devices,
- is particularly suitable for giving information on a comparative basis, and
- can be considered as a general corrosion test, but it does not predict the performance of a device in use.

## 5 Apparatus

The apparatus consists of a test chamber in accordance with IEC 60068-2-60, Test Ke. The test chamber and its auxiliary parts shall be made of materials that do not react with or absorb mixed gas and which do not influence the corrosive effects of the test atmosphere. The mixture of air and mixed gas shall enter and leave the chamber through tubes with sufficiently large diameters such that the total flow through the chamber is at least three, but not more than five, changes of the atmosphere per hour. The exhaust from the chamber should not be allowed to enter the laboratory.

The detailed construction of the chamber including the method of producing the test atmosphere is optional, provided that

- a) the conditions in that part of the chamber occupied by the device under tests (DUTs) are within the specified limits,
- b) the DUTs are protected from direct exposure to the individual incoming gas flows,
- c) arrangements are made to move the DUTs through the test atmosphere at an average rate of 0,0055 m/s to 0,0167 m/s (approximately 20 m/h to 60 m/h) or, alternatively, to gently stir the atmosphere, obtaining a similar relative velocity between atmosphere and DUTs, and
- d) condensation on the DUT does not occur inside the test chamber.

## 6 Procedure

### 6.1 Description of the DUT

Prepare the DUT according to the manufacturer's instructions or as specified in the relevant specification.

The DUTs shall be exposed mated connectors and unmounted devices as prescribed in the relevant specification.

The DUTs shall be operational or not operational according to relevant specifications.

The DUTs shall be continuously exposed to the test atmosphere for the period specified in this document (96 h).

### 6.2 Initial examination and measurement

The DUT shall be terminated with a sufficient length of fibre cable to facilitate connection with the optical source and detector.

Prior to the tests, make the initial measurements and the initial visual examination as defined in the relevant specification.

For visual examination, IEC 61300-3-1 applies.

For attenuation measurements, IEC 61300-3-4 applies.

For return loss measurements, IEC 61300-3-6 applies.

### 6.3 Preconditioning

Clean the mechanical and optical alignment parts of the DUT according to the manufacturer's instructions.



Unless otherwise stated, maintain the DUT under standard atmospheric condition according to IEC 61300-1 for 2 h minimum.

#### 6.4 Conditioning

Attenuation and return loss measurements shall be performed when required by the relevant specification.

Place the DUTs in the chamber in the normal operating position. Prior to the start of the test, it shall be established by suitable measurements that stable conditions for the concentration of mixed gas, the temperature and the relative humidity have been achieved. Periodic checks shall be made during test to ensure that these conditions are maintained.

Care should be taken that the DUTs are so placed that they do not come into contact with one another and that they do not shield one another from the test atmosphere.

Adequate precautions shall be taken to ensure that the DUTs are not disturbed during the exposure period.

#### 6.5 Recovery

Allow the DUT to remain under standard test conditions for 2 h minimum, as defined in IEC 61300-1, unless otherwise specified in the relevant specification. Clean the optical surfaces, but not the exterior surface that may have been corroded.

#### 6.6 Final examinations and measurements

On completion of the test, remove all fixtures and make final measurements, as defined by the relevant specification. The results of the final measurement shall be within the limit established in the relevant specification.

Unless otherwise specified, visually examine the DUT in accordance with IEC 61300-3-1. Check for growths, corrosion or pitting on the DUT. This may include, for example,

- broken, loose or damaged parts or accessories,
- broken, cracked or damaged cable jacket, seals or strain relief, and
- displaced, bent, or broken parts.

For attenuation measurements, IEC 61300-3-4 applies.

For return loss measurements, IEC 61300-3-6 applies.

### 7 Severity

The severity consists of the duration of exposure. The severity shall be specified in the relevant specification.

The preferred severity for IEC 61753-1 category I and I<sup>HD</sup> is shown in Table 1.

**Table 1 – Severity for category I and I<sup>HD</sup>**

<b>Severity</b>	<b>Connectors</b>	<b>Passive components</b>
96 h duration Sulphur dioxide 5 ppm Hydrogen sulphide 10 ppm	X	X

## 8 Details to be specified

The following details shall be provided in the relevant specification:

- test severity, including gas mixture composition;
- DUT mated or unmated;
- initial examinations and measurements and performance requirements;
- final examinations and measurements and performance requirements;
- deviations from test procedure;
- additional pass/fail criteria.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC 61300-2-54:2019](https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019)

<https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019>

## Bibliography

IEC 61753-1, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1: General and guidance*

IEC 61753-1-3, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1-3: General and guidance for single-mode fibre optic connector and cable assembly for industrial environment, Category I*

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC 61300-2-54:2019](https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019)

<https://standards.iteh.ai/catalog/standards/sist/436545f6-080b-4231-9351-3f05d1698441/iec-61300-2-54-2019>