

SLOVENSKI STANDARD SIST EN 60086-3:2011

01-maj-2011

Nadomešča:

SIST EN 60086-3:2005

Primarne baterije - 3. del: Baterije za zapestne ure (IEC 60086-3:2011)

Primary batteries - Part 3: Watch batteries (IEC 60086-3:2011)

Primärbatterien - Teil 3: Uhrenbatterien (IEC 60086-3:2011)

iTeh STANDARD PREVIEW

Piles primaires - Partie 3: Piles pour montres (CEI 60086-3:2011) (standards.iteh.ai)

Ta slovenski standard je istoveten z:TEN EN 60086-3:2011

https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-

babe0a754ebd/sist en 60086-3-2011

ICS:

29.220.10 Primarni členi in baterije Primary cells and batteries

39.040.10 Zapestne, žepne ure Watches

SIST EN 60086-3:2011 en

SIST EN 60086-3:2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60086-3:2011

https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011

EUROPEAN STANDARD

EN 60086-3

NORME EUROPÉENNE EUROPÄISCHE NORM

March 2011

ICS 29.220.10; 39.040.10

Supersedes EN 60086-3:2005

English version

Primary batteries -Part 3: Watch batteries (IEC 60086-3:2011)

Piles primaires -Partie 3: Piles pour montres (CEI 60086-3:2011) Primärbatterien -Teil 3: Uhrenbatterien (IEC 60086-3:2011)

This European Standard was approved by CENELEC on 2011-03-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for/giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 35/1286/FDIS, future edition 3 of IEC 60086-3, prepared by IEC TC 35, Primary cells and batteries, and ISO TC 114, Horology, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60086-3 on 2011-03-02.

This European Standard supersedes EN 60086-3:2005.

The major technical changes with respect to EN 60086-3:2005 are the drawings, a review of the table of electrochemical systems and a harmonization of the marking clause with the other standards of the EN 60086 series. Moreover, the table of the leakage levels was extended by adding drawings with better visualization.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement
- (dop) 2011-12-02
- latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2014-03-02

Annex ZA has been added by CENELEC.

(standards.iteh.ai)

Endorsement notice

https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe

The text of the International Standard IEC 60086-3:20176 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60068-2-78:2001 NOTE Harmonized as EN 60068-2-78:2001 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 ${\sf NOTE}$ When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60086-1	2011	Primary batteries - Part 1: General	EN 60086-1	201X ¹⁾
IEC 60086-2	2011	Primary batteries - Part 2: Physical and electrical specifications	EN 60086-2	201X ¹⁾
IEC 60086-4	2007	Primary batteries - Part 4: Safety of lithium batteries	EN 60086-4	2007
IEC 60086-5	2011	Primary batteries - Part 5: Safety of batteries with aqueous electrolyte	EN 60086-5	200X ¹⁾
IEC 60410	- iT	Sampling plans and procedures for inspection by attributes	W	-
ISO 2859	series	Sampling procedures for inspection by attributes	-	-
ISO 3951	series https://sta	Sampling procedures for inspection by incvariables i/catalog/standards/sist/b3008a38-b7c9-468 babc0a754ebd/sist-en-60086-3-2011	- 34-8cbe-	-

¹⁾ To be published.

SIST EN 60086-3:2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60086-3:2011

https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011



IEC 60086-3

Edition 3.0 2011-01

INTERNATIONAL STANDARD

Primary batteries iTeh STANDARD PREVIEW Part 3: Watch batteries (standards.iteh.ai)

<u>SIST EN 60086-3:2011</u> https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



CONTENTS

FO	REW	ORD		4				
IN	TROD	UCTION	1	6				
1	Scor	ppe						
2	Norn	mative references						
3	Term	rms and definitions						
4			uirements					
7	4.1		y dimensions, symbols and size codes					
	4.1		nals					
	4.3		tion of the negative terminal (h_5)					
	4.4	_	of negative terminal					
	4.5	Mechanical resistance to pressure						
	4.6	·						
	4.7							
	4.8		ng					
		4.8.1						
		4.8.2	Disposal					
5	Elec		quirements					
O	5.1	Electro	ochemical system, nominal voltage, end-point voltage and open-circuit					
	5.2	Closed	ed circuit voltage (Ccc (CCV)) internal resistance and impedance	13				
	5.3	Canac	itv	13				
	5.4	Capac	ity retention SIST EN 60086-3:2011	13				
6	Sam	pling an	ity retention SIST EN 60086-3:2011 https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe- id quality assurance babc0a754ebd/sist-en-60086-3-2011	13				
	6.1	Sampl	ing	13				
		6.1.1						
		6.1.2						
	6.2	Produ	ct quality indices					
7	Test	method	s	14				
	7.1	Shape	and dimensions	14				
		•	Shape requirement					
	7.2		cal characteristics					
		7.2.1	Environmental conditions	14				
		7.2.2	Equivalent circuit – effective internal resistance – DC method	14				
		7.2.3	Equipment	15				
		7.2.4	Measurement of open-circuit voltage $U_{\rm oc}$ (OCV) and closed circuit voltage $U_{\rm cc}$ (CCV)	16				
		7.2.5	Calculation of the internal resistance R _i	17				
		7.2.6	Measurement of the capacity	17				
		7.2.7	Calculation of the internal resistance R_i during discharge in case of method A (optional)	19				
	7.3	Test m	nethods for determining the resistance to leakage	20				
		7.3.1	Preconditioning and previous examination	20				
		7.3.2	High temperature and humidity test					
		7.3.3	Test by temperature cycles	21				
8	Visu	al exam	ination and acceptance conditions	22				
	8.1 Preconditioning							

8.2	Magnification	22
8.3	Lighting	22
8.4	Leakage levels and classification	22
8.5	Acceptance conditions	24
Annex A	(normative) Designation	25
Bibliograp	phy	26
•	– Dimensional drawing	
Figure 2 -	- Shape of negative terminal	11
Figure 3 -	- Shape requirement	14
Figure 4	- Schematic voltage transient	15
Figure 5	- Curve: <i>U</i> = <i>f</i> (<i>t</i>)	16
Figure 6	- Circuitry principle	16
Figure 7	- Circuitry principle for method A	18
Figure 8 -	- Circuitry principle for method B	19
Figure 9	- Test by temperature cycles	21
Table 1 –	Dimensions and size codes	9
Table 2 –	Dimensions and size codes .N.D.A.R.DP.R.F.V.I.F.W	10
Table 4 –	Minimum values of l_1 (standards.iteh.ai) Applied force F by battery dimensions	11
	Standardised electrochemical systems 86-3:2011	
Table 6 –	Test method for Und (CCV) measurements/b3008a38-b7c9-4684-8cbe-	17
Table 7 –	Test method for $U_{\rm cc}^{\rm red}$ (CCV) measurementst/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011 (CCV) measurement.	18
	Discharge resistance (values)	
	Storage conditions for the recommended test	
Table 10	Storage conditions for optional test	21
Table 11	Leakage levels and classification	23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES -

Part 3: Watch batteries

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any encluser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies. 1-60086-3-2011
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-3 has been prepared by IEC technical committee 35: Primary cells and batteries, and ISO technical committee 114: Horology.

This third edition cancels and replaces the second edition (2004) and constitutes a technical revision.

The major technical changes with respect to the previous edition are the drawings, a review of the table of electrochemical systems and a harmonization of the marking clause with the other standards of the IEC 60086 series. Moreover, the table of the leakage levels was extended by adding drawings with better visualization.

This publication is published as a double logo standard.

60086-3 © IEC:2011(E)

- 5 -

The text of this standard is based on the following documents:

FDIS	Report on voting	
35/1286/FDIS	35/1289/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table. In ISO, the standard has been approved by 8 P members out of 8 having cast a vote.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, under the general title: *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

(standards.iteh.ai)

<u>SIST EN 60086-3:2011</u> https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011

60086-3 © IEC:2011(E)

INTRODUCTION

The technical content of this part of IEC 60086 provides specific requirements and information for primary watch batteries. This part was prepared through joint work between IEC TC 35 and ISO TC 114 to benefit primary battery users, watch designers and battery manufacturers by ensuring the best compatibility between batteries and watches.

This part will remain under continual scrutiny to ensure that the publication is kept up to date with the advances in both battery and watch technologies.

NOTE Safety information can be found in IEC 60086-4 and IEC 60086-5.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60086-3:2011</u> https://standards.iteh.ai/catalog/standards/sist/b3008a38-b7c9-4684-8cbe-babc0a754ebd/sist-en-60086-3-2011

-6-