



# SLOVENSKI STANDARD

## SIST EN 50551-1:2011

01-april-2011

---

### Simpleksni in dupleksni kabli za vrvice - 1. del: Okvirna podrobna specifikacija in najmanjše zahteve

Simplex and duplex cables to be used for cords - Part 1: Blank Detail Specification and minimum requirements

Simplex- und Duplexkabel, die in konfektionierten Leitungen benutzt werden - Teil 1: Vordruck für Bauartspezifikation und Mindestanforderungen

Câbles simplex et duplex destinés à être utilisés en tant que cordons - Partie 1: Spécification particulière cadre et exigences minimales

<https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-0403925f3c86/sist-en-50551-1-2011>

Ta slovenski standard je istoveten z: **EN 50551-1:2011**

---

#### **ICS:**

33.180.10      (Optična) vlakna in kabli      Fibres and cables

**SIST EN 50551-1:2011**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 50551-1:2011

<https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-0403925f3c86/sist-en-50551-1-2011>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 50551-1**

February 2011

ICS 33.180.10

English version

**Simplex and duplex cables to be used for cords -  
Part 1: Blank Detail Specification and minimum requirements**

Câbles simplex et duplex destinés à être  
utilisés en tant que cordons -  
Partie 1: Spécification particulière cadre et  
exigences minimales

Simplex und Duplex-Kabel, die in  
konfektionierten Leitungen benutzt werden -  
Teil 1: Vordruck für Bauartspezifikation und  
Mindestanforderungen

**iTeh STANDARD PREVIEW**

This European Standard was approved by CENELEC on 2011-01-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

This European Standard was jointly prepared by the Technical Committee CENELEC TC 86A, Optical fibres and optical fibre cables, and the Technical Committee CENELEC TC 86BXA, Fibre optic interconnect, passive and connectorised components.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50551-1 on 2011-01-15.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented  
at national level by publication of an identical  
national standard or by endorsement (dop) 2012-01-15
- latest date by which the national standards conflicting  
with the EN have to be withdrawn (dow) 2014-01-15

---

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 50551-1:2011

<https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-0403925f3c86/sist-en-50551-1-2011>

## Contents

<b>1</b>	<b>Scope .....</b>	<b>4</b>
<b>2</b>	<b>Normative references .....</b>	<b>4</b>
<b>3</b>	<b>Cable description .....</b>	<b>5</b>
<b>4</b>	<b>Optical fibres .....</b>	<b>6</b>
4.1	Category A1a through A1b multimode optical fibres .....	6
4.2	Single mode optical fibre .....	7
<b>5</b>	<b>Buffer.....</b>	<b>7</b>
<b>6</b>	<b>Cable construction .....</b>	<b>8</b>
6.1	General .....	8
6.2	Mechanical and environmental tests .....	9

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 50551-1:2011](https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-0403925f3c86/sist-en-50551-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-0403925f3c86/sist-en-50551-1-2011>

## 1 Scope

This blank detail specification describes parameters that can be considered for terminating these simplex and duplex cables with connectors in different communication applications.

Product specifications may be prepared based on this blank detail specification following in particular requirements of Clauses 3 to 6.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60793-1-20	Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry (IEC 60793-1-20)
EN 60793-1-21	Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry (IEC 60793-1-21)
EN 60793-1-40	Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation (IEC 60793-1-40)
EN 60793-1-41	Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth (IEC 60793-1-41)
EN 60793-1-43	Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture (IEC 60793-1-43)
EN 60793-1-44	Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength (IEC 60793-1-44)
EN 60793-1-45	Optical fibres – Part 1-45: Measurement methods and test procedures – Mode field diameter (IEC 60793-1-45)
EN 60793-1-47	Optical fibres – Part 1-47: Measurement methods and test procedures – Macrobending loss (IEC 60793-1-47)
EN 60793-2-10	Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres (IEC 60793-2-10)
EN 60793-2-50	Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres (IEC 60793-2-50)
EN 60794-1-1	Optical fibre cables – Part 1-1: Generic specification – General (IEC 60794-1-1)
EN 60794-1-2:2003	Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures (IEC 60794-1-2:2003)
EN 60794-2:2003	Optical fibre cables – Part 2: Indoor cables – Sectional specification (IEC 60794-2:2002)
EN 60794-2-50:2008	Optical fibre cables – Part 2-50: Indoor cables – Family specification for simplex and duplex cables for use in terminated cable assemblies (IEC 60794-2-50:2008)
EN 60811-1-1	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-1: General application – Measurement of thickness and overall dimensions – Tests for determining the mechanical properties (IEC 60811-1-1)
IEC 60794-2-51 <sup>1)</sup>	Optical fibre cables – Part 2-51: Indoor optical fibre cables – Product specification for simplex and duplex cables for use in patchcords for controlled environment

<sup>1)</sup> At draft stage.

### 3 Cable description

(1) Prepared by:		(2) Document No : Issue : Date :
(3) Available from:	(4) Generic Specification : EN 60794-1-1 & EN 60794-1-2 Sectional Specification : EN 60794-2 Family Specification : EN 60794-2-50 Product Specification : IEC 60794-2-51	
(5) Additional references:		
(6) Cable description:		
(7) Cable construction:		
<u>Optical fibres</u>		
<u>Fibre count</u>		
<u>Construction</u> - Tight or semi-tight secondary coating - Strength elements – non metallic - Strength elements – metallic <u>Lay-up</u> Buffer - Material - Nominal outer diameter Sheath - Material - Maximum diameter - Nominal thickness - Thickness tolerances - Colour Additional armouring (if required) - Non-metallic armouring - Metallic armouring <u>Marking identification</u> - Customer requirement		
(8) Application information:		
Application (work area cord, equipment cord, patchcord, etc.)		
Maximum tensile load		N
Number of repeated bending		cycles
Minimum bending radius for operation		mm
Minimum bending radius for installation		mm
Temperature range:		
- Transport and storage		°C
- Installation		°C
- Operation		°C
Delivery cable length		m
- Length tolerance		in %
Fire performance		

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST EN 50551-1:2011](https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf4-4a80-b091-0403925f3c86/sist-en-50551-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/c77a04c3-bbf4-4a80-b091-0403925f3c86/sist-en-50551-1-2011>

## 4 Optical fibres

### 4.1 Category A1a through A1b multimode optical fibres

(9a) Characteristics	Family specification	Requirements	Test method	Remarks
Uncabled optical fibre	EN 60793-2-10, A1a.1, A1a.2, A1b			
Attenuation coefficient (cabled fibres) - at 850 nm - at 1 300 nm			EN 60793-1-40	
Minimal modal bandwidth (uncabled fibres) - at 850 nm - at 1 300 nm			EN 60793-1-41	
Numerical aperture			EN 60793-1-43	
Macro bending loss			EN 60793-1-47	
Core/cladding concentricity			EN 60793-1-20	
Core non-circularity			EN 60793-1-20	
Cladding non-circularity			EN 60793-1-20	
Core diameter		SIST EN 50551-1:2011	EN 60793-1-20	
Core diameter tolerance	<a href="https://standards.iteh.ai/catalog/standards/sist/c77a04e3-b5f4a80-b091-0403925f3c86/sist-en-50551-1-2011">https://standards.iteh.ai/catalog/standards/sist/c77a04e3-b5f4a80-b091-0403925f3c86/sist-en-50551-1-2011</a>		EN 60793-1-20	
Cladding diameter			EN 60793-1-20	
Cladding diameter tolerance			EN 60793-1-20	



## 4.2 Single mode optical fibre

(9b) Characteristics	Family specification	Requirements	Test methods	Remarks
Uncabled optical fibre	EN 60793-2-50, B1.1, B1.3, B6a, B6b			
Attenuation coefficient (cabled fibres) - at 1 310 nm - at 1 383 nm (B1.3, B6a) - at 1 550 nm and - at 1 625 nm, etc. Attenuation discontinuities at 1 310 nm and 1 550 nm			EN 60793-1-40  EN 60793-1-40	
Cabled fibre cut-off wavelength, $\lambda_{cc}$			EN 60793-1-44	
Mode field diameter - Nominal and tolerance - 1 310 nm			EN 60793-1-45	
Core/cladding concentricity			EN 60793-1-20	
Cladding non-circularity			EN 60793-1-20	
Cladding diameter			EN 60793-1-20	
Cladding diameter tolerance		SIST EN 50551-1:2011 <a href="https://standards.itech.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-04039253c86/sist-en-50551-1-2011">https://standards.itech.ai/catalog/standards/sist/c77a04c3-bbf-4a80-b091-04039253c86/sist-en-50551-1-2011</a>	EN 60793-1-20	
Primary coating nominal diameter			EN 60793-1-21	
Primary coating nominal diameter tolerance			EN 60793-1-21	

## 5 Buffer

(10) Characteristics	EN 60794-2, Clause	Family requirements	Test methods	Remarks
<u>Construction:</u> - <u>tight</u> - <u>semi-tight</u>				
<u>Filler</u>				
<u>Strippability:</u> - <u>tight</u> - <u>semi-tight</u>			EN 60794-2-50:2008, Method E21	
<u>Shrinkage:</u> - <u>tight</u> - <u>semi-tight</u>			EN 60794-2-50:2008, Method F11	