

### SLOVENSKI STANDARD SIST EN 62604-2:2012

01-maj-2012

### Radiofrekvenčni dupleksorji (SAW) in visokofrekvenčni dupleksorji (BAW) - 2. del: Navodilo za uporabo

Surface Acoustic Wave (SAW) and Bulk Acoustic Wave (BAW) duplexers - Part 2: Guide for use

Oberflächenwellen-(SAW-) und Volumenwellen-(BAW-)Duplexer - Teil 2: Leitfaden für die Anwendung iTeh STANDARD PREVIEW

(standards iteh.ai)

Duplexeurs à ondes acoustiques de surface (OAS) et à ondes acoustiques de volume (OAV) - Partie 2: Lignes directrices d'utilisation (OAV)

https://standards.iteh.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-

Ta slovenski standard je istoveten z: EN 62604-2-2012

ICS:

31.140 Piezoelektrične in Piezoelectric and dielectric

dielektrične naprave devices

SIST EN 62604-2:2012 en

**SIST EN 62604-2:2012** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62604-2:2012

https://standards.iteh.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-dedd006871e5/sist-en-62604-2-2012

**EUROPEAN STANDARD** 

EN 62604-2

NORME EUROPÉENNE EUROPÄISCHE NORM

February 2012

ICS 31.140

English version

# Surface Acoustic Wave (SAW) and Bulk Acoustic Wave (BAW) duplexers of assessed quality Part 2: Guidelines for the use

(IEC 62604-2:2011)

Duplexeurs à ondes acoustiques de surface (OAS) et à ondes acoustiques de volume (OAV) sous assurance de la qualité -

Partie 2: Lignes directrices d'utilisation (CEI 62604-2:2011)

Oberflächenwellen-(OFW-) und Volumenwellen-(BAW-)Duplexer bewerter Qualität – Teil 2: Leitfaden für die Anwendung (IEC 62604-2:2011)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

This European Standard was approved by CENELEC on 2012-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

### **Foreword**

The text of document 49/974/FDIS, future edition 1 of IEC 62604-2, prepared by IEC/TC 49, "Piezoelectric, Dielectric and Electrostatic Devices and Associated Materials for FrequencyControl, Selection and Detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62604-2:2012.

The following dates are fixed:

standards conflicting with the document have to be withdrawn

latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
 latest date by which the national (dow)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 62604-2:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61019-1:2004 NOTE Harmonized as EN 61019-1:2005 (not modified). https://standards.itch.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-IEC 62047-7:2011 NOTE Harmonized as EN 61019-1:2005 (not modified).

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60862-1	2003	Surface acoustic wave (SAW) filters of assessed quality - Part 1: Generic specification	EN 60862-1	2003
IEC 60862-2	2002	Surface acoustic wave (SAW) filters of assessed quality - Part 2: Guidance on use	EN 60862-2	2002
IEC 61019-2	2005	Surface acoustic wave (SAW) resonators - Part 2: Guide to the use	EN 61019-2	2005

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62604-2:2012</u> https://standards.iteh.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-dedd006871e5/sist-en-62604-2-2012 **SIST EN 62604-2:2012** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62604-2:2012

https://standards.iteh.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-dedd006871e5/sist-en-62604-2-2012



IEC 62604-2

Edition 1.0 2011-11

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Surface acoustic wave (SAW) and bulk acoustic wave (BAW) duplexers of assessed quality – (standards.iteh.ai)
Part 2: Guidelines for the use

SIST EN 62604-2:2012

Duplexeurs à ondes acoustiques de surface (OAS) et à ondes acoustiques de volume (OAV) sous assurance de la qualité 44-2-2012

Partie 2: Lignes directrices d'utilisation

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

S

ICS 31.140 ISBN 978-2-88912-712-2

### **CONTENTS**

FOI	REWO	)RD	3		
1	Scop	e	5		
2	Normative references				
3	Technical considerations				
4	Fundamentals of SAW and BAW duplexers				
	4.1	Basic function	6		
		4.1.1 TX filter response (Filter response from TX port to antenna port)	7		
		4.1.2 RX filter response (Filter response from antenna port to RX port)			
		4.1.3 Isolation (Isolation from TX port to RX port)			
	4.2 4.3	Basic structure			
5		Principle of operation			
5	5.1	General conditions for SAW and BAW duplexers			
	5.2	Typical characteristics of SAW and BAW duplexer			
	0	5.2.1 UMTS Duplexer			
		5.2.2 US CDMA Duplexer			
		5.2.3 PCS CDMA Duplexer			
6	Appli	cation GuideiTeh.ST.A.N.D.A.R.D.P.R.E.V.I.E.W	18		
	6.1	Power durability Inter-modulation (Standards.iteh.ai)	18		
	6.2				
	6.3	Measurement method for the duplexer	18		
D:h	6.4	Static electricity https://standards.iteh.al/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-	19		
סוט	llogra	ohydedd006871e5/sist-er-62604-2-2012	20		
Fig	ure 1	– Basic duplexer configuration	6		
Fig	ure 2	Basic TX filter response example of SAW and BAW duplexers	7		
Fig	ure 3	Basic RX filter response example of SAW and BAW duplexers	8		
Fig	ure 4	Basic isolation response example of SAW and BAW duplexers	8		
Fig	ure 5	– The block diagram of duplexer	9		
Fig	ure 6	- The demanded condition of TX part for duplexers	10		
Fig	ure 7	– Phase rotation in TX part	10		
Fig	ure 8	- The demanded condition of RX part for duplexers	11		
Fig	ure 9	- Typical wide range frequency response of TX filter	12		
Fig	ure 10	– Typical wide range frequency response of RX filter for upper local system	13		
Fig	ure 11	- Phase shifter by micro-strip line on the surface of a ceramic package	13		
Fig	ure 12	2 – Lumped element phase shifter	13		
Fig	ure 13	B – Duplexer configuration	13		
-		Fequency characteristics of SAW Duplexer for UMTS system			
_	Figure 15 – Frequency characteristics of SAW Duplexer for US CDMA system				
_	Figure 16 – Frequency characteristics of BAW Duplexer for PCS CDMA system)				
		′ – 4 port network analyzer			
_					
Tab	ie 1 –	Frequency allocation of typical UMTS bands	7		

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### SURFACE ACOUSTIC WAVE (SAW) AND BULK ACOUSTIC WAVE (BAW) DUPLEXERS OF ASSESSED QUALITY –

### Part 2: Guidelines for the use

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

  dedd006871e5/sist-en-62604-2-2012
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62604-2 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

NOTE In this standard, SAW and BAW duplexers are treated simultaneously because both duplexers are used in the same manner especially in mobile phones and have same requirements of characteristics, test method and so on

The text of this standard is based on the following documents:

FDIS	Report on voting
49/974/FDIS	49/985A/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

62604-2 © IEC:2011

**-4-**

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62604 series under the general title: Surface acoustic wave (SAW) and bulk acoustic wave (BAW) duplexers of assessed quality, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62604-2:2012</u> https://standards.iteh.ai/catalog/standards/sist/e62e4ad2-ef16-444a-8cb7-dedd006871e5/sist-en-62604-2-2012

### SURFACE ACOUSTIC WAVE (SAW) AND **BULK ACOUSTIC WAVE (BAW) DUPLEXERS** OF ASSESSED QUALITY -

Part 2: Guidelines for the use

### Scope

This part of IEC 62604 concerns the duplexers, which can separate receiving signal from transmitting signal and are key components for two-way radio communications. They are generally used in mobile phones using CDMA systems such as N-CDMA, W-CDMA / Universal Mobile Telecommunication System (UMTS). So far, dielectric duplexers have been mainly used. However, recently SAW duplexers, which are utilized surface acoustic wave (SAW), are becoming popular and replacing the dielectric duplexers year by year in recent mobile phones, because of their advantage of small size, light weight and good electrical performances. In addition to SAW duplexers, BAW duplexers, which are utilized bulk acoustic wave (BAW), are also becoming in the spotlight and popular because of their higher Q property and better performances especially in PCS band.

It is neither the aim of these guidelines to explain theory, nor to attempt to cover all the eventualities which may arise in practical circumstances. These guidelines draw attention to some of the more fundamental questions, which should be considered by the user before he places an order for SAW and BAW duplexers for a new application. Such a procedure will be the user's insurance against unsatisfactory performance. Because SAW and BAW duplexers have very similar performance for the usage it is useful and convenient for users that both duplexers are described in one standard duplexers duplex

dedd006871e5/sist-en-62604-2-2012
Standard specifications, such as those of IEC of which these guidelines form a part, and national specifications or detail specifications issued by manufacturers, will define the available combinations of centre frequency, pass bandwidth and insertion attenuation for each of transmitting and receiving filters and isolation level between transmitting and receiving ports, etc. These specifications are compiled to include a wide range of SAW and BAW duplexers with standardized performances. It cannot be over-emphasized that the user should. wherever possible, select his duplexers from these specifications, when available, even if it may lead to making small modifications to his circuit to enable the use of standard duplexers. This applies particularly to the selection of the normal frequency.

#### Normative references 2

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60862-1:2003, Surface acoustic wave (SAW) filters of assessed quality - Part 1: Generic specification

IEC 60862-2:2002, Surface acoustic wave (SAW) filters of assessed quality - Part 2: Guide to the use

IEC 61019-2:2005, Surface acoustic wave (SAW) resonators - Part 2: Guide to the use