



IEC 61970-301

Edition 6.0 2016-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base
standards.iteh.ai

Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) – <https://standards.iteh.ai/catalog/standards/sist/52f190b2-716e-4d12-9f19-5aa5a5a5a5a5>
Partie 301: Base de modèle d'information commun (CIM)





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61970-301

Edition 6.0 2016-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base
(standards.iteh.ai)

Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) – <https://standards.iteh.ai/catalog/standards/sist/52f190b2-716e-4d12-9f19-5041642741609503012016>
Partie 301: Base de modèle d'information commun (CIM)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-3787-8

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	32
INTRODUCTION	34
1 Scope	36
2 Normative references	36
3 Terms and definitions	37
4 CIM specification	37
4.1 Overview	37
4.2 CIM modeling notation	38
4.3 CIM packages	38
4.4 CIM classes and relationships	40
4.4.1 Classes	40
4.4.2 Generalization	41
4.4.3 Simple association	42
4.4.4 Aggregation	43
4.5 CIM model concepts and examples	43
4.5.1 Concepts	43
4.5.2 Containment, equipment hierarchies and naming	44
4.5.3 Names model	45
4.5.4 Connectivity model	46
4.5.5 Inheritance hierarchy	49
4.5.6 Transformer model	51
4.5.7 Transformer tap modeling	53
4.5.8 Phase wire modeling	66
4.5.9 Grounding devices modeling	68
4.5.10 Cuts, clamps and jumpers model	71
4.5.11 Measurements and controls	75
4.5.12 Regulating control models	80
4.5.13 DC model for CIM	81
4.5.14 Static Var Compensator voltage regulation	100
4.6 Modeling guidelines	102
4.6.1 Modeling for change	102
4.6.2 Process for amendments to the CIM	102
4.6.3 Changes to the CIM UML model	102
4.6.4 Changes to the CIM standards documents	103
4.6.5 Deprecations	103
4.6.6 CIM profiles	103
4.7 Modeling tools	103
4.8 User implementation conventions	104
4.8.1 Conventions beyond UML	104
4.8.2 Number of terminals for ConductingEquipment objects	104
4.9 CIM modeling examples	104
5 Detailed model	105
5.1 Overview	105
5.2 Context	105
6 Package Base	107
6.1 General	107

6.2	Package Faults	107
6.2.1	General	107
6.2.2	EquipmentFault	107
6.2.3	Fault.....	108
6.2.4	FaultCauseType	109
6.2.5	FaultImpedance compound	109
6.2.6	LineFault	109
6.2.7	PhaseConnectedFaultKind enumeration	110
6.3	Package DocIEC 61970	111
6.4	Package Domain.....	112
6.4.1	General	112
6.4.2	ActivePower datatype	118
6.4.3	ActivePowerChangeRate datatype.....	118
6.4.4	ActivePowerPerCurrentFlow datatype	119
6.4.5	ActivePowerPerFrequency datatype	119
6.4.6	Admittance datatype	119
6.4.7	AngleDegrees datatype	120
6.4.8	AngleRadians datatype	120
6.4.9	ApparentPower datatype.....	120
6.4.10	Area datatype	120
6.4.11	Boolean primitive.....	121
6.4.12	Capacitance datatype	121
6.4.13	CapacitancePerLength datatype	121
6.4.14	Conductance datatype	121
6.4.15	ConductancePerLength datatype	121
6.4.16	CostPerEnergyUnit datatype	122
6.4.17	CostPerVolume datatype	122
6.4.18	CostRate datatype	122
6.4.19	Currency enumeration	123
6.4.20	CurrentFlow datatype	123
6.4.21	Damping datatype.....	123
6.4.22	Date primitive	124
6.4.23	DateInterval compound	124
6.4.24	DateTime primitive.....	124
6.4.25	DateTimeInterval compound	124
6.4.26	Decimal primitive	124
6.4.27	DecimalQuantity compound	124
6.4.28	Displacement datatype	125
6.4.29	Duration primitive	125
6.4.30	Float primitive.....	125
6.4.31	FloatQuantity compound	125
6.4.32	Frequency datatype	125
6.4.33	Hours datatype	126
6.4.34	Impedance datatype	126
6.4.35	Inductance datatype	126
6.4.36	InductancePerLength datatype	126
6.4.37	Integer primitive.....	127
6.4.38	IntegerQuantity compound	127
6.4.39	KiloActivePower datatype	127

6.4.40	Length datatype	127
6.4.41	Minutes datatype	128
6.4.42	Money datatype	128
6.4.43	MonthDay primitive	128
6.4.44	MonthDayInterval compound	128
6.4.45	PU datatype	128
6.4.46	PerCent datatype	129
6.4.47	Pressure datatype	129
6.4.48	Reactance datatype	129
6.4.49	ReactancePerLength datatype	129
6.4.50	ReactivePower datatype	130
6.4.51	RealEnergy datatype	130
6.4.52	Resistance datatype	130
6.4.53	ResistancePerLength datatype	130
6.4.54	RotationSpeed datatype	131
6.4.55	Seconds datatype	131
6.4.56	Speed datatype	131
6.4.57	String primitive	132
6.4.58	StringQuantity compound	132
6.4.59	Susceptance datatype	132
6.4.60	SusceptancePerLength datatype	132
6.4.61	Temperature datatype	133
6.4.62	Time primitive	133
6.4.63	TimeInterval compound	133
6.4.64	UnitMultiplier enumeration .. https://standards.iteh.ai/catalog/standards/sist/52ff90b2-716e-4d12-9f19-51ad2146274/iec-61970-301-2016	133
6.4.65	UnitSymbol enumeration .. https://standards.iteh.ai/catalog/standards/sist/52ff90b2-716e-4d12-9f19-51ad2146274/iec-61970-301-2016	134
6.4.66	Voltage datatype	135
6.4.67	VoltagePerReactivePower datatype	135
6.4.68	Volume datatype	135
6.4.69	VolumeFlowRate datatype	136
6.4.70	WaterLevel datatype	136
6.4.71	Weight datatype	136
6.5	Package Core	136
6.5.1	General	136
6.5.2	ACDCTerminal	140
6.5.3	BaseFrequency	141
6.5.4	BasePower	141
6.5.5	BaseVoltage	142
6.5.6	BasicIntervalSchedule	143
6.5.7	Bay	143
6.5.8	BreakerConfiguration enumeration	144
6.5.9	BusbarConfiguration enumeration	144
6.5.10	ConductingEquipment	144
6.5.11	ConnectivityNode	145
6.5.12	ConnectivityNodeContainer	146
6.5.13	Curve	147
6.5.14	CurveData root class	147
6.5.15	CurveStyle enumeration	148
6.5.16	Equipment	148

6.5.17	EquipmentContainer	149
6.5.18	GeographicalRegion	150
6.5.19	IdentifiedObject root class	150
6.5.20	IrregularIntervalSchedule	151
6.5.21	IrregularTimePoint root class	152
6.5.22	Name root class	152
6.5.23	NameType root class	153
6.5.24	NameTypeAuthority root class	153
6.5.25	OperatingParticipant	154
6.5.26	OperatingShare root class	154
6.5.27	PSRType	155
6.5.28	PhaseCode enumeration	155
6.5.29	PowerSystemResource	156
6.5.30	RegularIntervalSchedule	157
6.5.31	RegularTimePoint root class	158
6.5.32	ReportingSuperGroup	158
6.5.33	SubGeographicalRegion	159
6.5.34	Substation	159
6.5.35	Terminal	160
6.5.36	VoltageLevel	161
6.6	Package DiagramLayout	162
6.6.1	General	162
6.6.2	DiagramStyle	163
6.6.3	Diagram	164
6.6.4	DiagramObject	164
6.6.5	DiagramObjectGluePoint root class	166
6.6.6	DiagramObjectPoint root class	166
6.6.7	DiagramObjectStyle	166
6.6.8	OrientationKind enumeration	167
6.6.9	TextDiagramObject	167
6.6.10	VisibilityLayer	168
6.7	Package OperationalLimits	169
6.7.1	General	169
6.7.2	ActivePowerLimit	170
6.7.3	ApparentPowerLimit	171
6.7.4	BranchGroup	171
6.7.5	BranchGroupTerminal root class	172
6.7.6	CurrentLimit	172
6.7.7	OperationalLimit	173
6.7.8	OperationalLimitDirectionKind enumeration	174
6.7.9	OperationalLimitSet	174
6.7.10	OperationalLimitType	175
6.7.11	VoltageLimit	175
6.8	Package Topology	176
6.8.1	General	176
6.8.2	BusNameMarker	178
6.8.3	DCTopologicalNode	179
6.8.4	TopologicalIsland	179
6.8.5	TopologicalNode	180

6.9	Package Wires.....	181
6.9.1	General	181
6.9.2	PerLengthSequenceImpedance	197
6.9.3	PerLengthPhaseImpedance	198
6.9.4	ShuntCompensatorPhase	199
6.9.5	RatioTapChanger	200
6.9.6	BusbarSection	201
6.9.7	SinglePhaseKind enumeration	202
6.9.8	TransformerTank	202
6.9.9	Disconnecto.....r	203
6.9.10	Jumper	204
6.9.11	TapSchedule	205
6.9.12	TransformerCoreAdmittance	205
6.9.13	SVCControlMode enumeration.....	206
6.9.14	EnergyConsumerPhase	206
6.9.15	SynchronousMachineOperatingMode enumeration	207
6.9.16	TapChangerControl	208
6.9.17	PhaseTapChangerTable	209
6.9.18	TransformerStarImpedance	209
6.9.19	Breaker.....	210
6.9.20	GroundDisconnector	211
6.9.21	SwitchSchedule	212
6.9.22	PowerTransformer	213
6.9.23	PhaseTapChangerAsymmetrical	216
6.9.24	Ground	217
6.9.25	Line	218
6.9.26	PhaseTapChangerSymmetrical.....	218
6.9.27	RegulationSchedule.....	219
6.9.28	Fuse	220
6.9.29	TransformerMeshImpedance	221
6.9.30	SwitchPhase.....	222
6.9.31	PowerTransformerEnd	223
6.9.32	PetersenCoil.....	225
6.9.33	RegulatingCondEq.....	226
6.9.34	PhaseTapChangerNonLinear	227
6.9.35	SeriesCompensator	228
6.9.36	PhaseShuntConnectionKind enumeration	229
6.9.37	GroundingImpedance	229
6.9.38	TransformerControlMode enumeration	230
6.9.39	RatioTapChangerTablePoint.....	230
6.9.40	ACLineSegment.....	231
6.9.41	Recloser	232
6.9.42	CompositeSwitch	234
6.9.43	TransformerEnd	234
6.9.44	Sectionaliser.....	236
6.9.45	VoltageControlZone	237
6.9.46	EnergySource	237
6.9.47	SynchronousMachine.....	239
6.9.48	RegulatingControlModeKind enumeration	241

6.9.49	Clamp	242
6.9.50	TransformerTankEnd	243
6.9.51	PhaseTapChanger	244
6.9.52	ACLineSegmentPhase	244
6.9.53	RatioTapChangerTable	245
6.9.54	RotatingMachine	246
6.9.55	RegulatingControl	247
6.9.56	PhaseImpedanceData root class	248
6.9.57	ShuntCompensator	249
6.9.58	EarthFaultCompensator	250
6.9.59	MutualCoupling	251
6.9.60	Cut	252
6.9.61	ReactiveCapabilityCurve	253
6.9.62	Switch	254
6.9.63	StaticVarCompensator	256
6.9.64	CoolantType enumeration	257
6.9.65	ProtectedSwitch	257
6.9.66	EnergyConsumer	258
6.9.67	Junction	260
6.9.68	PhaseTapChangerLinear	261
6.9.69	Conductor	262
6.9.70	PerLengthImpedance	263
6.9.71	FrequencyConverter	263
6.9.72	Plant	264
6.9.73	PhaseTapChangerTablePoint .. https://standards.iteh.ai/catalog/standards/sist/52ff90b2-716e-4d12-9f19-51ad2f046274/iec-61970-301-2016	265
6.9.74	LoadBreakSwitch	266
6.9.75	PetersenCoilModeKind enumeration	267
6.9.76	SynchronousMachineKind enumeration	267
6.9.77	Connector	267
6.9.78	AsynchronousMachine	268
6.9.79	TapChanger	270
6.9.80	ShortCircuitRotorKind enumeration	271
6.9.81	WindingConnection enumeration	272
6.9.82	ExternalNetworkInjection	272
6.9.83	AsynchronousMachineKind enumeration	274
6.9.84	LinearShuntCompensator	274
6.9.85	NonlinearShuntCompensator	276
6.9.86	NonlinearShuntCompensatorPoint root class	277
6.9.87	LinearShuntCompensatorPhase	277
6.9.88	NonlinearShuntCompensatorPhase	278
6.9.89	NonlinearShuntCompensatorPhasePoint root class	279
6.9.90	PerLengthLineParameter	279
6.9.91	TapChangerTablePoint root class	280
6.9.92	PhaseTapChangerTabular	281
6.9.93	PowerElectronicsConnection	282
6.10	Package Generation	283
6.10.1	General	283
6.10.2	Package GenerationTrainingSimulation	284
6.10.3	Package Production	299

6.11	Package DC	346
6.11.1	General	346
6.11.2	ACDCCConverter	351
6.11.3	ACDCCConverterDCTerminal	353
6.11.4	DCBaseTerminal	354
6.11.5	DCConverterUnit	355
6.11.6	DCLine	356
6.11.7	DCSeriesDevice	356
6.11.8	VsQpccControlKind enumeration	357
6.11.9	CsPpccControlKind enumeration	357
6.11.10	CsOperatingModeKind enumeration	358
6.11.11	CsConverter	358
6.11.12	DCBreaker	360
6.11.13	DCEquipmentContainer	360
6.11.14	DCBusbar	361
6.11.15	DCConverterOperatingModeKind enumeration	362
6.11.16	DCChopper	362
6.11.17	DCDisconnector	363
6.11.18	DCGround	364
6.11.19	DCLineSegment	364
6.11.20	DCShunt	365
6.11.21	DCConductingEquipment	366
6.11.22	DCSwitch	367
6.11.23	DCNode	368
6.11.24	DCTopologicalIsland	368
6.11.25	DCPolarityKind enumeration	369
6.11.26	PerLengthDCLineParameter	369
6.11.27	DCTerminal	370
6.11.28	VsPpccControlKind enumeration	370
6.11.29	VsCapabilityCurve	371
6.11.30	VsConverter	372
6.12	Package LoadModel	373
6.12.1	General	373
6.12.2	ConformLoad	375
6.12.3	ConformLoadGroup	376
6.12.4	ConformLoadSchedule	376
6.12.5	DayType	377
6.12.6	EnergyArea	378
6.12.7	LoadArea	378
6.12.8	LoadGroup	379
6.12.9	LoadResponseCharacteristic	379
6.12.10	NonConformLoad	381
6.12.11	NonConformLoadGroup	382
6.12.12	NonConformLoadSchedule	382
6.12.13	PowerCutZone	383
6.12.14	Season	384
6.12.15	SeasonDayTypeSchedule	384
6.12.16	StationSupply	385
6.12.17	SubLoadArea	386

6.13	Package AuxiliaryEquipment.....	387
6.13.1	General	387
6.13.2	AuxiliaryEquipment.....	388
6.13.3	CurrentTransformer	389
6.13.4	FaultIndicator	390
6.13.5	PostLineSensor	391
6.13.6	PotentialTransformer	392
6.13.7	PotentialTransformerKind enumeration	393
6.13.8	Sensor.....	393
6.13.9	SurgeArrester	394
6.13.10	WaveTrap.....	394
6.14	Package Protection.....	395
6.14.1	General	395
6.14.2	CurrentRelay	396
6.14.3	ProtectionEquipment	397
6.14.4	RecloseSequence.....	398
6.14.5	SynchrocheckRelay	399
6.15	Package Equivalents.....	400
6.15.1	General	400
6.15.2	EquivalentBranch	401
6.15.3	EquivalentEquipment	404
6.15.4	EquivalentInjection	405
6.15.5	EquivalentNetwork	406
6.15.6	EquivalentShunt	407
6.16	Package Meas https://standards.iteh.ai/catalog/standards/sist/52ff90b2-716e-4d12-9f19-51ad2046274/iec-61970-301-2016	408
6.16.1	General	408
6.16.2	Accumulator	412
6.16.3	AccumulatorLimit	412
6.16.4	AccumulatorLimitSet	413
6.16.5	AccumulatorReset	413
6.16.6	AccumulatorValue.....	414
6.16.7	Analog	415
6.16.8	AnalogControl.....	416
6.16.9	AnalogLimit	417
6.16.10	AnalogLimitSet	417
6.16.11	AnalogValue	418
6.16.12	Command	418
6.16.13	Control	419
6.16.14	Discrete	420
6.16.15	DiscreteCommand	421
6.16.16	DiscreteValue	421
6.16.17	Limit	422
6.16.18	LimitSet	422
6.16.19	Measurement.....	423
6.16.20	MeasurementValue	424
6.16.21	MeasurementValueQuality	425
6.16.22	MeasurementValueSource	426
6.16.23	Quality61850 root class	426
6.16.24	RaiseLowerCommand	427

iTeh STANDARD PREVIEW
(standards.iteh.ai)

6.16.25	SetPoint	428
6.16.26	StringMeasurement	429
6.16.27	StringMeasurementValue.....	429
6.16.28	Validity enumeration	430
6.16.29	ValueAliasSet.....	431
6.16.30	ValueToAlias	431
6.17	Package SCADA.....	432
6.17.1	General	432
6.17.2	CommunicationLink	433
6.17.3	RemoteControl	434
6.17.4	RemotePoint.....	434
6.17.5	RemoteSource.....	435
6.17.6	RemoteUnit	436
6.17.7	RemoteUnitType enumeration.....	436
6.17.8	Source enumeration	437
6.18	Package ControlArea	437
6.18.1	General	437
6.18.2	AltGeneratingUnitMeas root class.....	440
6.18.3	AltTieMeas root class	440
6.18.4	ControlArea	440
6.18.5	ControlAreaGeneratingUnit.....	441
6.18.6	ControlAreaTypeKind enumeration	442
6.18.7	TieFlow root class	442
6.19	Package Contingency	443
6.19.1	General	443
6.19.2	Contingency	443
6.19.3	ContingencyElement.....	444
6.19.4	ContingencyEquipment	444
6.19.5	ContingencyEquipmentStatusKind enumeration	445
6.20	Package StateVariables	445
6.20.1	General	445
6.20.2	StateVariable root class.....	446
6.20.3	SvInjection.....	446
6.20.4	SvPowerFlow.....	447
6.20.5	SvShuntCompensatorSections.....	447
6.20.6	SvStatus	448
6.20.7	SvTapStep.....	448
6.20.8	SvVoltage	449
Annex A (informative)	Custom extensions	450
A.1	Overview.....	450
A.2	European extensions	450
A.2.1	Overview	450
A.2.2	OperationalLimitType.....	450
A.2.3	LimitTypeKind enumeration	450
A.2.4	IdentifiedObject	451
A.2.5	EnergySchedulingType	452
A.2.6	ConnectivityNode	452
A.2.7	TopologicalNode.....	453
Bibliography.....		455

Figure 1 – Example working group package dependencies	39
Figure 2 – CIM IEC 61970-301 package diagram	40
Figure 3 – Example of generalization	42
Figure 4 – Example of simple association	43
Figure 5 – Example of aggregation	43
Figure 6 – Equipment containers.....	45
Figure 7 – Names	46
Figure 8 – Connectivity model.....	47
Figure 9 – Simple network example	48
Figure 10 – Simple network connectivity modeled with CIM Topology	49
Figure 11 – Equipment inheritance hierarchy	50
Figure 12 – Transformer and Tank model.....	51
Figure 13 – Transformer model	53
Figure 14 – Transformer tap model	54
Figure 15 – Phasor diagram and equations	57
Figure 16 – Symmetrical phase shifter impedance variation	58
Figure 17 – Core organization.....	59
Figure 18 – Phasor diagram and equations	59
Figure 19 – Core organization.....	60
Figure 20 – Phasor diagram and equations	61
Figure 21 – Core organization.....	62
Figure 22 – Phasor diagram and equations.....	62
Figure 23 – Phasor diagrams and equations	64
Figure 24 – Core organization.....	65
Figure 25 – Phase wire data model.....	67
Figure 26 – Phase connectivity	68
Figure 27 – Station including Petersen coils drawing example	69
Figure 28 – Grounding device data model	70
Figure 29 – Instance diagram objects with one terminal coil.....	71
Figure 30 – Cuts, clamps, and jumpers UML model	72
Figure 31 – Example before cuts and jumpers are applied	73
Figure 32 – Example after cuts and jumpers are applied	74
Figure 33 – Example of jumper without cut or clamp	75
Figure 34 – Navigating from PSR to MeasurementValue	77
Figure 35 – Measurement placement	80
Figure 36 – Regulating control models	81
Figure 37 – HVDC bipolar link from IEC 60633	82
Figure 38 – A point-to-point VSC transmission scheme	83
Figure 39 – HVDC power flow model.....	83
Figure 40 – Current Source Converter power flow.....	84
Figure 41 – Voltage Source Converter power flow.....	85
Figure 42 – Power flow cases	86

Figure 43 – VSC transmission with a symmetrical monopole illustrated with capacitive earthing on the DC side (IEC 62747)	87
Figure 44 – VSC P-Q capability curve	87
Figure 45 – Bipolar VSC transmission with earth return (IEC 62747).....	88
Figure 46 – Object instances for a bipolar current source HVDC line	89
Figure 47 – Object instances for symmetric monopole VSC HVDC data model.....	90
Figure 48 – Containment structure for a bipolar HVDC line	91
Figure 49 – Containment structure for a bipolar back-to-back HVDC station	92
Figure 50 – The Basic topology in package Core	93
Figure 51 – DC and AC topology.....	94
Figure 52 – HVDC Containment.....	95
Figure 53 – Equipment model	96
Figure 54 – HVDC line model.....	97
Figure 55 – Key for Figure 56, Figure 57 and Figure 58	98
Figure 56 – Simple monopole with measurements	98
Figure 57 – Simple bipolar	99
Figure 58 – Monopole one side with detailed model	99
Figure 59 – V-I characteristic of SVC	100
Figure 60 – CIM top level packages.....	105
Figure 61 – Class diagram Faults::Faults.....	107
Figure 62 – Class diagram DocIEC 61970::DocumentationExampleInheritance.....	111
Figure 63 – Class diagram DocIEC 61970::DocumentationExampleAggregation	112
Figure 64 – Class diagram DocIEC 61970::DocumentationExampleAssociation	112
Figure 65 – Class diagram Domain::CombinedElectricalDatatypes.....	113
Figure 66 – Class diagram Domain::BasicDatatypes	113
Figure 67 – Class diagram Domain::ElectricityDatatypes	114
Figure 68 – Class diagram Domain::EnumeratedUnitDatatypes.....	115
Figure 69 – Class diagram Domain::GeneralDatatypes	116
Figure 70 – Class diagram Domain::MonetaryDatatypes	117
Figure 71 – Class diagram Domain::TimeDatatypes	118
Figure 72 – Class diagram Core::Main	137
Figure 73 – Class diagram Core::Names	138
Figure 74 – Class diagram Core::CurveSchedule	138
Figure 75 – Class diagram Core::Datatypes	139
Figure 76 – Class diagram Core::Reporting	139
Figure 77 – Class diagram Core::OperatingShare	140
Figure 78 – Class diagram DiagramLayout::DiagramLayout	163
Figure 79 – Class diagram OperationalLimits::OperationalLimits	169
Figure 80 – Class diagram OperationalLimits::BranchGroup	170
Figure 81 – Class diagram Topology::Main	177
Figure 82 – Class diagram Topology::TopologyReporting.....	178
Figure 83 – Class diagram Wires::CutsAndJumpers.....	182
Figure 84 – Class diagram Wires::Datatypes.....	183

Figure 85 – Class diagram Wires::EarthFaultCompensator	184
Figure 86 – Class diagram Wires::InheritanceHierarchy	185
Figure 87 – Class diagram Wires::LineModel	186
Figure 88 – Class diagram Wires::MutualCoupling	187
Figure 89 – Class diagram Wires::NamingHierarchyPart1	188
Figure 90 – Class diagram Wires::NamingHierarchyPart2	189
Figure 91 – Class diagram Wires::RegulatingEquipment	190
Figure 92 – Class diagram Wires::Schedules	191
Figure 93 – Class diagram Wires::ShuntCompensator	192
Figure 94 – Class diagram Wires::SwitchingEquipment	193
Figure 95 – Class diagram Wires::TapChanger	194
Figure 96 – Class diagram Wires::VoltageControl	195
Figure 97 – Class diagram Wires::WiresPhaseModel	196
Figure 98 – Class diagram Wires::Transformer	197
Figure 99 – Class diagram Generation::Main	283
Figure 100 – Class diagram GenerationTrainingSimulation::Main	284
Figure 101 – Class diagram GenerationTrainingSimulation::Datatypes	284
Figure 102 – Class diagram Production::PowerElectronics	300
Figure 103 – Class diagram Production::Nuclear	300
Figure 104 – Class diagram Production::Main	301
Figure 105 – Class diagram Production::Datatypes	302
Figure 106 – Class diagram Production::Hydro	303
Figure 107 – Class diagram Production::Thermal	304
Figure 108 – Class diagram DC::DCContainment	347
Figure 109 – Class diagram DC::DCEquipment	348
Figure 110 – Class diagram DC::DCLineModel	349
Figure 111 – Class diagram DC::ACDCConverter	350
Figure 112 – Class diagram DC::ACDCConnectivityModel	351
Figure 113 – Class diagram LoadModel::Main	374
Figure 114 – Class diagram LoadModel::Datatypes	374
Figure 115 – Class diagram AuxiliaryEquipment::AuxiliaryEquipment	388
Figure 116 – Class diagram Protection::Main	396
Figure 117 – Class diagram Equivalents::Main	401
Figure 118 – Class diagram Meas::Control	409
Figure 119 – Class diagram Meas::Datatypes	409
Figure 120 – Class diagram Meas::Measurement	410
Figure 121 – Class diagram Meas::MeasurementInheritance	411
Figure 122 – Class diagram Meas::Quality	411
Figure 123 – Class diagram SCADA::Datatypes	432
Figure 124 – Class diagram SCADA::Main	433
Figure 125 – Class diagram ControlArea::ControlArea	438
Figure 126 – Class diagram ControlArea::ControlAreaInheritance	439
Figure 127 – Class diagram ControlArea::Datatypes	439