IEC 63029

Edition 1.0 2017-07

INTERNATIONAL STANDARD

colour inside

Audio, video multimedia systems and equipment – Multimedia e-publishing and e-book technologies – Raster-graphics image-based e-books

IEC 63029:2017-07(en)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC 63029

Edition 1.0 2017-07

INTERNATIONAL STANDARD

colour inside

Audio, video multimedia systems and equipment – Multimedia e-publishing and e-book technologies – Raster-graphics image-based e-books

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.99; 35.140; 35.240.30

ISBN 978-2-8322-4490-6

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

AUDIO, VIDEO MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOK TECHNOLOGIES – RASTER-GRAPHICS IMAGE-BASED E-BOOKS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63029 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2817/CDV	100/2918/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of January 2018 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Scanning of existing printed books is presently carried out widely to store their content in an electronic format: raster-graphics image-based e-books. The scanning includes number of parameters and sometimes results in poor-quality scanned data due to inappropriate parameter settings.

The scanning devices with storage memory and automatic document feeders enable swift production of raster-graphics image-based e-books with a brief procedure that does not require advanced skills and knowledge.

Scanning schemes can have many attributes which affect to the quality of raster-graphics image-based e-books, such as environmental conditions, sheet cutting/scanning operation, resolution, highlight washout point, tone curve adjustment/black point setup, post-processing and encoding. For example, inadequate selection of the scanning resolution can cause moiré in halftone images and discontinuation of lines in text images. The purpose of this document is to specify a scanning scheme for developing raster-graphics image-based e-books. When conforming to this document, a reasonable quality of raster-graphics image-based e-books is to be expected.

AUDIO, VIDEO MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOK TECHNOLOGIES – RASTER-GRAPHICS IMAGE-BASED E-BOOKS

1 Scope

This document specifies the scanning scheme to develop raster-graphics image-based e-books from existing printed books.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61966-2-1, *Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB*

ISO 12639, *Graphic technology – Prepress digital data exchange – Tag image file format for image technology (TIFF/IT)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1
bitmap image of sourcebook
two-dimensional raster data of each page of a sourcebook that can be aligned in exactly same page order as the sourcebook

3.2
raster-graphics image-based e-book
category of an e-book which consists of the bitmap image of sourcebook

3.3
sourcebook
printed book to be scanned

4 Raster-graphic image-based e-book

4.1 General

The creation sequence for raster-graphics image-based e-books is shown in Figure 1.



Figure 1 – Workflow for generating e-book from sourcebook

There are six steps to generating an e-book from the sourcebook, such as the preparation of the sourcebook, cutting the sourcebook, scanning the sourcebook, setup/adjustment of image quality related parameters, post-processing/encoding, authoring e-book. The first step is to clean up and to repair the sourcebook so that it becomes as close as possible to its original condition. A flatbed scanner is normally used for the third step, raster-graphics image-based e-books scanning operation, so the second step is to cut the sourcebook to make the scanning operation easier. The fourth step is to setup/adjust scanning parameters such as resolution and tone curve. The fifth step is to adjust and to encode the scanned data for output media. The sixth step is authoring the e-book. This document specifies the second to fifth steps, which form the scanning scheme. Raster-graphics image-based e-books can be categorized as one of the fixed layout e-books.

4.2 Target sourcebook

The sourcebooks to which this document applies are mangas, paperbacks, hard covers, textbooks, magazines, music scores and newspapers.

5 Scanning scheme

5.1 Cutting the sourcebook

To avoid image loss, sheet cutting should be carried out exactly on the perimeter of the binding and the margin. If this is not possible, the cutting line shall be less than or equal to 2 mm from the perimeter of the binding and the margin. The cutting line should be parallel to the edge. To avoid variation of image area position between pages, the margin between pages should be less than or equal to 1 mm.

NOTE See Clause A.1 for a description of image loss.

5.2 Scanning sourcebook

Scanning shall be done in at least 8 bits per pixel, 256 grey levels unless otherwise instructed.

The sourcebook image area in the corresponding scanned image data should not have any tilt. Image tilt adjustment shall be done to achieve tilt angle of less than or equal to 0,5°.

NOTE See Clause A.2 for a description of image tilt.

The scanning of the monochrome original shall be carried out in monochrome scanning mode. Colour original shall be carried out in colour scanning mode.

NOTE When a black and white original is scanned using colour scanning mode, black text is likely to be greyed or coloured partially, and it can degrade text readability.

The tone curve of an original text image shall be adjusted for legibility.

5.3 Setup/adjustment of image quality related parameters

5.3.1 Elimination of unintended density variation

In general, there are four types of unintended original density variations as follows:

- foreign objects such as dripping coffee, soiling by handling, shading due to bump of correcting fluid on substrate and so on;
- degradation of substrate such as yellowing due to light fading or oxidization;
- show-through of image printed in opposite side of substrate;
- misplacement of original on scanning device leading to unpredictable unintended density variation at the border of the scanned data.

NOTE See Clause A.3 for a description of show-through.

The first three can be eliminated by adjusting the highlight washout point during the scanning operation or by erasing the defects, and the fourth one can be eliminated by trimming during post-processing.

5.3.2 Resolution

It is recommended to adopt a sufficiently high scanning resolution and bit depth in order to avoid line image discontinuity. Graphics and halftone image area may require moiré suppression. If moiré occurred due to too low a scanning resolution, use a higher scanning resolution.

NOTE See A.4 for a description of line image discontinuity and A.5 for a description of moiré.

For a text-based original document, 200 dpi or higher resolution is recommended. For text and low resolution halftone originals, 400 dpi or higher resolution is recommended. For high resolution halftone and graphics originals, 600 dpi or higher resolution is recommended for avoiding moiré. For on-demand printing and on-demand publishing usage, minimum resolution shall be 600 dpi.

The shape of the text is different between alphabets and it requires additional care to choose appropriate resolution and tone settings in order to avoid line image discontinuity. Clause A.4 shows an example of alphabet dependency.

5.3.3 Highlight washout point

The highlight washout point is effective for elimination of unintended density variation (see 5.3.3). But if the highlight washout point is set too high, it may cause discontinuity of line image in text and graphics. So, it is recommended to set the highlight washout point as low as possible. If line image discontinuity occurred after minimizing the highlight washout point, then it is recommended to adopt a higher scanning resolution and higher bit depth (see 5.3).

NOTE See Clause A.6 for a description of highlight washout.

5.3.4 Tone curve adjustment / Black point setup

In order to avoid tone-related issues, such as sleepy image, highlight washout and unwanted shadow clipping, it is recommended to adjust the density range by selecting a proper black point value and to adjust the tone curve shape appropriately for image appearance as shown in Figure 2.