



Edition 3.1 2018-02 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances – Safety – Part 2-87: Particular requirements for electrical animal stunning equipment

Appareils électrodomestiques et analogues – Sécurité – Partie 2-87: Exigences particulières pour les appareils électriques d'insensibilisation des animaux

IEC 60335-2-87:2016

https://standards.iteh.ai/catalog/standards/iec/13hdeab5-c8d8-45ha-aa76-b9460b39510d/iec-60335-2-87-2016





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@jec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

## Recherche de publications IEC -

### webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

## IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.





Edition 3.1 2018-02 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances – Safety – Part 2-87: Particular requirements for electrical animal stunning equipment

Appareils électrodomestiques et analogues – Sécurité – Partie 2-87: Exigences particulières pour les appareils électriques d'insensibilisation des animaux

IEC 60335-2-87:2016

https://standards.iteh.ai/catalog/standards/iec/13bdeab5-c8d8-45ba-aa76-b9460b39510d/iec-60335-2-87-2016

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 65.060.99 ISBN 978-2-8322-5439-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-87:2016

https://standards.iteh.ai/catalog/standards/iec/13hdeah5-c8d8-45ha-aa76-b9460h39510d/iec-60335-2-87-2016



Edition 3.1 2018-02 CONSOLIDATED VERSION

## **REDLINE VERSION**

## **VERSION REDLINE**



Household and similar electrical appliances – Safety – Part 2-87: Particular requirements for electrical animal stunning equipment

Appareils électrodomestiques et analogues – Sécurité – Partie 2-87: Exigences particulières pour les appareils électriques d'insensibilisation des animaux

IEC 60335-2-87:2016

https://standards.iteh.ai/catalog/standards/iec/13hdeab5-c8d8-45ha-aa76-b9460b39510d/iec-60335-2-87-2016



## **CONTENTS**

	RODUCTION	
1	Scope	
2	Normative references	_
3	Terms and definitions	
4	General requirement	
5	General conditions for the tests	9
6	Classification	9
7	Marking and instructions	10
8	Protection against access to live parts	
9	Starting of motor-operated appliances	11
10	Power input and current	12
11	Heating	12
12	Void	12
13	Leakage current and electric strength at operating temperature	12
14	Transient overvoltages	12
15	Moisture resistance Standards	
16	Leakage current and electric strength	12
17	Overload protection of transformers and associated circuits	12
18	Endurance Document Preview	12
19	Abnormal operation	13
20	Stability and mechanical hazards	13
/21	Mechanical strength udards/iec/13hdeah5-c8d8-45ha-aa76-b9460b39510d/iec-6	0335-2-13
22	Construction	13
23	Internal wiring	16
24	Components	16
25	Supply connection and external flexible cords	16
26	Terminals for external conductors	17
27	Provision for earthing	17
28	Screws and connections	17
29	Clearances, creepage distances and solid insulation	17
30	Resistance to heat, and fire	17
31	Resistance to rusting	17
32	Radiation, toxicity and similar hazards	18
Anr	exes	19
	ex S (normative) Battery-operated appliances powered by batteries that are no	
	nargeable or not recharged in the appliance	
Bib	iography	21

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-87: Particular requirements for electrical animal stunning equipment

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60335-2-87 edition 3.1 contains the third edition (2016-05) [documents 61H/321/FDIS and 61H/322/RVD] and its amendment 1 (2018-02) [documents 61H/362/FDIS and 61H/364/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

This part of International Standard IEC 60335 has been prepared by sub-committee 61H: Safety of electrically-operated farm appliances, of IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-87 are as follows (minor changes are not listed):

- Warning sign ISO 7010-W012 has been introduced (7.1, 7.6, 7.12, 7.14).
- Reference to IEC 60068-2-32 has been replaced by reference to IEC 60068-2-31 (21.1).
- Additional requirements for battery operated stunning have been transferred to Annex S (5.8.1, 7.1, 7.8, 7.12, 11.5, 16, 22.102, 25.5, 25.7, 25.20, 25.23, 25.101, 26.5).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical animal stunning equipment.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
  - additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

IEC 60335-2-87:2016+AMD1:2018 CSV - 5 - © IEC 2018

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn.
- · replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-87:2016

https://standards.iteh.ai/catalog/standards/iec/13hdeab5-c8d8-45ha-aa76-b9460b39510d/iec-60335-2-87-2016

#### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES -SAFETY -

## Part 2-87: Particular requirements for electrical animal stunning equipment

## Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electric animal-stunning equipment the rated voltage of which is not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Battery-operated appliances and other d.c. supplied appliances are within the scope of this standard. Dual supply appliances, either mains-supplied or battery-operated, are regarded as battery-operated appliances when operated in the battery mode.

This standard is applicable to electric animal-stunning equipment for industrial or commercial use, for use on farms or for use in areas where they may be a source of danger to the public.

So far as is practical, this standard deals with the common hazards presented by these types of appliances.

NOTE 102 Examples of electric animal-stunning equipment within the scope of this standard are those used to stun.

- bovines such as cattle, calves, cows, heifers and bulls;
- ovines such as sheep and lambs; dards itch ci/catalog/standards/iec/13bdeab5-c8d8-45ba-aa76-b9460b39510d/iec-60335-2-87-2016
- cervids such as deer;
- solipeds such as horses, donkeys and mules;
- birds such as chickens, turkeys and guinea fowl;
- porcines such as pigs;
- fur animals such as foxes, chinchilla, rabbits and possums;
- mustelids such as mink and polecats;
- other ruminants such as camels.

NOTE 103 The following types of electric animal-stunning equipment are covered by this standard:

manual, semi-automatic and automatic.

NOTE 104 Attention is drawn to the fact that:

- for electric animal-stunning equipment intended to be used on board ships, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- in many countries, additional requirements are specified concerning the humane slaughter of animals.

NOTE 105 This standard does not apply to:

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- electric fence energizers (see IEC 60335-2-76);
- electric fishing machines (see IEC 60335-2-86);
- meat tenderizers, carcass immobilizers, carcass stiffeners, spinal discharge equipment or similar equipment.

#### 2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52:1996, Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

IEC 61558-2-4, Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers

ISO 7010:2011, Graphical symbols – Safety colours and safety signs – Registered safety signs

#### 3 Terms and definitions

This clause of Part 1 is applicable except as follows.

#### 3.1.9 Replacement:

#### normal operation

oeration of the **electric animal-stunning equipment** as in normal use when connected to the supply with **electrodes** connected to the output terminals of the **stunning equipment**. An adjustable non-inductive resistor is connected between the **electrodes**. The resistor is adjusted so that **output current** can flow

#### 3.6.3 Addition:

Note 1 to entry: It also includes terminals for the connection of the batteries and other metal parts in a battery compartment that become accessible when replacing batteries even with the aid of a **tool**.

#### 3.6.4 Replacement:

conductive part that may cause an electric shock

#### 3 101

#### electric animal-stunning equipment

appliance that is designed or used to cause electronarcosis in an animal by means of an electric current

Note 1 to entry: It may also cause irreversible cardiac arrest.

Note 2 to entry: In this standard, for convenience, this term is abbreviated to stunning equipment.

#### 3.102

#### mains-operated stunning equipment

**stunning equipment** designed for direct connection to a supply, other than a battery supply or a **safety extra-low voltage** supply

### 3.103

#### battery-operated stunning equipment

stunning equipment deriving its energy solely from chargeable or non-rechargeable batteries

### 3.104

#### electrode

parts of stunning equipment that transfer the electric current to the animal

IEC 60335-2-87:2016+AMD1:2018 CSV - 9 - © IEC 2018

Note 1 to entry: The **stun electrode** is the **electrode** used to apply the stun voltage, the **return electrode** is the other **electrode**.

#### 3.105

### stunning circuit

conductive parts or components within **stunning equipment**, that are connected or intended to be connected galvanically to the **electrode** terminals

#### 3.106

### output voltage

voltage required to sustain the output current under normal operation

#### 3.107

#### output current

current in the stunning circuit that the stunning equipment is designed to supply

#### 3.108

#### biased-off switch

switch that automatically returns to the off position when its actuating member is released

#### 4 General requirement

This clause of Part 1 is applicable.

#### 5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

**5.101** If there is no indication as to which of the output terminals is to be connected to the stun **electrode**, the terminal that gives the most unfavourable result is connected to the return **electrode**.

**5.102** Stunning equipment is tested as a motor-operated appliance.

#### 6 Classification

This clause of Part 1 is applicable except as follows.

#### **6.1** Replacement:

**Stunning equipment** that is suitable for connection to the supply mains shall be of **class I**, **class II** or **class III** with respect to protection against electric shock.

**Stunning equipment** that is suitable for connection to the supply mains and that is directly connected to the water supply mains shall be of **class I** with respect to protection against electric shock.

Portable and hand-held stunning equipment shall be class II or class III with respect to protection against electric shock.

Compliance is checked by inspection and by the relevant tests.

#### **6.2** Addition:

Parts of **stunning equipment** that contain electrical components and that may be cleaned with a water jet according to the instructions, shall be at least IPX5.

Hand-held stunning equipment shall be at least IPX5.

### 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

#### 7.1 Addition:

Stunning equipment shall be marked with:

- duty cycle, if applicable;
- output current;
- no-load output voltage;
- "read the instructions" or with symbol ISO 7000-0790 (2004-01);
- a symbol indicating the presence of a dangerous voltage in accordance with symbol IEC 60417-5036 (2002-10) in conjunction with warning sign ISO 7010-W012 (2011-05);
- the stun electrode and return electrode terminals shall be identified by appropriate symbol IEC 60417-5036 (2002-10) and symbol IEC 60417-5017 (2006-08) respectively. If the return electrode is not grounded it need not be marked.

#### 7.6 Addition:





[symbol IEC 60417-5017

(2006-08)]

earth (ground)

ttns://\#andards.iteh.ai/catalog/standards/iec/13bdeab5-c8d8-45ba-aa76-b9460b39510d/iec-60335-2-87-201



[warning sign ISO 7010-W012 (2011-05)]

warning: Electricity

#### 7.12 Addition:

The instructions shall contain the substance of the following:

- for stunning equipment parts of which are hand-held, the power supply switch shall be visible from any point that the piece held in the hand may be used;
- for stunning equipment parts of which are hand-held, the hand-held sub-assembly when not in use shall be kept in a holder placed alongside the supply unit, or be otherwise suspended at a minimum height of 1,6 m;
- the **supply cord** shall be placed such that it is not accessible to animals;
- recommendations concerning functional tests to be carried out to ensure the continuing correct operation of safety controls and interlocks;
- the stunner shall be disconnected from the power supply during cleaning;
- isolate the stunning equipment from the power supply when it is not in use.

The instructions for **class III portable stunners**, shall state that the stunner shall only be used with the isolating transformer with which it is supplied.