

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
(standards.iteh.ai)
Part 1: Single talker and multiple listeners

Matériels et systèmes de navigation et de radiocommunication maritimes –
Interfaces numériques –
Partie 1: Emetteur unique et récepteurs multiples

IEC 61162-1:2016

<https://standards.iteh.ai/catalog/standards/sisiec61162-1-2016-a7f7ea3c1022/iec-61162-1-2016-a7f7ea3c1022>

a7f7ea3c1022/iec-61162-1-2016





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
standards.iteh.ai
Part 1: Single talker and multiple listeners

Matériels et systèmes de navigation et de radiocommunication maritimes –
Interfaces numériques –
Partie 1: Emetteur unique et récepteurs multiples

[IEC 61162-1:2016](#)

a7f7ea3c1022/iec-61162-1-2016

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 47.020.70

ISBN 978-2-8322-5356-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	11
2 Normative references	11
3 Terms and definitions	13
3.1 General	13
3.2 Terms and definitions	13
4 Manufacturer's documentation	13
5 Hardware specification	13
5.1 General	13
5.2 Interconnecting wire	13
5.3 Conductor definitions	13
5.4 Electrical connections/shield requirements	14
5.5 Connector	14
5.6 Electrical signal characteristics	14
5.6.1 General	14
5.6.2 Signal state definitions	14
5.6.3 Talker drive circuits	14
5.6.4 Listener receive circuits	14
5.6.5 Electrical isolation	15
5.6.6 Maximum voltage on bus	15
6 Data transmission	15
7 Data format protocol	16
7.1 Characters	16
7.1.1 General	16
7.1.2 Reserved characters	16
7.1.3 Valid characters	16
7.1.4 Undefined characters	16
7.1.5 Character symbols	16
7.2 Fields	16
7.2.1 String	16
7.2.2 Address field	16
7.2.3 Data fields	17
7.2.4 Checksum field	18
7.2.5 Sequential message identifier field	18
7.3 Sentences	19
7.3.1 General structure	19
7.3.2 Description of approved sentences	19
7.3.3 Parametric sentences	19
7.3.4 Encapsulation sentences	20
7.3.5 Query sentences	22
7.3.6 Proprietary sentences	23
7.3.7 Command sentences	24
7.3.8 Valid sentences	24
7.3.9 Multi-sentence messages	25
7.3.10 Sentence transmission timing	25

7.3.11	Additions to approved sentences	25
7.4	Error detection and handling	25
7.5	Handling of deprecated sentences	25
8	Data content	26
8.1	Character definitions	26
8.2	Field definitions	28
8.3	Approved sentences	31
8.3.1	General format	31
8.3.2	AAM – Waypoint arrival alarm	31
8.3.3	ABK – AIS addressed and binary broadcast acknowledgement	31
8.3.4	ABM – AIS addressed binary and safety related message	32
8.3.5	ACA – AIS channel assignment message	33
8.3.6	ACK – Acknowledge alarm	35
8.3.7	ACN – Alert command	35
8.3.8	ACS – AIS channel management information source	36
8.3.9	AIR – AIS interrogation request	36
8.3.10	AKD – Acknowledge detail alarm condition	37
8.3.11	ALA – Report detailed alarm condition	38
8.3.12	ALC – Cyclic alert list	39
8.3.13	ALF – Alert sentence	40
8.3.14	ALR – Set alarm state	42
8.3.15	APB – Heading/track controller (autopilot) sentence B	42
8.3.16	ARC – Alert command refused	43
8.3.17	BBM – AIS broadcast binary message	44
8.3.18	BEC – Bearing and distance to waypoint – Dead reckoning	45
8.3.19	BOD – Bearing origin to destination	45
8.3.20	BWC – Bearing and distance to waypoint – Great circle	45
8.3.21	BWR – Bearing and distance to waypoint – Rhumb line	45
8.3.22	BWW – Bearing waypoint to waypoint	46
8.3.23	CUR – Water current layer – Multi-layer water current data	46
8.3.24	DBT – Depth below transducer	47
8.3.25	DDC – Display dimming control	47
8.3.26	DOR – Door status detection	48
8.3.27	DPT – Depth	49
8.3.28	DSC – Digital selective calling information	49
8.3.29	DSE – Expanded digital selective calling	50
8.3.30	DTM – Datum reference	50
8.3.31	EPV – Command or report equipment property value	51
8.3.32	ETL – Engine telegraph operation status	52
8.3.33	EVE – General event message	53
8.3.34	FIR – Fire detection	54
8.3.35	FSI – Frequency set information	55
8.3.36	GBS – GNSS satellite fault detection	56
8.3.37	GEN – Generic binary information	57
8.3.38	GFA – GNSS fix accuracy and integrity	58
8.3.39	GGA – Global positioning system (GPS) fix data	59
8.3.40	GLL – Geographic position – Latitude/longitude	59
8.3.41	GNS – GNSS fix data	60
8.3.42	GRS – GNSS range residuals	62

8.3.43	GSA – GNSS DOP and active satellites.....	64
8.3.44	GST – GNSS pseudorange noise statistics.....	66
8.3.45	GSV – GNSS satellites in view	67
8.3.46	HBT – Heartbeat supervision sentence.....	68
8.3.47	HCR – Heading correction report.....	69
8.3.48	HDG – Heading, deviation and variation	69
8.3.49	HDT – Heading true	70
8.3.50	HMR – Heading monitor receive	70
8.3.51	HMS – Heading monitor set.....	71
8.3.52	HRM – heel angle, roll period and roll amplitude measurement device	71
8.3.53	HSC – Heading steering command.....	72
8.3.54	HSS – Hull stress surveillance systems.....	72
8.3.55	HTC – Heading/track control command; HTD – Heading /track control data	72
8.3.56	LR1 – AIS long-range reply sentence 1.....	74
8.3.57	LR2 – AIS long-range reply sentence 2.....	74
8.3.58	LR3 – AIS long-range reply sentence 3.....	75
8.3.59	LRF – AIS long-range function	75
8.3.60	LRI – AIS long-range interrogation	76
8.3.61	MOB – Man over board notification.....	77
8.3.62	MSK – MSK receiver interface.....	79
8.3.63	MSS – MSK receiver signal status.....	79
8.3.64	MTW – Water temperature	79
8.3.65	MWD – Wind direction and speed	79
8.3.66	MWV – Wind speed and angle <small>IEC 61162-1:2016 https://standards.iteh.ai/catalog/standard/sist/c550d25a-b550-48d3-a680-a77ea3c1022/iec-61162-1-2016</small>	80
8.3.67	NAK – Negative acknowledgement	80
8.3.68	NRM – NAVTEX receiver mask	81
8.3.69	NRX – NAVTEX received message	82
8.3.70	NSR – Navigation status report	84
8.3.71	OSD – Own ship data.....	85
8.3.72	POS – Device position and ship dimensions report or configuration command.....	86
8.3.73	PRC – Propulsion remote control status	87
8.3.74	RLM – Return link message	88
8.3.75	RMA – Recommended minimum specific LORAN-C data	89
8.3.76	RMB – Recommended minimum navigation information.....	89
8.3.77	RMC – Recommended minimum specific GNSS data	90
8.3.78	ROR – Rudder order status	91
8.3.79	ROT – Rate of turn.....	92
8.3.80	RRT – Report route transfer	92
8.3.81	RPM – Revolutions	93
8.3.82	RSA – Rudder sensor angle	93
8.3.83	RSD – Radar system data	93
8.3.84	RTE – Routes	94
8.3.85	SFI – Scanning frequency information	95
8.3.86	SM1 – SafetyNET Message, All Ships/NavArea	95
8.3.87	SM2 – SafetyNET Message, Coastal Warning Area	97
8.3.88	SM3 – SafetyNET Message, Circular Area address	99
8.3.89	SM4 – SafetyNET Message, Rectangular Area Address	101

8.3.90	SMB – IMO SafetyNET Message Body	104
8.3.91	SPW – Security password sentence	105
8.3.92	SSD – AIS ship static data	106
8.3.93	STN – Multiple data ID	106
8.3.94	THS – True heading and status	107
8.3.95	TLB – Target label	107
8.3.96	TLL – Target latitude and longitude	107
8.3.97	TRC – Thruster control data	108
8.3.98	TRL – AIS transmitter-non-functioning log	109
8.3.99	TRD – Thruster response data	110
8.3.100	TTD – Tracked target data	110
8.3.101	TTM – Tracked target message	112
8.3.102	TUT – Transmission of multi-language text	113
8.3.103	TXT – Text transmission	114
8.3.104	UID – User identification code transmission	115
8.3.105	VBW – Dual ground/water speed	115
8.3.106	VDM – AIS VHF data-link message	116
8.3.107	VDO – AIS VHF data-link own-vessel report	117
8.3.108	VDR – Set and drift	117
8.3.109	VER – Version	118
8.3.110	VHW – Water speed and heading	118
8.3.111	VLW – Dual ground/water distance	119
8.3.112	VPW – Speed measured parallel to wind	119
8.3.113	VSD – AIS voyage static data	119
8.3.114	VTG – Course over ground and ground speed	120
8.3.115	WAT – Water level detection	120
8.3.116	WCV – Waypoint closure velocity	121
8.3.117	WNC – Distance waypoint to waypoint	122
8.3.118	WPL – Waypoint location	122
8.3.119	XDR – Transducer measurements	122
8.3.120	XTE – Cross-track error, measured	123
8.3.121	XTR – Cross-track error, dead reckoning	124
8.3.122	ZDA – Time and date	124
8.3.123	ZDL – Time and distance to variable point	124
8.3.124	ZFO – UTC and time from origin waypoint	124
8.3.125	ZTG – UTC and time to destination waypoint	125
9	Applications	125
9.1	Example parametric sentences	125
9.1.1	General	125
9.1.2	Example 1 – LORAN-C latitude/longitude	125
9.1.3	Example 2 – LORAN-C arrival alarm	125
9.1.4	Example 3 – Proprietary sentence	126
9.1.5	Example 4 – RMA examples	126
9.1.6	Example 5 – FSI examples	127
9.1.7	Example 6 – MSK/MSS examples	127
9.1.8	Example 7 – DSC and DSE sentences	127
9.1.9	Example 8 – FIR, DOR and WAT sentences	128
9.2	Example encapsulation sentences	128
9.3	Examples of receiver diagrams	128

Annex A (informative) Glossary	130
Annex B (normative) Guidelines for methods of testing and required test results	137
B.1 General	137
B.2 Definition of environmental conditions for the tests	137
B.3 Examination of the manufacturer's documentation	137
B.4 Test of hardware	138
B.4.1 Interface units	138
B.4.2 Input circuit test	138
B.4.3 Check of electrical isolation	138
B.4.4 Maximum input voltage test	138
B.4.5 Test arrangement for performance tests according to IEC 60945	138
B.4.6 Test under maximum interface workload	138
B.4.7 Test for correct parsing of sentences	139
B.4.8 Test under long term conditions	140
B.4.9 Protocol test of the interface of the EUT	140
Annex C (normative) Six-bit binary field conversion	146
Annex D (normative) Alarm system fields	149
Annex E (informative) Example of use of FIR, DOR and WAT sentences	158
E.1 Example of the use of system status messages	158
E.2 Use of system division codes	158
E.3 Send complete status	159
E.4 Change measurement point status	160
E.5 Point status change during a status update	160
E.6 Failure in a sub-system	160
E.7 Status updates when a sub-system is in fault	161
E.8 Signal a correction of a sub-system fault	161
Annex F (informative) Example encapsulation sentence	162
F.1 Example encapsulation sentence	162
F.2 AIS VHF data-link message VDM sentence encapsulation example	162
F.3 Background discussion – Encapsulation coding	162
F.4 Decoding the encapsulated string	164
F.5 Conversion from symbols to binary bits	164
F.6 Organising the binary message data	165
F.7 Interpreting the decoded binary strings	165
Bibliography	168
Figure 1 – Listener receive circuit	15
Figure 2 – Data transmission format	15
Figure 3 – Example 1, J-FET, N channel, opto-isolator based listener circuit	129
Figure 4 – Example 2, NPN opto-isolator based listener circuit	129
Figure C.1 – 6-bit binary code converted to valid IEC 61162-1 character	147
Figure C.2 – Valid IEC 61162-1 character converted to 6-bit binary code	148
Figure E.1 – Example system diagram	159
Figure F.1 – Message data format	163
Figure F.2 – Work sheet for decoding and interpreting encapsulated string	167

Table 1 – Reserved characters	26
Table 2 – Valid characters	26
Table 3 – Character symbol.....	27
Table 4 – Talker identifier mnemonics	28
Table 5 – Field type summary.....	30
Table B.1 – Example – Special characters	139
Table B.2 – Example – Parsing	139
Table B.3 – Example – Future extensions.....	140
Table B.4 – Example – Data string GGA sent by the EUT to the test receiver (listener)	141
Table B.5 – Example – Checksum data sent.....	141
Table B.6 – Example – Data string GNS received by the EUT	143
Table B.7 – Example – Checksum data received	144
Table B.8 – Example – Break of data line	145
Table B.9 – Example – Receiving interval	145
Table B.10 – Example – Talker ID	145
Table C.1 – Six-bit binary field conversion table.....	146
Table D.1 – System alarm fields	149
Table F.1 – Example message from ITU-R M.1371	166

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61162-1:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/c550d25a-b550-48d3-a680-a7f7ea3c1022/iec-61162-1-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARITIME NAVIGATION AND RADIOTRANSFER EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 1: Single talker and multiple listeners

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. **IEC 61162-1:2016
(standards.iteh.ai)**
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. <https://standards.iteh.ai/catalog/standards/sist/c550d25a-b550-48d3-a680-77a31022c61162-1:2016>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61162-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This bilingual version (2018-02) corresponds to the English version, published in 2016-08.

This fifth edition cancels and replaces the fourth edition published in 2010, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- new identifiers have been added to Table 4;
- the sentences CBR and MEB have been removed as they are now solely used by AIS shore based equipment;

- new sentences ACN, ALC, ALF, ARC, EPV, HCR, HRM, MOB, NSR, RLM, RRT, SM1, SM2, SM3, SM4, SMB, SPW and TRL have been added;
- revisions have been made to ABK, ABM, GNS, NAK, NRM, RMC, ROR and TTD;
- the methods of testing in Annex B have been revised.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/799/FDIS	80/806/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

A list of all parts in the IEC 61162 series, published under the general title *Maritime navigation and radiocommunication equipment and systems – Digital interface*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- ITech STANDARD PREVIEW
(standards.iteh.ai)**
- reconfirmed,
 - withdrawn, [IEC 61162-1:2016](#)
 - replaced by a revised edition, or <https://standards.iteh.ai/catalog/standards/sist/c550d25a-b550-48d3-a680-a7f7ea3c1022/iec-61162-1-2016>
 - amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61162 Maritime navigation and radiocommunication equipment and systems – Digital interfaces consists of 5 parts which specify digital interfaces for application in marine navigation, radiocommunication and system integration, as follows:

- Part 1: *Single talker and multiple listeners;*
- Part 2: *Single talker and multiple listeners, high speed transmission;*
- Part 3: *Multiple talkers and multiple listeners – Serial data instrument network;*
- Part 450: *Multiple talkers and multiple listeners – Ethernet interconnection;*
- Part 460: *Multiple talkers and multiple listeners – Ethernet interconnection – Safety and security*

IEC technical committee 80 interface standards are developed with input from manufacturers, private and government organisations and equipment operators. The information is intended to meet the needs of users at the time of publication, but users should recognise that as applications and technology change, interface standards should change as well. Users of this standard are advised to immediately inform the IEC of any perceived inadequacies therein.

The first edition of IEC 61162-1 was published in 1995. The second edition published in 2000 removed some sentences which were no longer in use, added some new sentences and included details of the ship equipment defined in IMO resolutions together with appropriate sentences for communication between them. This information was subsequently removed from the third edition when it became the practice to specify the sentence formatters in the individual standards for equipment.

(standards.iteh.ai)

The third edition published in 2007 introduced a re-arrangement of the text and new sentences particularly to support the Automatic Identification System and the Voyage Data Recorder. The third edition also introduced a further type of start of sentence delimiter. The conventional delimiter “\$” was retained for the conventional sentences which are now called parametric sentences. The new delimiter “!” identifies sentences that conform to special purpose encapsulation.

The fourth edition removed some sentences which were not in use, added some new sentences for new applications and made some corrections and additions. In particular the sentences of relevance to satellite navigation receivers were expanded to facilitate the description of new satellite systems.

This fifth edition also removes some sentences which are no longer in use, adds some new sentences for new applications and makes some corrections and additions.

Liaison has been maintained with NMEA and this edition has been aligned where appropriate with NMEA 0183 version 4.10.

MARITIME NAVIGATION AND RADIOTRANSFER EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 1: Single talker and multiple listeners

1 Scope

This part of IEC 61162 contains the requirements for data communication between maritime electronic instruments, navigation and radiocommunication equipment when interconnected via an appropriate system.

This part of IEC 61162 is intended to support one-way serial data transmission from a single talker to one or more listeners. These data are in printable ASCII form and may include information such as position, speed, depth, frequency allocation, etc. Typical messages may be from about 11 to a maximum of 79 characters in length and generally require transmission no more rapidly than one message per second.

The electrical definitions in this standard are not intended to accommodate high-bandwidth applications such as radar or video imagery, or intensive database or file transfer applications. Since there is no provision for guaranteed delivery of messages and only limited error checking capability, this standard should be used with caution in all safety applications.

For applications where a faster transmission rate is necessary, reference should be made to IEC 61162-2.

[IEC 61162-1:2016](#)

For applications to shore based equipment of the automatic identification system (AIS) reference should be made to the IEC 62320 series.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61097-6, *Global maritime distress and safety system (GMDSS) – Part 6: Narrowband direct-printing telegraph equipment for the reception of navigational and meteorological warnings and urgent information to ships (NAVTEX)*

IEC 61108 (all parts), *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS)*

IEC 61162 (all parts), *Maritime navigation and radiocommunication equipment and systems – Digital interface*

IEC 61162-2:1998, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission*

IEC 61174, *Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results*

IEC 61924-2:2012, *Maritime navigation and radiocommunication equipment and systems – Integrated navigation systems – Part 2: Modular structure for INS – Operational and performance requirements, methods of testing and required test results*

IEC 61996 (all parts), *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR)*

ISO/IEC 8859 (all parts), *Information technology – 8-bit single-byte coded graphic character sets*

ISO/IEC 8859-1:1998, *Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No.1*

ISO/IEC 10646, *Information technology – Universal Coded Character Set (UCS)*

ITU-R Recommendation M.493, *Digital selective-calling system for use in the maritime mobile service*

ITU-R M.625, *Direct printing telegraph equipment employing automatic identification in the maritime mobile service*

ITU-R Recommendation M.821, *Optional expansion of the digital selective-calling system for use in the maritime mobile service*

[IEC 61162-1:2016](#)

ITU-R Recommendation M.1084, *Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service*

ITU-R Recommendation M.1371, *Technical characteristics for an automatic identification system using time division multiple access in the VHF maritime mobile band*

ITU-T Recommendation X.27/V.11:1996, *Electrical characteristics for balanced double-current interchange circuits operating at data signalling rates up to 10 Mbit/s*

IMO GMDSS.1/Circ.18, *Master plan of shore-based facilities for the global maritime distress and safety system (GMDSS master plan)*

IMO, *International Convention on Load Lines*

IMO, *International SafetyNET Manual*

IMO MSC.252(83), *Performance standards for integrated navigation systems (INS)*

IMO MSC.302(87), *Performance standards for Bridge Alert Management (BAM)*

IMO Publication 951E, *NAVTEX Manual*

3 Terms and definitions

3.1 General

Common terms are defined in the glossary of Annex A. Where there is a conflict, terms are interpreted, wherever possible, in accordance with the references in Clause 2.

3.2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.2.1

talker

any device which sends data to other devices

Note 1 to entry: The type of talker is identified by a 2-character mnemonic as listed in 8.2 (see Table 4).

3.2.2

listener

any device which receives data from another device

4 Manufacturer's documentation

Operator manuals or other appropriate literature provided for equipment that is intended to meet the requirements of this standard shall contain the following information:

iteh STANDARD PREVIEW (standards.iteh.ai)

- a) identification of the A and B signal lines;
- b) the output drive capability as a talker;
IEC 61162-1:2016
https://standards.iteh.ai/doc/tc11/ed1/04/550.125-1-550.48.12.1.680
- c) a list of approved sentences, noting unused fields, proprietary sentences transmitted as a talker and transmission interval for each sentence;
IEC 61162-1:2016
https://standards.iteh.ai/doc/tc11/ed1/04/550.125-1-550.48.12.1.680
- d) the load requirements as a listener;
- e) a list of sentences and associated data fields that are required as a listener;
- f) the current software and hardware revision if this is relevant to the interface;
- g) an electrical description or schematic of the listener/talker input/output circuits citing actual components and devices used, including connector type and part number;
- h) the version number and date of update of the standard for which compliance is sought.

5 Hardware specification

5.1 General

NOTE Guidelines on methods of testing are given in Annex B.

One talker and multiple listeners may be connected in parallel over an interconnecting wire. The number of listeners depends on the output capability and input drive requirements of individual devices.

5.2 Interconnecting wire

Interconnection between devices may be by means of a two-conductor, shielded, twisted-pair wire.

5.3 Conductor definitions

The conductors referred to in this standard are the signal lines A and B, and shield.