

SLOVENSKI STANDARD
SIST ISO 4185:1997/C1:1997
01-september-1997

Measurement of liquid flow in closed conduits - Weighing method - Technical corrigendum 1

Measurement of liquid flow in closed conduits - Weighing method - Technical corrigendum 1 - ISO 4185:1980/Cor 1:1993

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: SIST ISO 4185:1997/C1:1997
<https://standards.iteh.ai/catalog/standards/sist/85971/4-8400-487d-b7fb-e4103e3bb463/sist-iso-4185-1997-c1-1997>

ICS:

17.120.10 Pretok v zaprtih vodih Flow in closed conduits

SIST ISO 4185:1997/C1:1997 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 4185:1997/C1:1997](#)

<https://standards.iteh.ai/catalog/standards/sist/859717f4-8400-487d-b7fb-e4103e3bb463/sist-iso-4185-1997-c1-1997>



Published 1993-11-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION·МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ·ORGANISATION INTERNATIONALE DE NORMALISATION

Measurement of liquid flow in closed conduits — Weighing method

TECHNICAL CORRIGENDUM 1

Mesure de débit des liquides dans les conduites fermées — Méthode par pesée

RECTIFICATIF TECHNIQUE 1

Technical corrigendum 1 to International Standard ISO 4185:1980 was prepared by Technical Committee ISO/TC 30,
Measurement of fluid flow in closed conduits.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

SIST ISO 4185:1997/C1:1997
<https://standards.iteh.ai/catalog/standards/sist/859717f4-8400-487d-b7fb-e4103e3bb463/sist-iso-4185-1997-c1-1997>

Page 2

1.5 Notation

Designation of ρ_a , delete "(at 20 °C and 1 bar*)"; delete the footnote "* 1 bar = 10⁵ Pa".

Page 19

Annex C, equation (1)

Replace the existing equation (1) with the following equation (1). (The brackets have been enlarged to include the entire fraction.)

$$s_x = \left[\frac{\sum_{i=1}^n (x_i - \bar{x})^2}{n-1} \right]^{1/2} \quad \dots(1)$$