

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Specifications for **iTEH STANDARD PREVIEW**  
**Part 74: Polyesterimide enamelled rectangular aluminium wire, class 180**  
**(standards.iteh.ai)**

Spécifications pour types particuliers de fils de bobinage –  
**Partie 74: Fil de section rectangulaire émaillé en aluminium revêtu de**  
**polyesterimide, de classe 180**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).



IEC 60317-74

Edition 1.0 2018-02

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Specifications for ~~iTech~~ STANDARD PREVIEW  
Part 74: Polyesterimide enamelled rectangular aluminium wire, class 180  
(standards.iec.ai)

Spécifications pour types particuliers de fils de bobinage –  
Partie 74: Fil de section rectangulaire émaillé en aluminium revêtu de  
polyesterimide, de classe 180

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.060.10

ISBN 978-2-8322-5417-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions, general notes and appearance .....	6
3.1 Terms and definitions .....	6
3.2 General notes .....	7
3.2.1 Methods of test .....	7
3.2.2 Winding wire .....	7
3.3 Appearance .....	7
4 Dimensions .....	7
5 Electrical resistance .....	7
6 Elongation .....	7
7 Springiness .....	7
8 Flexibility and adherence .....	7
9 Heat shock .....	7
10 Cut-through .....	7
11 Resistance to abrasion .....	7
12 Resistance to solvents .....	8
13 Breakdown voltage .....	8
14 Continuity of insulation .....	8
<a href="https://standards.iteh.ai/catalog/standards/sist/5fcfbaf-f5eb-4eba-8b8b-142f14cb8a8b/iec-60317-74-2018">https://standards.iteh.ai/catalog/standards/sist/5fcfbaf-f5eb-4eba-8b8b-142f14cb8a8b/iec-60317-74-2018</a>	
15 Temperature index .....	8
16 Resistance to refrigerants .....	8
17 Solderability .....	8
18 Heat or solvent bonding .....	8
19 Dielectric dissipation factor .....	8
20 Resistance to transformer oil .....	8
21 Loss of mass .....	8
23 Pin hole test .....	8
30 Packaging .....	8
Bibliography .....	9

iTeh STANDARD PREVIEW

(standards.iteh.ai)

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**SPECIFICATIONS FOR PARTICULAR TYPES  
OF WINDING WIRES –****Part 74: Polyesterimide enamelled  
rectangular aluminium wire, class 180****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-74 has been prepared by IEC technical committee 55: Winding wires.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
55/1635/FDIS	55/1640/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60317, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The numbering of clauses in this standard is not continuous from Clauses 21 through 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60317-74:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4eb8a8b/iec-60317-74-2018>

## INTRODUCTION

This part of IEC 60317 forms an element of a series of standards which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

- 1) *Winding wires – Test methods* (IEC 60851 series);
- 2) *Specifications for particular types of winding wires* (IEC 60317 series);
- 3) *Packaging of winding wires* (IEC 60264 series).

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60317-74:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4eb8a8b/iec-60317-74-2018>

## SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

### Part 74: Polyesterimide enamelled rectangular aluminium wire, class 180

#### 1 Scope

This part of IEC 60317 specifies the requirements of enamelled rectangular aluminium winding wire of class 180 with a sole coating based on polyesterimide resin, which can be modified providing it retains the chemical identity of the original resin and meets all specified wire requirements.

NOTE A modified resin is a resin that has undergone a chemical change, or contains one or more additives to enhance certain performance or application characteristics.

The range of nominal conductor dimensions covered by this standard is:

- width: min. 2,0 mm max. 16,0 mm;
- thickness: min. 0,80 mm max. 5,60 mm.

iTeh STANDARD PREVIEW

Wires of grade 1 and grade 2 are included in this specification and apply to the complete range of conductors.

(standards.iteh.ai)

The specified combinations of width and thickness as well as the specified width/thickness ratio are given in IEC 60317-0-9:2015. [IEC 60317-74:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4cb8a8b/iec-60317-74-2018>

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60317-0-9:2015, *Specifications for particular types of winding wires – Part 0-9: General requirements – Enamelled rectangular aluminium wire*

#### 3 Terms, definitions, general notes and appearance

##### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60317-0-9 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.2 General notes

#### 3.2.1 Methods of test

In case of inconsistencies between IEC 60317-0-9 and this document, IEC 60317-74 shall prevail.

#### 3.2.2 Winding wire

Class 180 is a thermal class that requires a minimum temperature index of 180 and a heat shock temperature of at least 200 °C.

The temperature in degrees Celsius corresponding to the temperature index is not necessarily that at which it is recommended that the wire be operated and this will depend on many factors, including the type of equipment involved.

### 3.3 Appearance

Subclause 3.3 of IEC 60317-0-9:2015 applies.

## 4 Dimensions

Clause 4 of IEC 60317-0-9:2015 applies.

iTeh STANDARD PREVIEW

### 5 Electrical resistance

(standards.iteh.ai)

Clause 5 of IEC 60317-0-9:2015 applies.

[IEC 60317-74:2018](#)

[https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-](https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4eb8a8b/iec-60317-74-2018)

### 6 Elongation

142fd4eb8a8b/iec-60317-74-2018

Clause 6 of IEC 60317-0-9:2015 applies.

## 7 Springiness

Test appropriate but no requirements specified.

## 8 Flexibility and adherence

Clause 8 of IEC 60317-0-9:2015 applies.

## 9 Heat shock

Clause 9 of IEC 60317-0-9:2015 applies. The minimum heat shock temperature shall be 200 °C.

## 10 Cut-through

Test inappropriate.

## 11 Resistance to abrasion

Test inappropriate.

## 12 Resistance to solvents

Clause 12 of IEC 60317-0-9:2015 applies.

## 13 Breakdown voltage

Clause 13 of IEC 60317-0-9:2015 applies. The elevated temperature shall be 180 °C.

## 14 Continuity of insulation

Test inappropriate.

## 15 Temperature index

Clause 15 of IEC 60317-0-9:2015 applies. The minimum temperature index shall be 180 °C.

## 16 Resistance to refrigerants

Test inappropriate.

## 17 Solderability

# iTeh STANDARD PREVIEW (standards.iteh.ai)

Test inappropriate.

[IEC 60317-74:2018](#)

## 18 Heat or solvent bonding

<http://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4eb8a8b/iec-60317-74-2018>

Test inappropriate.

## 19 Dielectric dissipation factor

Test under consideration.

## 20 Resistance to transformer oil

Test under consideration.

## 21 Loss of mass

Test inappropriate.

## 23 Pin hole test

Test inappropriate.

## 30 Packaging

Clause 30 of IEC 60317-0-9:2015 applies.

## Bibliography

IEC 60264 (all parts), *Packaging of winding wires*

IEC 60317 (all parts), *Specifications for particular types of winding wires*

IEC 60851 (all parts), *Winding wires – Test methods*

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC 60317-74:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/5fcebfaf-f5eb-4eba-8b8b-142fd4eb8a8b/iec-60317-74-2018>