

# INTERNATIONAL STANDARD

---

Information technology – Generic cabling for customer premises –  
Part 1: General requirements

**(standards.iteh.ai)**

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch)

<https://standards.iteh.ai/catalog/standards/sist/4bb19cf-821f-4b5a-8ab1-cb952b329c7/iso-iec-11801-1-2017>

IEC STANDARDS PREVIEW  
(standards.iteh.ai)

ISO/IEC 11801-1



ISO/IEC 11801-1

Edition 1.0 2017-11

# INTERNATIONAL STANDARD

---

Information technology – Generic cabling for customer premises –  
Part 1: General requirements

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.200

ISBN 978-2-8322-5050-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	15
2 Normative references .....	15
3 Terms, definitions, abbreviations and symbols.....	20
3.1 Terms and definitions.....	20
3.2 Abbreviations .....	27
3.3 Symbols.....	29
3.3.1 Variables .....	29
3.3.2 Indices.....	30
4 Conformance .....	30
5 Structure of generic cabling.....	31
5.1 Functional elements.....	31
5.2 Interfaces.....	32
5.3 Cabling subsystems.....	32
5.3.1 Cabling subsystem 1 .....	32
5.3.2 Cabling subsystems $n \geq 2$ .....	33
5.3.3 Common subsystems.....	33
5.3.4 Tie cabling.....	34
5.3.5 Channel and permanent link.....	34
6 Channel performance requirements.....	34
6.1 General.....	34
6.2 Environmental performance.....	34
6.2.1 General .....	34
6.2.2 Environmental classification.....	35
6.3 Balanced cabling transmission performance .....	37
6.3.1 General .....	37
6.3.2 Component choice.....	38
6.3.3 Channel parameters .....	38
6.4 Coaxial cabling transmission performance .....	64
6.4.1 General .....	64
6.4.2 Component choice.....	65
6.4.3 Channel parameters .....	65
6.5 Optical fibre cabling transmission performance .....	67
6.5.1 Component choice.....	67
6.5.2 Channel parameters .....	67
7 Link performance requirements .....	67
7.1 General.....	67
7.2 Balanced cabling .....	68
7.2.1 General .....	68
7.2.2 Return loss .....	69
7.2.3 Insertion loss/attenuation.....	70
7.2.4 NEXT.....	72
7.2.5 Attenuation to crosstalk ratio at the near-end.....	76
7.2.6 Attenuation to crosstalk ratio at the far-end .....	78

7.2.7	Direct current loop resistance .....	82
7.2.8	Direct current resistance unbalance .....	83
7.2.9	Propagation delay .....	83
7.2.10	Delay skew .....	84
7.2.11	Unbalance attenuation and coupling attenuation .....	86
7.2.12	Alien crosstalk .....	89
7.3	Coaxial cabling .....	94
7.3.1	General .....	94
7.3.2	Return loss .....	94
7.3.3	Insertion loss .....	94
7.3.4	Direct current loop resistance .....	95
7.3.5	DC current carrying capacity .....	95
7.3.6	Screening attenuation .....	95
7.4	Optical fibre cabling .....	95
8	Reference implementation for backbone cabling subsystems .....	96
8.1	General .....	96
8.2	Balanced cabling .....	96
8.2.1	Component choice .....	96
8.2.2	Dimensions .....	96
8.3	Optical fibre cabling .....	97
8.3.1	General .....	97
8.3.2	Component selection .....	98
8.3.3	Dimensions .....	98
9	Cable requirements .....	98
9.1	General .....	98
9.2	Operating environment .....	98
9.3	Balanced cables .....	98
9.3.1	Basic requirements .....	98
9.3.2	Balanced cables of Category 5 through 7 <sub>A</sub> , 8.1 and 8.2 .....	99
9.3.3	Balanced cables of Category BCT-B .....	101
9.4	Coaxial cables .....	103
9.4.1	General .....	103
9.4.2	Environmental characteristics .....	103
9.4.3	Mechanical characteristics .....	103
9.4.4	Electrical characteristics .....	104
9.5	Optical fibre cable (cabled optical fibres) .....	104
9.5.1	Mechanical and environmental characteristics .....	104
9.5.2	Cabled optical fibre Categories .....	105
10	Connecting hardware requirements .....	106
10.1	General requirements .....	106
10.1.1	Overview .....	106
10.1.2	Location .....	106
10.1.3	Design .....	106
10.1.4	Operating environment .....	107
10.1.5	Mounting .....	109
10.1.6	Installation practices .....	109
10.1.7	Marking and colour coding .....	110

Teh STANDARD PREVIEW  
(standards.iteh.ai)

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-b952b32f9c7/iso-iec-11801-1-2017)

[https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-b952b32f9c7/iso-iec-11801-1-2017)

[b952b32f9c7/iso-iec-11801-1-2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-b952b32f9c7/iso-iec-11801-1-2017)

10.2	Category 5 through 7 <sub>A</sub> , 8.1, and 8.2 connecting hardware for balanced cabling .....	110
10.2.1	General .....	110
10.2.2	Performance marking.....	110
10.2.3	Mechanical characteristics.....	110
10.2.4	Electrical characteristics .....	112
10.2.5	Additional requirements .....	124
10.3	BCT-B connecting hardware .....	125
10.4	Connecting hardware for use with coaxial cabling for BCT applications.....	125
10.4.1	General requirements .....	125
10.4.2	Performance marking.....	125
10.4.3	Electrical characteristics .....	125
10.5	Optical fibre connecting hardware .....	126
10.5.1	General requirements .....	126
10.5.2	Marking and colour coding.....	127
10.5.3	Mechanical and optical characteristics.....	127
10.6	Connecting hardware in accordance with IEC 60603-7 series .....	128
10.7	Connecting hardware in accordance with IEC 61076-3-104.....	129
10.8	Connecting hardware in accordance with IEC 61076-2-101 (Type D, 4 poles).....	129
10.9	Connecting hardware in accordance with IEC 61076-2-109 (Type X, 8 poles).....	129
10.10	Connecting hardware in accordance with IEC 61169-2 and IEC 61169-24 (Type F).....	130
10.11	Connecting hardware for two optical fibres.....	130
10.12	Connecting hardware for twelve and twenty-four optical fibres .....	130
11	Cord requirements.....	131
11.1	General.....	131
11.2	Operating environment.....	131
11.3	Balanced cords of Category 5 through 7 <sub>A</sub> , 8.1, 8.2 and BCT-B .....	131
11.3.1	General .....	131
11.3.2	Identification.....	131
11.3.3	Operating environment .....	132
11.3.4	Return loss .....	132
11.3.5	NEXT.....	132
11.4	Coaxial cords.....	135
11.5	Optical fibre cords.....	135
11.5.1	General .....	135
11.5.2	Identification.....	136
11.5.3	Performance requirements for patch cords .....	136
Annex A (normative) Conformance testing procedures for balanced cabling of Classes A to F <sub>A</sub> , I and II and optical fibre cabling .....		137
A.1	General.....	137
A.2	Channel and link performance testing .....	137
A.2.1	General .....	137
A.2.2	Conformance testing of balanced cabling channels, and links.....	137
A.2.3	Installation conformance testing of optical fibre cabling channels .....	138
A.3	Overview of test schedules .....	138
Annex B (normative) Mechanical and environmental performance testing of connecting hardware for balanced cabling .....		141
B.1	Overview.....	141

B.2	Solderless connections .....	141
B.3	Free and fixed connectors (modular plugs and jacks).....	142
B.4	Other connecting hardware .....	143
Annex C (informative)	Electromagnetic characteristics .....	145
Annex D (informative)	Acronyms for balanced cables.....	146
Annex E (informative)	Supported applications .....	148
E.1	Supported applications for balanced cabling .....	148
E.2	Supported applications for optical fibre cabling .....	151
E.3	Supported applications for coaxial cabling .....	154
E.4	Supported industrial applications for optical fibre cabling .....	155
Annex F (informative)	Optical fibre cable OM1, OM2 and OS1 .....	156
Bibliography	.....	157
Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25.....		14
Figure 2 – General functional elements.....		31
Figure 3 – Interconnect models.....		31
Figure 4 – Cross-connect models.....		32
Figure 5 – Equipment and test interfaces.....		32
Figure 6 – Link options.....		68
Figure 7 – Link designations.....		68
Figure 8 – Backbone cabling model .....		96
Figure 9 – Pin grouping and pair assignments for IEC 60603-7 series interface for Categories 5, 6, 6A and 8.1 (front view of fixed connector (jack), not to scale).....		128
Figure 10 – Pin grouping and pair assignment for the IEC 60603-7 series interface for Categories 7, 7A, 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....		129
Figure 11 – Pin grouping and pair assignments for the IEC 61076-3-104 interface for Categories 7, 7A, 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....		129
Figure 12 – Four position connector pin and pair assignments for IEC 61076-2-101 connecting hardware (front view of male connector).....		129
Figure 13 – Eight position connector pin and pair grouping assignments for IEC 61076-2-109 connecting hardware (front view of male connector r).....		130
Figure 14 – Conductor assignment of IEC 61169-2 and IEC 61169-24 (Type F) connector.....		130
Figure 15 – Optical fibre assignments for connecting hardware for two optical fibres .....		130
Figure 16 – Optical fibre assignments for connecting hardware for 12 and 24 optical fibres (front view of fixed or free connector).....		131
Figure D.1 – Cable naming schema .....		146
Figure D.2 – Cable types .....		147
Table 1 – Channel environments.....		35
Table 2 – Details of environmental classification.....		36
Table 3 – Return loss for a channel .....		39
Table 4 – Informative return loss values for a channel at key frequencies .....		40
Table 5 – Insertion loss for a channel .....		41
Table 6 – Informative insertion loss values for a channel at key frequencies .....		42

Table 7 – NEXT for a channel .....	43
Table 8 – Informative NEXT values for a channel at key frequencies .....	44
Table 9 – PS NEXT for a channel .....	45
Table 10 – Informative PS NEXT values for a channel at key frequencies .....	46
Table 11 – Informative ACR-N values for a channel at key frequencies .....	47
Table 12 – Informative PS ACR-N values for a channel at key frequencies .....	48
Table 13 – ACR-F for a channel .....	49
Table 14 – Informative ACR-F values for a channel at key frequencies .....	50
Table 15 – PS ACR-F for a channel .....	51
Table 16 – Informative PS ACR-F values for a channel at key frequencies .....	52
Table 17 – DC loop resistance for a channel .....	52
Table 18 – Propagation delay for a channel .....	53
Table 19 – Informative propagation delay values for a channel at key frequencies .....	54
Table 20 – Delay skew for a channel .....	55
Table 21 – TCL for channel for unscreened channels .....	56
Table 22 – Informative TCL values for unscreened channels at key frequencies .....	56
Table 23 – TCL for Class I and II screened channels .....	56
Table 24 – Informative TCL values for Class I and II screened channels at key frequencies .....	57
Table 25 – ELTCTL for channel for unscreened channels .....	57
Table 26 – Informative ELTCTL values for unscreened channels at key frequencies .....	58
Table 27 – ELTCTL for Class I and II channels .....	58
Table 28 – Informative ELTCTL values for Class I and II channels at key frequencies .....	58
Table 29 – Coupling attenuation for a channel for screened channels .....	59
Table 30 – PS ANEXT for a channel .....	60
Table 31 – Informative PS ANEXT values for a channel at key frequencies .....	60
Table 32 – PS ANEXT <sub>avg</sub> for a channel .....	61
Table 33 – Informative PS ANEXT <sub>avg</sub> values for a channel at key frequencies .....	61
Table 34 – PS AACR-F for a channel .....	62
Table 35 – Informative PS AACR-F values for a channel at key frequencies .....	63
Table 36 – PS AACR-F <sub>avg</sub> for a channel .....	63
Table 37 – Informative PS AACR-F <sub>avg</sub> values for a channel at key frequencies .....	64
Table 38 – Alien crosstalk and coupling attenuation for screened channels .....	64
Table 39 – Return loss for a channel .....	65
Table 40 – Insertion loss for a channel .....	65
Table 41 – Informative insertion loss values for a channel at key frequencies .....	66
Table 42 – DC loop resistance for a channel .....	66
Table 43 – DC current carrying capacity for a channel .....	66
Table 44 – Operating voltage for a channel .....	66
Table 45 – Screening attenuation for a channel .....	67
Table 46 – Return loss for 2-connection or 3-connection link .....	69
Table 47 – Informative return loss values for links at key frequencies .....	70
Table 48 – Insertion loss for 2-connection or 3-connection link .....	71



Table 49 – Informative insertion loss values for links with maximum implementation at key frequencies .....	72
Table 50 – NEXT for 2-connection or 3-connection link .....	72
Table 51 – Informative NEXT values for links with maximum implementation at key frequencies .....	74
Table 52 – PS NEXT for 2-connection or 3-connection link .....	75
Table 53 – Informative PS NEXT values for links with maximum implementation at key frequencies .....	76
Table 54 – Informative ACR-N values for links with maximum implementation at key frequencies .....	77
Table 55 – Informative PS ACR-N values for links with maximum implementation at key frequencies .....	78
Table 56 – ACR-F for 2-connection or 3-connection link .....	79
Table 57 – Informative ACR-F values for links with maximum implementation at key frequencies .....	80
Table 58 – PS ACR-F for 2-connection or 3-connection link .....	81
Table 59 – Informative PS ACR-F values for links with maximum implementation at key frequencies .....	82
Table 60 – DC loop resistance for 2-connection or 3-connection link .....	82
Table 61 – Informative DC loop resistance for links with maximum implementation .....	83
Table 62 – Propagation delay for 2-connection or 3-connection link .....	84
Table 63 – Informative propagation delay values for links with maximum implementation at key frequencies .....	84
Table 64 – Delay skew for 2-connection or 3-connection link .....	85
Table 65 – Informative delay skew for links with maximum implementation .....	86
Table 66 – TCL for Class I and II screened permanent links .....	87
Table 67 – Informative TCL values for Class I and II screened permanent links at key frequencies .....	87
Table 68 – ELTCTL for Class I and II permanent links .....	88
Table 69 – Informative ELTCTL values for Class I and II permanent links at key frequencies .....	88
Table 70 – Coupling attenuation for a screened permanent link .....	89
Table 71 – Informative coupling attenuation values for screened permanent links at key frequencies .....	89
Table 72 – PS ANEXT for 2-connection or 3-connection link .....	90
Table 73 – Informative PS ANEXT values for links at key frequencies .....	91
Table 74 – PS ANEXT <sub>avg</sub> for 2-connection or 3-connection link .....	91
Table 75 – Informative PS ANEXT <sub>avg</sub> values for links at key frequencies .....	92
Table 76 – PS AACR-F for 2-connection or 3-connection link .....	92
Table 77 – Informative PS AACR-F values for links at key frequencies .....	93
Table 78 – PS AACR-F <sub>avg</sub> for a 2-connection or 3-connection link .....	93
Table 79 – Informative PS AACR-F <sub>avg</sub> values for links at key frequencies .....	94
Table 80 – Alien crosstalk and coupling attenuation for screened links .....	94
Table 81 – Insertion loss for link .....	95
Table 82 – Informative insertion loss values for link at key frequencies .....	95
Table 83 – DC loop resistance for link .....	95

Table 84 – Backbone link length equations .....	97
Table 85 – Basic requirements of balanced cables.....	99
Table 86 – Mechanical characteristics of balanced cables of Category 5, 6, 6A, 7 and 7A .....	99
Table 87 – Mechanical characteristics of balanced cables of Category BCT-B .....	102
Table 88 – Minimum transmission performance requirements BCT-B balanced pairs .....	102
Table 89 – Basic requirements of coaxial cables.....	103
Table 90 – Mechanical performance requirements for coaxial BCT cables .....	103
Table 91 – Minimum electrical performance requirements for cables of Category BCT-C .....	104
Table 92 – Cabled optical fibre attenuation (maximum), dB/km .....	105
Table 93 – Multimode optical fibre modal bandwidth .....	105
Table 94 – Environmental performance specifications for balanced cabling connecting hardware .....	107
Table 95 – Environmental performance specifications for coaxial cabling connecting hardware .....	108
Table 96 – Environmental performance specifications for optical fibre cabling connecting hardware.....	109
Table 97 – Mechanical characteristics of connecting hardware for use with balanced cabling.....	111
Table 98 – Matrix of backward compatible mated free and fixed connector (plug and jack) performance .....	113
Table 99 – Return loss .....	113
Table 100 – Informative return loss values for connector at key frequencies .....	114
Table 101 – Insertion loss .....	114
Table 102 – Informative insertion loss values for connector at key frequencies .....	115
Table 103 – Near-end crosstalk (NEXT).....	115
Table 104 – Informative NEXT values for connector at key frequencies .....	116
Table 105 – Power sum near-end crosstalk (PS NEXT) (for information only) .....	116
Table 106 – Informative PS NEXT values for connector at key frequencies .....	117
Table 107 – Far-end crosstalk (FEXT) .....	117
Table 108 – Informative FEXT values for connector at key frequencies.....	118
Table 109 – Power sum far-end crosstalk (PS FEXT) (for information only).....	118
Table 110 – Informative PS FEXT values for connector at key frequencies .....	119
Table 111 – Input to output resistance .....	119
Table 112 – Input to output resistance unbalance .....	119
Table 113 – DC current carrying capacity .....	119
Table 114 – Propagation delay .....	120
Table 115 – Delay skew.....	120
Table 116 – Transverse conversion loss (TCL) .....	120
Table 117 – Informative TCL values for connector at key frequencies .....	121
Table 118 – Transverse conversion transfer loss (TCTL) .....	121
Table 119 – Informative TCTL values for connector at key frequencies .....	121
Table 120 – Transfer impedance (screened connectors only).....	122

Table 121 – Informative transfer impedance values (screened connectors only) at key frequencies.....	122
Table 122 – Coupling attenuation (screened connectors only) .....	122
Table 123 – Informative coupling attenuation values (screened connectors only) at key frequencies.....	122
Table 124 – Insulation resistance.....	123
Table 125 – Voltage proof.....	123
Table 126 – Power sum alien near-end crosstalk (PS ANEXT).....	123
Table 127 – Informative PS ANEXT values at key frequencies .....	123
Table 128 – Power sum alien far-end crosstalk (PS AFEXT) .....	124
Table 129 – Informative PS AFEXT values at key frequencies .....	124
Table 130 – Coupling attenuation for BCT-B connecting hardware .....	125
Table 131 – Formulae for return loss limits for BCT-C connecting hardware .....	125
Table 132 – Return loss limits for BCT-C connecting hardware at key frequencies.....	126
Table 133 – Formulae for insertion loss limits for BCT-C connecting hardware .....	126
Table 134 – Insertion loss limits for BCT-C connecting hardware at key frequencies.....	126
Table 135 – Screening attenuation limits for BCT-C connecting hardware.....	126
Table 136 – Attenuation of connecting hardware for optical fibre .....	127
Table 137 – Return loss of optical fibre connecting hardware.....	127
Table 138 – Electrical characteristics of terminal equipment outlets intended for use with balanced cabling .....	128
Table 139 – Minimum return loss for balanced cords .....	132
Table 140 – Informative values of return loss for balanced cords at key frequencies.....	132
Table 141 – Assumptions for cabling components used in the calculation of NEXT informative values.....	134
Table 142 – Informative values of NEXT for 2 m balanced cords at key frequencies .....	134
Table 143 – Informative values of NEXT for 5 m balanced cords at key frequencies .....	135
Table 144 – Informative values of NEXT for 10 m balanced cords at key frequencies .....	135
Table A.1 – Test regime for reference conformance and installation conformance – Balanced cabling of Classes A through F <sub>A</sub> , BCT-B, I and II.....	139
Table A.2 – Test regime for reference conformance and installation conformance – Optical fibre cabling .....	140
Table B.1 – Standards for solderless connections .....	141
Table B.2 – Standards for free and fixed connectors (modular plugs and jacks).....	142
Table B.3 – Standards for M12 style connectors .....	142
Table B.4 – Free and fixed connectors (modular plugs and jacks) operations matrix .....	143
Table B.5 – Reference for reliability testing of other connecting hardware.....	143
Table B.6 – Other connecting hardware operations matrix .....	144
Table E.1 – Applications using balanced cabling.....	149
Table E.2 – Industrial applications using balanced cabling.....	150
Table E.3 – Modular connector pin assignment for applications .....	151
Table E.4 – Maximum channel attenuation for supported applications using optical fibre cabling.....	152
Table E.5 – Maximum channel lengths supported by optical fibre applications for multimode optical fibre .....	153

Table E.6 – Maximum channel length supported by optical fibre applications for single-mode optical fibre .....	154
Table E.7 – Supported BCT applications using balanced cabling .....	154
Table E.8 – Supported BCT applications using coaxial cabling .....	155
Table E.9 – Supported applications and maximum channel lengths with cabled multimode optical fibres .....	155
Table E.10 – Supported applications and maximum channel lengths with cabled all-silica single-mode optical fibres .....	155
Table F.1 – Grandfathered OM1, OM2 and OS1 specifications.....	156
Table F.2 – Supported applications and maximum channel lengths with cabled all-silica multimode optical fibres .....	156
Table F.3 – Supported applications and maximum channel lengths with cabled all-silica singlemode optical fibres.....	156

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>

# INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

## Part 1: General requirements

### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 11801-1 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition, together with ISO/IEC 11801-2, cancels and replaces ISO/IEC 11801:2002, Amendment 1:2008 and Amendment 2:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain those elements and requirements, that are common to generic cabling systems (in application fields such as offices and industrial premises), namely requirements for common elements of topology and transmission performance of channels, links and related components;
- b) addition of balanced cabling channel and link Classes BCT-B, I and II;
- c) addition of coaxial cabling channel and link Class BCT-C;
- d) addition of balanced cabling component requirements for Categories BCT-B, 8.1 and 8.2;

- e) addition of coaxial cabling component requirements for Category BCT-C;
- f) addition of cabled optical fibre Categories OS1a and OM5;
- g) removal of optical fibre classes;
- h) cabled optical fibre Categories OM1, OM2 and OS1 have been moved to an informative annex.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

The contents of the corrigendum of April 2018 have been included in this copy.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>

## INTRODUCTION

This document contains general requirements in support of the other premises-specific referenced cabling design documents developed by ISO/IEC JTC 1/SC 25 including ISO/IEC 11801-2, ISO/IEC 11801-3, ISO/IEC 11801-4, ISO/IEC 11801-5, ISO/IEC 11801-6, related Technical Specifications and Technical Reports (including the ISO/IEC TR 11801-99xx series, ISO/IEC TR 24704, ISO/IEC TR 24750 and ISO/IEC TS 29125).

This document specifies a multi-vendor cabling system which may be implemented with material from single or multiple sources, and is related to:

- a) International Standards for cabling components developed by technical committees of the IEC, for example copper cables and connectors as well as optical fibre cables and connectors (see Clause 2 and bibliography);
- b) standards for the testing of installed cabling (see Clause 2 and bibliography);
- c) applications developed by technical committees of the IEC, by subcommittees of ISO/IEC JTC 1, by study groups of ITU-T, for example for LANs and ISDN, and by IEEE 802;
- d) planning and installation guides and other standards which take into account the needs of specific applications for the configuration and the use of cabling systems on customer premises (e.g. ISO/IEC 14709 series, ISO/IEC 14763 series, ISO/IEC 30129, and ISO/IEC 18598).

Physical layer requirements for the applications listed in Annex E have been analysed to determine their compatibility with cabling classes specified in this document. These application requirements, together with statistics concerning premises-specific topologies and cabling models of the supported standards, have been used to develop the requirements for balanced, coaxial and optical fibre cabling.

As a result, generic cabling defined within this document:

- 1) specifies balanced cabling channel and link Classes A, B, C, D, E, E<sub>A</sub>, F, F<sub>A</sub>, I and II meeting both the requirements of standardized applications and to support the development and implementation of future applications;
- 2) specifies balanced cabling channel and link Class BCT-B to support the delivery of BCT applications;
- 3) specifies coaxial cabling channel and link Class BCT-C to support the delivery of BCT applications;
- 4) specifies optical fibre cabling meeting the requirements of standardized applications and exploiting component capabilities to ease the implementation of applications developed in the future;
- 5) invokes component requirements and specifies cabling implementations that ensure performance of links and of channels that meet or exceed the requirements for cabling classes.

Figure 1 shows the schematic and contextual relationships between the standards relating to information technology cabling produced by ISO/IEC JTC 1/SC 25, namely the ISO/IEC 11801 series of standards for generic cabling design, standards for the installation, operation and administration of generic cabling and for testing of installed generic cabling.